Apply Profiles tab

Overview

Use this tab to select an apply a profile from a repository to your Tiki

To Access

From the Profiles Admin page, click the Apply Profiles tab.

Note

Starting in Tiki3 the profile system is a powerful and versatile system that can be managed by the Tiki community. See http://profiles.tiki.org. Profiles give the installer a choice of partially configured sites to install. They give a head start on the configuration process by picking a type of site that is similar in purpose.

| Filter the lis Profile: | | er option to see a list of P Option 2: Manual Filter | |
|---|---|---|--|
| | | | |
| Profile: | t of profiles: | | |
| | | | |
| | 3.x 4.x | | |
| | 5.× | | |
| | 6.x Featured profiles | | |
| Categories: | Full profile (out of | the box & ready to go) | × |
| | http://profiles.tiki.c | org 🗸 List | |
| Step 2: Click on a | Profile to review an | | |
| Collaborative_Comr | Profile nunity_6x | Repository profiles.tiki.org | Categories beta, Featured profiles, 6. |
| sitetitle | 0 | r community | |
| | | | |
| sitesubtitle | Log | g on, Learn, Share | |
| | | | |
| browsertitle Apply Now Step 3: Click on A | Cor Apply Now to apply F | mmunity Wiki | |
| Apply Now | apply Now to apply F | | |
| Apply Now Step 3: Click on A Table of | Apply Now to apply F | | |
| Apply Now Step 3: Click on A | Apply Now to apply F | | |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu | Apply Now to apply F Contents D ick List) | | |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu YAML (Profil Gene | Apply How to apply F Contents D aick List) e Code) | | |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Gu YAML (Profil Gene Viki | Apply How to apply F Contents D sick List) e Code) ral | | |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu YAML (Profil Gene | Apply How to apply F Contents D aick List) e Code) rral | | |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu YAML (Profil Gene VMid Forur Search | Apply How to apply F Contents D aick List) e Code) real n | | beta, Featured profiles, 6. |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Q YAML (Profil Gene Wild Forur | Apply How to apply F Contents D aick List) e Code) real n ch | Profile | |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu YAML (Profil Gene VMid Forur Sear Company_Intranet_ Personal_Blog_and | Apply How to apply F Contents D aick List) e Code) real n ch | Profile profiles tiki.org | beta, Featured profiles, 6.3 beta, Featured profiles, 5.3 beta, Featured profiles, 5.3 |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu YAML (Profil Gene VMid Forur Sear Company_Intranet_ Personal_Blog_and | Apply How to apply F Contents D inck List) e Code) real n ch ch ch c6x Lprofile_6x | Profile profiles.tiki.org profiles.tiki.org | beta, Featured profiles, 6.3 |
| Apply Now Step 3: Click on A Table of PLEASE REA Introduction Features (Qu YAML (Profil Gene Vilia Forur Sear Company_Intranet_ Prisonal_Organization Status | Apply How to apply F Contents D inck List) e Code) real n ch ch ch c6x Lprofile_6x | Profile profiles.tiki.org profiles.tiki.org | beta, Featured profiles, 6.3 |

Value

Field name

Setting

Fieldset or section

Description

Related Topics

- Installation
- Configuration
- Tiki Profiles Repository

Starting in version 2.x (as a hidden feature) and specially after 3.x, you can point your browser to **tiki-admin.php?page=profiles** ("Admin home > Profiles"), allowing to set up at any time bunches of features in a certain way to produce specific use case of interest.

New Tiki 2.x and 3.x profile system

Old profile system (< Tiki 2.x)

In Tiki 1.9, profiles were only active during the installation process. You could not go back and pick a different profile unless you re-installed the database, losing all your changes.



Selection of profile at http://yourdomain/tiki-install.php?lang=XX

Requirements

Your php must have the option <u>allow_url_fopen</u> On or must have the library <u>curl</u> installed. Javascript must also be enabled on your browser

Details of Supported Profiles

Tiki 3.x

See http://profiles.tiki.org

Starting in version 2.x (as a hidden feature) and specially after 3.x, you can point your browser to **tiki-admin.php?page=profiles** ("Admin home > Profiles"), allowing to set up at any time bunches of features in a certain way to produce specific use case of interest.

New Tiki 2.x and 3.x profile system

Old profile system (< Tiki 2.x)

In Tiki 1.9, profiles were only active during the installation process. You could not go back and pick a different profile unless you re-installed the database, losing all your changes.

| Tiki installer v1.9.7@ reload Welcome to the installation & upgrade script! | | | | |
|--|--|--|--|--|
| | | | | |
| Selection of profile at ht | tp://yourdomain/tiki-install.php?lang=XX | | | |

Requirements

Your php must have the option allow_url_fopen On or must have the library curl installed. Javascript must also be enabled on your browser

Details of Supported Profiles

Tiki 3.x

See http://profiles.tiki.org

"Profiles" up to Tiki 1.9.x was a feature used only when you install Tikiwiki. It set up the Tikiwiki according to an existing configuration that was "saved" from another site.

Until version 2.x, this feature is only active during the installation process. You could not go back and pick a different profile unless you re-installed the database, losing all your changes.