

# Plugin A Name

This [wiki plugin](#), available since Tiki1, creates an anchor in a wiki page that can be linked to. Use in conjunction with the [PluginAlink](#), which creates the link to the anchor.

Starting with Tiki release 2.0, Tiki will automatically create anchor points for all headings in a wiki page. You can use the [PluginAlink](#) to link to any heading on a wiki page *without* having to use a corresponding ANAME plugin.

## Parameters

Create an anchor that can be linked to

*Introduced in Tiki 1.*

[Go to the source code](#)

*Preferences required:* wikiplugin\_aname

Parameters
<i>(body of plugin)</i> - The name of the anchor.
<i>no parameters</i>

## Usage

To take use this plugin in a wiki page, use the syntax:

```
{ANAME()}anchorname{ANAME}
```

In the generated XHTML for your webpage, Tiki will create the following anchor:

```
<a id='anchorname'></a>
```

### Notes:

- If you include spaces in the anchor name, Tiki will convert the spaces to underscores ( \_ ).  
For example, `{ANAME()}my custom anchor{ANAME}` will render as: `<a id='my_custom_anchor'></a>`.
- Starting with Tiki release 2, Tiki generates the anchor using the `id` attribute. In prior releases, Tiki used the HTML name attribute (`<a name='anchorname'></a>`).

## Example

### Aname Plugin Usage

```
{ANAME() }
```

anchorname *<--put the name of the anchor here. Use this same name for the aname= parameter in the Plugin Alink (see just below).*

```
{ANAME}
```

ANAME example: `{ANAME()}anchorname{ANAME}`

### Alink Plugin Usage

```
{ALINK(
```



## Related Pages

- [PluginAlink](#)
- [PluginA](#) as an alternative to ANAME/ALINK
- For all plugins\* [Wiki Plugin](#) - has links to all plugins and describes how the syntax works for a plugin
- [Mods Type Wikiplugins](#)