

å¿...è|æiä»¶ä, Žå®%è£...

æœ¬éíµå^—å‡°å®%è£...Tikičš,,æœ€ä½Žå¿...è|æiä»¶

ã€ã€ã€ã!,æžœä½ æ-

åœ”ä½¿ç””æ ‡å‡čš,,å...±ä°«ä, »æœ°¼Œä½ å¯ä»¥å‡è®¼å·²å¸å^å¿...è|æiä»¶¼ŒTikiå°±æ~èç«è®¼è|è¿èiŒ  
œ”LAMPå...±ä°«ä, »æœ°ä, Ščš,,ã€,å¯¹ä°Žè|é...ç½®TikiæœåŠiå™”čš,,ä°œæ¥è´ä, <éçčš,,æŒ‡çœ°éžå, æœ%ç””ã€,

æœ¬éíµç¿»è´å·²å®Œæ^

# Table of contents

• å¿...è|æiä»¶ä, Žå®%è£...

• å¿...è|æiä»¶

◦ WebæœåŠiå™”

◦ æ•°æ®å°”

◦ PHP

◦ æ›å¸šä¿æ¯

• å¯é€%è½¯ä»¶æ^—å°”

å ç ... è | æ i ä » ¶

# WebæœåŠiå™

€ã€€Tikiæ~`åœ`Linuxå'ŒApacheä,Šéçå¼€å'åŠå¹¿æ³>ä½¿ç""çš,,ã€,ä½†æ~`i¼ŒTikiåº"èf½èèiŒåœ`ä»»»ä½•æ"~a  
ŒPHPçš,,WebæœåŠiå™`ä,Ši¼ŒåfWindows/IISã€lighttpdç-  
%oi¼Œä½†ä½ éœ€è!åšåº>è°fæ•´ã€,è`çœ<Windowså...¼å®¹éi¼ç>®ã€,  
ä½ çš,,WebæœåŠiå™`é...ç½®åº"è¾¾¾å^°ä,€ä,æœ€ä½Žè!æ±,¼š

- 512 MB å†...å~
- 100 MB å%œ©ä½™ çfç>~ç©é—´

# æ•°æ®å°

æ•°æ®å° èžæž¥ã€æ•°æ®å°å°ã»¥å®%è£...ä,žWebæœåŠiå™ç,ä  
Œçš„ä,»æœ°ä,Ši¼^localhosti¼%ã€ä¹ÿå°ã»¥æ~ä,èìœç<æ•°æ®å°ã€Tikiä½ìç”MySQLã€

- MySQL 5æ^-æ>’å¥½ç%œ^æœ¬ (Tiki3åŠä»¥åžçš„ç%œ^æœ¬)
- MySQL 4.1 æ^-æ>’é«~

# PHP

Tiki 3 (åŠä»¥åŽç%oo^æœ¬) éœ€è! PHP 5 é™ „å„! MySQLi æ%oo©å±•ã€,  
Tiki 4 (åŠä»¥åŽç%oo^æœ¬) ç””PHP 5 é™ „å„! PDO æ%oo©å±•ä¼šæ>’å¥½æ€,  
å„,æžœæ²iæœ%ooPDOä½ å¬ä»¥å€’é€€å^°ADODBæ€, è¬çœœ: ReleaseNotes40i¼^å„å„fè¬æ~Ži¼%oo

**PHPå†...å~é™å^¶è¬æ~Ž:** ä„€äº>ISPå®%ooè£...çš„,PHPå°†å†...å~åšä°†é™å^¶i¼CEmemory\_limit =  
8mã€,èì™çšæf...å†µä„i¼CETikiå¬ä»¥å€®%ooè£...i¼CEå¼€åš<èìèiCEæ—¶çœœ<èµ·æ¥ä¹ÿæ-  
£å„i¼CEå½“æœ%ooä°†è’ÿè½½i¼CEå†...å~é™å^¶å°±ä¼šä¬è†Tikiå†°çŽ°å¼,å„i¼šéiµéçè£...è½½ä„æ-  
£å„i¼CEå†°çŽ°åµæ€æçš„,é—®éç~ç%ooã€,è!æ£€æÿ¥å†...å~é™å^¶i¼CEç””æµèš^å™”æ%oo“å¼€ åÿÿå.com/tiki-  
phpinfo.php æ€,åœ¬éiµéçä„æœç’çä„%ooä„é...ç½®å€¼i¼š

- max\_execution\_time = 60 ;  
æ¬ä„è„šæœ¬æœ€åµšå¬ä»¥å€¥æ%oo§èiCEåµšé•ìæ—¶é—’i¼CEä»¥çš’é’ÿè®iç®—
- max\_input\_time = 60 ;  
æ¬ä„è„šæœ¬æœ€åµšå¬ä»¥å€¥ç””åµšå°’æ—¶é—’å†æžæ%oo€è¬æ±,çš„æ°æ®
- memory\_limit = 32M ; æ¬ä„è„šæœ¬æœ€åµšå¬ä»¥å€¥æ¶è€—åµšå°’å†...å~  
ä„€è¬ç””æ^é€šå„æ—åµ„ç†æ³•èì™äº>é™å^¶i¼CEä½ åì...éi»æ•¬è¬ä½ çš„æœåšia•†ç»™ä½ åµšç,¹èµ„æ°æ€,å  
œ¬ä„€ä„è’ÿè½½è¾é†çš„å...±äº«æœåšia™”ä„šæ„å³ç€å...¶ä»-PHPç””æ^ä¹ÿä¼šèç«å†é...å^°æ>’åµšèµ„æ°æ€,

æ>’åµšäìæ¬  
[+]

å°“

libxml åì...éi»æì€æ’»	<a href="http://us2.php.net/manual/en/ref.xml.php">http://us2.php.net/manual/en/ref.xml.php</a>
mbstring èš†ä½ çš„è¬è€è!æ±,è€CEåš ä„š	<a href="http://us2.php.net/manual/en/ref.mbstring.php">http://us2.php.net/manual/en/ref.mbstring.php</a>
å½“ tw >=1.10 åì...éi»æì€æ’» ctype	

æ^ä»¬åºè®®èì™æ¬äì®æ”¹ä½ çš„ **php.ini** æ¬ä»¶i¼š

<b>PHP.INI</b>	<b>æèì°</b>
memory_limit = 32M	PHPè,,šæœ¬çš,,æœ€å¤šå†...å~
file_uploads = On	ä½ çš,,Tikiéœ€è!å...è® ,ä ,Šä¼ (æ¬†ä»¶¼Œå³¼ç%œ†ç%œ)
upload_max_filesize = XXM	ä ,Šä¼ æ¬†ä»¶¼çš,,æœ€€å¤šå†®¹é†(ä»¥MBä ,œ•ä½)
allow_url_fopen = On	åœ¨ä½ çš,,Tikiåšå®çä ,ä½¼ç""å>žé"¼
session.save_handler = files	PHPå~å ,ç»~ç""ä¼æ¬çš,,è¬å¼,,ã€, çì®ä¼è¬å¼,,æœ%œ•^å¹¶ä , "å¬†™ã€,åœ¨Shared Hostingì¼^å...±äœ«ä ,»æœ°ì¼%œçŽ¬åçì¼Œ
session.save_path = tmp	å! ,æžœä½ ä ,èf½å~å- /tmp å°±ç"" <b>temp</b> (æ— æ-œæ ) ä»£æ>ì
max_execution_time = 60	å^¶å®šç©°é—²æ—¶é—'(ä»¥çš'è'ÿè®ìç®—)ã€,å! ,æžœé†å^è¶...æ—¶ì¼^æ¬"å! ,æ%œšèìŒç®ìç†åšÿèf½ì¼%œä½ å¬ä»¥åçžåš æ•°å€¼
max_input_time = 60	
magic_quotes_gpc = Off	å...³æž%œPHPçš,,é"æ³•å¼•å•šÿèf½
default_charset = 'utf-8"	å^¶å®šé»è®¤—ç¬¼ç¼-ç
mbstring.func_overload = 0	mbstring.func_overload = 7æ—¶æ— æ³•æ£å ,å¥ä½œ

- åœ¨ä ,åŒçš,,æ"ä½œç³»ç»»ä ,Š**php.ini**æ¬†ä»¶¼çš,,ä½¼ç¼®ä ,ä ,œæ ·ì¼Œé€šå , åœ¨èì™ äœ>åœ°æ¬ì¼š
- /etc/php.ini
  - /etc/php/php.ini
  - /etc/php4/php.ini
  - /etc/php/apache1-php4/php.ini (Gentoo)
  - /etc/php/cli-php4/php.ini (Gentoo)
  - /etc/php4/apache2 (Debian)
  - \windows\system\php.ini (Windows)

æ³ æ,,:

1. PHP 4.1.2 æœ%œ¼šè çºç ¸ ç¼ºé™ ·¼œä, åº”ä½ç””ã€,
2. ä½ å èf½éœ€è|å®%œèf...php-develåœ...(å†é†å Apache) æ¥è§få†³ tiki-install.php çš,,ç™ ½å±é—® éç ~ã€, (çœ<è®ºå>é†œçš,,ç>, å...³æ-†ç« )ã€,åœ”æ-æä¹<å%œè·æf€æÿ¥æœ%œæ²iæœ%œåœ”php.inié†œéçæì€æ´»æfçì®çš,,æ•°æ®åº”ã€,
3. å|,æžœsafemodeæ%œ”å¼œäº†ä½ å-ä»¥åœ”php.inié†œè®¾ç¼½®safe\_mode\_allowed\_e nv\_vars = TZã€,
4. è|åœ”land1.comä, ŠèìèiœPHP5,æŠŠèì™ å† èiœåŠ å^ºä½ çš,,\_htaccessæ-†ä»¶é†œ(Tik 3.X):

AddType x-mapp-php5 .php

AddHandler x-mapp-php5 .php

åž»æž%œç¬¬29å’œç¬¬30èiœçš,,æ³” é†š¼œæššæ-†ä»¶åœ”¹ä,º.htaccess

å-é€%œè½-ä»¶æ^-åº”

æÿäº>TikiåŠÿèf½ç%œ¹æ€§éœ€è|ä»¥ä, <éçåæ-çš,,è½-ä»¶æ^-åº”¼š

åŠÿèf½ç%œ¹æ€§

éçåæ-è|æ±,

å>¾åfåæ,,ç†¼œç”ÿæ^ç¼©ç•¥å>¾¼¼œç”ÿæ^åš”æ€å>¾æ †¼œä»¥åšé~²æçæœº™””äºº/è†åš”æ³”å†œæ€,

ä½ç”” **GD Library 1.5**

(æ^-æ>´é«ç%œ^æœ¬) or

**ImageMagick**ã€,PHP

4.3+é»è®åœœ...å«ImageMagickã€,

Mapserver 4.6+

åfGeoCMS (Geospastial Content Management System)é,£æ ·ç®iç†æ~¾çæºœºå>¾

ä½ç””Apache Apache Clean URLs

é†å†™Tikié»è®çš,,URL

å^>åººæ>´çÿçš,,æ^-å®šå^¶URLã€,