

~ Ä ñ ~ Ä ñ — Ä

Tiki8 Ä¬—Ä¬„œÄ¬~ Ä¬**Å** Ä¤Ä·œ Ä¬**Å**¤Ä—~Ä¬**Å** Ä¤Ä, Ä°Ä«ŠÄ¥.

[tiki-admin.php?page=areas](#)

„perspective_autoswitch“

Ã¬ÃµœÃ¤Ã·Ã¹/4Ã¬— Ã¤Ã, Ã°Ã«ŠÃ¥Ã¬œÃ¹/4Ã«Ã¡œÃ¬Ã”Ã¬~ Ã¬~Ã¬—ÃÃ¤Ã³Ã¹/4 binderlib.php (Ã¬›Ã«ž~Ã«Š” tiki-perspectivebinder.php) ÃŒŒÃ¬Ã¹/4Ã¬€ Ã¤Ã½%oÃ«Ã§%oÃ~€Ã«Ã²„Ã«Ã¡Ã°Ã«„Ã«Ã¡œÃ¬™ €Ã¤Ã°™Ã¬•~Ã¬ŠÃµÃ«[^]Ã«Ã¤.

- 1) $\tilde{A} \neg \sim \tilde{A} \neg - \hat{A} \tilde{A} \neg \epsilon$ ($\tilde{A} \ll " \tilde{A} \neg \hat{A} \neg f$) $\tilde{A}^a \hat{A}, \hat{A}^o \tilde{A} \ll \check{S} \hat{A} \neq \tilde{A} \neg \hat{A}' \tilde{A} \neg \bullet, \tilde{A} \ll \text{TM} \tilde{A} \ll \hat{A} \ll \hat{A}$
 $\neg \tilde{A} \neg - \hat{A} \tilde{A} \neg \epsilon \tilde{A}^a \hat{A} \mu \hat{A} \neg \tilde{A} \neg \hat{A}; \hat{A}^o \tilde{A} \neg \hat{A} \bullet \tilde{A}^a \hat{A}^3 \hat{A}^{1/4} \tilde{A} \neg \hat{A}^1 \tilde{A} \neg, \tilde{A} \neg \hat{A} \neg \hat{A}' \check{S} \hat{A}, \tilde{A} \ll \hat{A} \neq \hat{A}^{1/4} \tilde{A} \tilde{A} \mu \hat{A} \bullet \tilde{A} \neg - \hat{A} \neg \tilde{A} \frown \tilde{A} \neg \frown \% \tilde{A} \neg, \tilde{A} \neg \hat{A} \neg \hat{A} \bullet \tilde{A}$
 $\bullet \sim \tilde{A} \ll \check{S} " \tilde{A} \neg \hat{A} \gg \hat{A} \neg \dots \% \tilde{A} \neg \check{z} \dots \tilde{A} \ll \hat{A} \ll \hat{A}$.
3) $\tilde{A} \neg \sim \tilde{A} \neg - \hat{A} \tilde{A} \neg \epsilon \tilde{A} \neg \hat{A}^1 \tilde{A} \neg, \tilde{A} \neg \hat{A} \neg \hat{A}' \check{S} \hat{A}, \tilde{A} \neg \frown \tilde{A} \neg - \tilde{A} \neg \text{oe} \tilde{A}^a \hat{A}^3 \hat{A} \mu \tilde{A}^a \hat{A}^o, \tilde{A} \neg \sim \tilde{A} \bullet \text{oe} \tilde{A} \neg \hat{A} \notin \dots \tilde{A} \ll \hat{A} \neq \tilde{A} \neg \check{z} \dots \tilde{A} \ll \hat{A} \ll \hat{A}$. $\tilde{A} \neg \sim \tilde{A} \neg - \hat{A} \tilde{A} \neg \epsilon$
 $\tilde{A} \neg, \tilde{A} \neg \hat{A} \neg \hat{A}' \check{S} \hat{A}, \tilde{A} \ll \hat{A} \neq \hat{A}^{1/4} \tilde{A}^a \hat{A}^o \text{oe} \tilde{A}^a \hat{A}^3, \tilde{A} \neg \hat{A} \tilde{A} \ll \hat{A}^a \hat{A} " \tilde{A} \ll " \hat{A}, \tilde{A} \ll \hat{A} \text{C} " \tilde{A} \ll \% \tilde{A}', \tilde{A} \ll \hat{A}^o \tilde{A} \neg \hat{A} \gg \hat{A} " \tilde{A} \dots \tilde{A} \neg \hat{A}, \tilde{A} \tilde{A}^a \hat{A}^o \epsilon \tilde{A} \ll \hat{A}^2 " \tilde{A} \neg \hat{A} \frown \hat{A}^{1/4} \tilde{A} \neg \text{TM} \epsilon \tilde{A}$
 $\bullet \hat{A} " \tilde{A}^a \hat{A}^2 \text{C} \tilde{E} \tilde{A} \ll \hat{A} \neg \hat{A} \P \tilde{A} \neg \hat{A}, \tilde{A} \neg - \hat{A} \neg \tilde{A} \ll \check{Y} \hat{A} \neg \tilde{A}^a \hat{A}^o \text{oe} \tilde{A} \neg \sim \tilde{A} \neg \text{oe} \tilde{A} \ll \hat{A}, \text{C} \tilde{E} \tilde{A} \check{Z} \tilde{A} \neg \hat{A}' \tilde{A} \neg \hat{A} \frown \tilde{A} \ll \hat{A} \text{J} \text{oe} \tilde{A} \ll, \tilde{A} \ll \hat{A} \bullet \tilde{A} \ll \hat{A} \ll \hat{A}$.

" $\tilde{A}^{1/4}$ $\tilde{A} - \check{S}\tilde{A} \otimes \tilde{A}^{\check{Z}}$ ™ $\tilde{A} \cdot \tilde{A}^{\circ}$ $\tilde{A} \llcorner \tilde{A}^{\circ}$ \mathcal{E} " $\tilde{A} \circ \tilde{A}^{\circ}$ $\tilde{A} \llcorner \check{S}\tilde{A} \neq \tilde{A} \neg$, $\tilde{A} \neg, \tilde{A} \neg \check{S}\tilde{A} \odot \tilde{A} \bullet \sim \tilde{A} \neg \tilde{A} \notin \tilde{S}\tilde{A} \llcorner \check{S}$ " $\tilde{A} \rightarrow \tilde{A}^1 \tilde{A} \neg, \tilde{A} \neg \tilde{A} \neg \tilde{A}^{\prime} \check{S}\tilde{A}, \tilde{A} \neg \tilde{A} \neg, \mathfrak{o} \tilde{A} \llcorner \check{S}$ ",
 $\sim \tilde{A} \neg - \tilde{A}^{\prime} \tilde{A} \neg, \tilde{A} \neg \tilde{A} \mathfrak{o} \tilde{A} \neg \check{z} \tilde{A} \bullet \sim \tilde{A} \llcorner \check{S}$ " $\tilde{A} \circ \tilde{A}^2 f \tilde{A} \neg \epsilon \tilde{A} \llcorner \tilde{A}^{\circ} \tilde{A}^{\circ} \tilde{A}^{\circ} \tilde{A}^{1/4} \tilde{A} \dots \mathcal{E} \tilde{A} \llcorner \tilde{A} \tilde{A}^{\circ} \mathfrak{o} \tilde{A} \neg - \tilde{A}^{\prime} \tilde{A} \llcorner \tilde{A} \tilde{A}^{\circ} \tilde{A}^{1/4} \tilde{A} \dagger \tilde{A} \mu \tilde{A} \bullet \sim \tilde{A} \neg - \tilde{A} \neg \tilde{A} \neg, \mathfrak{o} \tilde{A} \llcorner \tilde{A}$

Ã¬Ã£Ã¼Ã«Ã¡œ Ã¤Ã°Ã«Ã„Ã¥Ã•~Ã«Ã©Ã°, Ã¬Ã‘Ã«Ã„Ã¤ 10Ã¬—Ã¬,,œ Ã«" Ã¬^~Ã¬~"Ã•Ã‘Ã¬Ã;ŒÃ«Ã„Ã«Ã°, Ã¬Ã‘Ã«Ã„Ã«Ã²”Ã¬Ã£Ã¼Ã¬~Ã•~Ã¬œ,,ÃŠÃ,Ã«Ã¡Ã¬Ã¬Ã¤Ã½Ã¬œÃ¼Ã«Ã¡œ Ã~Ã¹Ã¬€ Ã~Ã²”Ã¬Ã£Ã¼Ã¬~Ã•~Ã¬œ,,ÃŠÃ,Ã«Ã¡Ã¬Ã¬—Ã¬,,œ Ã«Ã¤Ã“Ã«“^Ã¤Ã°Ã«œÃ¬,,Ã±Ã¬,,Ã¬ÃœÃ•~Ã¤Ã³Ã,Ã¬ÃœÃ¬™Ã,Ã•~Ã«Ã„Ã¤Ã²fÃ¬Ã’Ã¤Ã°Ã«Ã„Ã•~Ã¤Ã°Ã«Ã„Ã«Ã¤Ã,Ã°Ã«•ŒÃ«Ã¬Ã,Ã¬ž...Ã«[^]Ã«Ã¤Ã.

«Ã§ŒÃ¬•Ã½ "ÃÃ¼Ã¬Ã„Ã¤ÃŽ™Ã¤Ã°Ã«Ã,Œ"Ã¤Ã°Ã«Ã¬,Ã¬Ã¬Ã¬Ã©Ã«Ã¤Ã«Ã©Ã‘, "Ã¬~Ã¬—Ã”Ã¬€ "ÃÃ¼Ã¬Ã„Ã¤ÃŽ™Ã¤Ã°Ã«Ã,ŒÃ¤Ã,Ã°Ã«Ã„Ã¥Ã¬,,Ã¬,Ã¬Ã¬Ã¬Ã©Ã•Ã‘Ã¬•Ã½Ã«Ã§ŒÃ•Ã Ã¤Ã²fÃ¬ž...Ã«[^]Ã«Ã¤Ã.

ÃÃ¼Ã¬Ã„Ã¤ÃŽ™Ã¤Ã°Ã«Ã,Œ"Ã~Ã¹Ã¬€ "Ã¬ž'Ã¬—...Ã¤Ã³ÃµÃ¤Ã°,,Ã¬,,Ã¬,Ã¬Ã¬Ã¬Ã©Ã•~Ã«Ã„Ã¬Ã¬Ã¬,Ã¬Ã¬Ã¬Ã’ÃŠÃ,Ã¬—Ã¬,,œÃ«Ã„Ã¬ž'Ã¬—...Ã¤Ã³ÃµÃ¤Ã°,,Ã¬fÃ¬—Ã¬~Ã¬—Ã¬,,Ã¬ÃœÃ¬ž'Ã•~Ã«Ã„Ã¤Ã²fÃ¬Ã’Ã«Ã§Ã¤Ã¬Ã°Ã¬Ã¬%oÃ½Ã¬Ã„ÃµÃ«[^]Ã«Ã¤Ã,Ã¬Ã¬—Ã¬,,Ã¬Ã¬Ã¬...Ã¤Ã³ÃµÃ¤Ã°,,Ã¬~Ã¤Ã,Ã°Ã«Ã³Ã,Ã«Ã²”Ã¬Ã£Ã¼Ã¬™€Ã•Ã”Ã¤Ã»~Ã«Ã¬Ã¶Ã¬ŒÃ¬œÃ¼Ã«Ã¡œÃ¬Ã,Ã•~Ã¬—Ã¬,Ã¬Ã¬Ã¬...Ã¤Ã³ÃµÃ¤Ã°,,Ã¬~Ã¤Ã,Ã°Ã«Ã³Ã,Ã«Ã²”Ã¬Ã£Ã¼Ã¬™€Ã•Ã”Ã¤Ã»~Ã«Ã¬Ã¶Ã¬ŒÃ¬œÃ¼Ã«Ã¡œÃ¬Ã,Ã•~Ã¬—Ã¬,Ã¬Ã¬Ã¬Ã•Ã¬~Ã«Ã¬—Ã¬Ã¬œÃ¼Ã«Ã¡œÃ«Ã³€Ã¬™~Ã«œÃ¤Ã²fÃ¬Ã’Ã¤Ã,Ã°Ã«•ŒÃ«Ã¬Ã,Ã¬ž...Ã«[^]Ã«Ã¤Ã.

Ã¬Ã‘Ã«Ã„Ã“Ã«Ã§žÃ¬Ã¶Ã¤Ã~•Ã«Ã¤Ã”Ã«“^Ã¤Ã³Ã½Ã«Ã¤Ã‡Ã«Ã¤Ã‡Ã¬~smartyÃ¬Ã½”Ã«“œÃ«Ã¥Ã½Ã¬Ã†ÃµÃ•~Ã¬—Ã¬Ã¤Ã°Ã«Ã„Ã¥Ã¬~Ã¤Ã³Ã,Ã¬Ã¬Ã€Ã¬Ã«Ã„Ã“Ã«Ã¤Ã‡Ã«Ã¤Ã‡Ã¬~"Smarty"Ã«Ã¬Ã,Ã«Ã²•Ã¬,,Ã¬Ã¬Ã•Ã”Ã•Ã©Ã«[^]Ã«Ã¤Ã.

Ã«Ã¤Ã¬ŒÃ¬€Ã¤Ã·Ã,Ã«Ã¥Ã¬Ã•œÃ«Ã§žÃ¬Ã¶”Ã~Ã«Ã¤Ã”Ã«“^Ã¬~Ã«,Ã’Ã¬Ã¬Ã©Ã•Ã¬Ã¬Ã¤Ã°Ã«Ã©Ã°,Ã¬Ã¬Ã€Ã«Ã„Ã«Ã¤Ã¬ŒÃ¤Ã³Ã½Ã¤Ã°™Ã¬Ã’Ã¬Ã«Ã¶Ã«Ã¥Ã½Ã¤Ã²fÃ¬,,Ã¬Ã¬ÃœÃ¬•^Ã•~Ã«Ã„Ã¬Ã¬Ã°Ã¬Ã¬...Ã«[^]Ã«Ã¤Ã.

"perspective_autoswitch"

"perspective_autoswitch"Ã”ŒÃ«Ã¥¬Ã¤Ã·Ã,Ã¬Ã¬Ã¬€ "pagetop"Ã¬—Ã•Ã Ã«[^]Ã¬~Ã’Ã¬•Ã½Ã•~Ã«Ã©Ã°Ã¬^Ã¤Ã,Ã°Ã«Ã¤Ã”Ã«Ã©Ã°"nobox=y"Ã«Ã¡œÃ«Ã³€Ã¬~^~Ã«Ã¥Ã½Ã¬Ã¤Ã°Ã¬Ã Ã¬•Ã½Ã•Ã©Ã«[^]Ã«Ã¤Ã.

```
{if isset($objectCategoryIds) and in_array(1, $objectCategoryIds)} {wiki}{literal}{REDIRECT(perspective=1) /}{/literal}{/wiki}
{elseif isset($objectCategoryIds) and in_array(2, $objectCategoryIds)} {wiki}{literal}{REDIRECT(perspective=2) /}{/literal}{/wiki}
{elseif isset($objectCategoryIds) and in_array(7, $objectCategoryIds)}
{wiki}{literal}{REDIRECT(perspective=3) /}{/literal}{/wiki} {elseif isset($objectCategoryIds) and in_array(9, $objectCategoryIds)} {wiki}{literal}{REDIRECT(perspective=4) /}{/literal}{/wiki} {elseif isset($objectCategoryIds) and in_array(10, $objectCategoryIds)} {wiki}{literal}{REDIRECT(perspective=5) /}{/literal}{/wiki} {elseif isset($objectCategoryIds) and in_array(11, $objectCategoryIds)} {wiki}{literal}{REDIRECT(perspective=6) /}{/literal}{/wiki} {elseif
```

isset(\$objectCategoryIds) and in_array(12, \$objectCategoryIds) } {wiki}{literal}{REDIRECT(perspective=7) /}{/literal}{/wiki}
{/if}

ÃžŒÃŠÂ,:

- Ã«Â¤Â”Ã«“^Ã¬Â’ Ã¬ž’Ã«™ Ã•~Ã¤Â²Œ Ã•~Ã«Â Â¤Ã«Â©Â’ "Ã...œÃ"ŒÃ«Â!Â¿Ã¬—Ã¬,,œ
Ã¬,Â¬Ã¬šÂ©Ã«~Ã«S" Ã«Â²"Ã¬Â£Â¼" Ã«Â¼Ã«S" Ã¬,,ÂÃ~Â,Ã¬,,Â¤Ã¬Â •Ã¬Â’ Ã«Â°~Ã«“œÃ¬
Ã™ œÃ¬,,Â±Ã™" Ã«~Ã¬-Â’Ã¬•Â¼Ã«Â§Œ Ã•Â©Ã«[^]Ã«[^]Ã¤ (tiki.admin.php?page=category)
- Ã«Â¶^Ã•„Ã¬š"Ã•~Ã¤Â²Œ Ã¬,,œÃ«Â²,,Ã¬~ Ã«Â;œÃ«“œÃ«Â¥Â¼ Ã™ •Ã¬žÃ¥Ã•~Ã¬Â§€
Ã¬•šÃ¬œÂ¼Ã«Â Â¤Ã«Â©Â’, Ã«Â¤Â”Ã«“^Ã¬,,Ã¬~Ã¬Â¥Ã«Â°>Ã«S" Ã«Â²"Ã¬Â£Â¼Ã¬—Ã«Â§Œ
Ã¬Â§€Ã¬Â •Ã•Â Ã¤Â²fÃ¬,,Ã¬Â œÃ¬•^Ã•Â©Ã«[^]Ã«[^]Ã¤.
- Ã¤Â°Ã¤Â°Ã¬~ Ã¬~Ã¬Â¥Ã«Â°>Ã«S" Ã«Â²"Ã¬Â£Â¼Ã¬—Ã¬,,œ Redirect Ã-
"ŒÃ«ÝÂ¬Ã¤Â·Â,Ã¬Â,Ã¬Â’ Ã¬šÂ¹Ã¬Â,Ã«~Ã¬-Â’Ã¬•Â¼Ã•~Ã«Â©Â° Ã~Â¹Ã¬€ tiki-plugins.php
Ã¬—Ã¬,,œ Ã•Â’Ã«[^]Ã¹Ã"ŒÃ«ÝÂ¬Ã¤Â·Â,Ã¬Â,Ã¬,,Ã¬šÂ¹Ã¬Â,Ã•Â’Ã¬•Â¼Ã•Â©Ã«[^]Ã«[^]Ã¤.
Ã¬Â¥Ã»„Ã¬—Ã«" Ã¤Â²Ã¬Ã¤Â³Â Ã•œ Ã¤Â,Â°Ã«Â³Â, Ã«Â¤Â”Ã«“^Ã¬,,Ã¤Â°œÃ«Â°œÃ•Â Ã¤Â°€Ã«ŠÂ¥Ã¬,,Â±Ã«,,
Ã¬ž^Ã¬šÂµÃ«[^]Ã«[^]Ã¤.