

Ã¬™ Ä, Ä«Ä¶€ JS Ä¬ŠÄ¤Ä¬Ä«Ä|Ä<sup>1/2</sup>Ä-  
ŠÄ, Ä¬Ä¶"Ä¤Ä°€Ä•~Ä¤Ä, Ä°

Ä¬Ä'Ä«Š" Ä¬Ä§Ä§Ä¬€ Ä¬žÄ¬ŠÄµÄ¬,,œ Ä¬ž...Ä«<sup>^</sup>Ä«<sup>^</sup>Ä¤Ä¤.

Ä«<sup>^</sup>Ä¤Ä¬-Ä•œ Ä«Ä°Ä©Ä«Ä<sup>2</sup>•Ä¬œÄ<sup>1/4</sup>Ä«Ä|œ Ä¤Ä°€Ä«ŠÄ¥Ä•Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Ä¤ Ä¬-Ä'Ä«-Ä¤ Ä¤Ä°œÄ«Ä°œÄ¬žÄ«Š"  
Ä¬Ä<sup>1/4</sup>Ä«Ä°~Ä¬Ä Ä¬œÄ<sup>1/4</sup>Ä«Ä|œ Ä¬žÄ¬<sup>~</sup>Ä Ä«"Ä¤Ä¬~ Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¬Ä§€Ä¬Ä •Ä~• JS Ä¬Ä<sup>2</sup>~Ä«Ä|Ä¬Ä¬~  
Ä«Œ€Ä«Ä¶€Ä«Ä¶,,Ä¬,, Ä•~Ä¤Ä,Ä° Ä¬œ,,Ä•~Ä¬—Ä¬ styles/custom.js (Ä~Ä<sup>1</sup>Ä¬€ styles/mytheme/custom.js) Ä¬,, Ä¬,Ä¬Ä¬šÄ©Ä-  
Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Ä¤, Ä¬Ä'Ä«<sup>^</sup>Ä¬Ä•œ Ä¬Ä£Ä<sup>1/4</sup> Ä¬Ä'Ä¬œÄ Ä«Š" Ä¬~Ä¤Äf€ Ä«"Ä±Ä¬— Ä«Œ€Ä•~Ä¬—Ä¬ Ä™•Ä¬Ä,Ä•~Ä¤Ä,Ä° Ä¬œ,,Ä  
~Ä¬—Ä¬ Ä¬Ä Ä¬Ä ^Ä•œ ÄŽÄ,Ä¬Ä§'Ä¤Ä,Ä°Ä«Ä¥Ä<sup>1/4</sup> Ä¬,Ä¬Ä¬šÄ©Ä•Ä (Ä«~Ä«Š" s/ftp Ä«"Ä±Ä¬,, Ä†ÄµÄ•~Ä¬—Ä¬ ÄŽÄ,Ä¬Ä§'Ä¬  
Ä•Ä ) Ä¬~ Ä¬ž^Ä¤Ä,Ä° Ä«•ŒÄ«Ä¬Ä,Ä¬ž...Ä«<sup>^</sup>Ä«<sup>^</sup>Ä¤Ä¤.

Ä«~Ä«Š" Ä¬,Ä¬Ä¬šÄ©Ä¬ž Ä¬Ä§€Ä¬Ä •Ä~• js pref Ä«Ä¥Ä<sup>1/4</sup> Ä¬,Ä¬Ä¬šÄ©Ä•Ä Ä¬~ Ä¬ž^Ä¬ŠÄµÄ«<sup>^</sup>Ä«<sup>^</sup>Ä¤: header\_custom\_js  
(Ä¬Ä'Ä«Š" Ä¬<sup>~</sup>Ä¤Ä¬Ä œÄ«Ä|œ js includes Ä«'Ä¤Ä¬— Ä«,~Äf€Ä«,Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Ä¤Ä¤).

Ä¬—Ä¬Ä¤Ä,Ä°Ä¬,,œ, jQuery \$.getScript Ä«Ä¤...Ä«Ä Ä<sup>1</sup>Ä¬-Ä'Ä«Ä¥Ä<sup>1/4</sup> Ä¬,Ä¬Ä¬šÄ©Ä•~Ä¬—Ä¬ Ä¬Ä"Ä«"œÄŒŒÄ<sup>^</sup>Ä-  
ŒŒÄ¬Ä<sup>1/4</sup>Ä«"Ä¤Ä¬,, Ä«Ä|œÄ«"œÄ•Ä Ä¬~ Ä¬ž^Ä¬ŠÄµÄ«<sup>^</sup>Ä«<sup>^</sup>Ä¤ - Ä«<sup>^</sup>Ä¤Ä¬ŒÄ¬Ä<sup>2</sup>~Ä«<sup>^</sup>Ä«<sup>^</sup>Ä«Ä©Ä' Ä«Ä©Ä«<sup>^</sup>Ä«<sup>^</sup>Ä¤Ä¤:

include Ä•~Ä¤Ä,Ä° Ä¬œ,,Ä•œ Ä¬ŠÄ¤Ä¬Ä«Ä|Ä<sup>1/2</sup>ÄŠÄ,

```
$(document).ready( function () { $.getScript("files/some-fancy-library-file.js", function () { // Add the code to execute once the  
library has loaded here // .... });});
```

Ä¬Ä¶"Ä¤Ä°€ Ä¬Ä •Ä«Ä<sup>3</sup>Ä': <http://api.jquery.com/jQuery.getScript/>