

# ìœ,,ìš€ìœ,,ê·, (WYSIWYG)

## ê°œìš”

ìœ,,ìš€ìœ,,ê·, (WYSIWYG, "ë,,æ°€ ë³, ê²€ ë,,æ±° ì-»ëš" ê²f"ì'ë¼ëš" ì~ë-,ëioe í™"ë©'ì-ë³'ì'ëš"ë°ëioe ì,ì‡,,ëœë<æš" ì~ë-,ì-ì,,œ ì,-ìš©ë") ê,°ëš¥ì€ ìœ,,í,æ ë-,ë²• íž,ìš'ê,°ì~ ëœ€ì•^ìœ¼ëioeì" ì,-ìš©ìž ì¹œí™"ì ì, íž,ìš'ê,°ëš¥ì,, ìœê³µí•©ë<^ë<æ. ìœ,,ìš€ìœ,,ê·, íž,ìš'ê,°ë¥¼ ì,-ìš©í• ë•œ, ìœ,,í,æ íž~ì'ìš€ëioe ë³µì,- ë°ë™ì-ì-ë,,éê,°ëœ ì•ë³'ëš" ëœ€ë™ë™,,ì ì>ë³, ì,,œì<ì,, ìœ ìš€í• ê²fìž...ë<^ë<æ.

## ì'ê·¼í•~ë æë©'

ê'€ëì-ìœ"ë,,ì-ì,,œ ìœ,,ìš€ìœ,,ê·, ì•,,ì'½~  ì,, í'ëì  
í~¹ì€

[http://ê·€í•~ë,,ë©"ì,ì£¼ì‡œ/tiki-admin.php?page=wysiwyg](http://ê·€í•~ë,,ë©) ëioe ì'ê·¼í•~ì<- ì<œì~æ.

## ì£¼ì~

í°í,æ6ì-ì,,œë™€í,,°ëš", í°í,æëš" ìœ,,ìš€ìœ,,ê·, ìš©ìœ¼ëioe CKEditorë¥¼ ì,-ìš©í•~ê,° ì<œìž'í-^ìšµë<^ë<æ. ì'ì,, ë²,,ì,,ë"æì€ FCKeditorë¥¼ ì,-ìš©í-ì-^ìšµë<^ë<æ.

- ê'€ë" ì†'í"½
- ìœ,,ìš€ìœ,,ê·, ëœ€
- ìœ,,í,æ
- ë-,ë²•
- ìœ,,ìš€ìœ,,ê·, íž,ìš'ê,° ì,-ìš©ìž
- ìœ,,ìš€ìœ,,ê·, íž,ìš'ê,° ì†ì,,ë,ì-
- ìœ,,ìš€ìœ,,ê·, íž,ìš'ê,° ê'€ëì-
- WysiwygPluginButton
- ë²,,ê·,ì™€ ì-ëšì,-í•

**Page links**

Note that if the SEFURL feature is on, page links created using wysiwyg might not be automatically updated when pages are renamed. This is planned to be addressed through the future "Use Wiki syntax in WYSIWYG" feature.

**Wysiwyg Editor Features**

- Wysiwyg Editor is optional  
Requires [Wysiwyg editor](#) (OK)
  - Wysiwyg Editor is displayed by default
  - Reopen with the same editor
- Content is parsed like wiki page
  - Content is partially wiki parsed
  - Use Wiki syntax in WYSIWYG  
Requires [Ajax auto-save](#) (OK)

Wysiwyg editor skin:

Font names:  
`sans serif; serif; monospace; Arial; Century Gothic; Comic Sans MS; Courier New; Tahoma; Times New Roman; Verdana`

**Related features**

- Wiki paragraph formatting
  - ...but still create line breaks within paragraphs
- Ajax
  - Ajax auto-save  
Requires [Ajax](#) (OK)

[Change preferences](#)

ê´€|¬: ìœ,,ìš€ìœ,,ê·,

| ,,xì •   | ì,,xëª...  | ê·,°ë³, |
|--|--|---------|
| œ,,ìš€ìœ,,ê·, íž,ìš´ê,° ê,°ëšŸ                     |  |         |
| œ,,ìš€ìœ,,ê·, íž,ìš´ê,°ëš” ì,, ífi,¬í•ìž...ë<^ë<x: | ì´ ê,°ëšŸì,, í™ œì,,±í™”í•~ë©´ ëª”ë” ì,¬ìš©ìžê°€ ìœ,,í,xì™ € ìœ,,ìš€ìœ,,í¬ íž,ìš´ê,°   |         |
| œ,,ìš€ìœ,,ê·, íž,ìš´ê,°ê°€ ê,°ë³,ìœ¼ëìœ            | ì´ ê,°ëšŸì,, í™ œì,,±í™”í•~ë©´ ê,°ë³,ìœ¼ëìœ ìœ,,ìš€ìœ,,ê·, íž,ìš´ê,°ëŸ¼  |         |
| ´œì<œë©ë<^ë<x:                                     | ì,, ífi•©ë<^ë<x  |         |
| Reopen with the same editor:                       | Enabling this feature ensures the editor last used to edit a page or item is used for  | enabled |
| Content is parsed like a wiki page:                | the next edit as the default   |         |
| Content is partially wiki parsed:                  | Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins and inline character styles (but see next option)   |         |
|  | Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins BUT NOT some other wiki syntax such as inline character styles (above option must be enabled) |         |

Use Wiki syntax in WYSIWYG:

Enabling this feature is experimental in 6.x. Wiki syntax can also be used when using Wysiwyg editor, but the handy Plugin Editor then only works in Wysiwyg Source mode (note: *Ajax auto-save* must be enabled if using this feature)

Wysiwyg editor skin:

Select your preferred Wysiwyg Editor Skin

Font names:

List of Font Names - note: must be separated by the ; (semi-colon character)

### Related Features

Wiki paragraph formatting:

Enabling this feature affects whether multiple lines appear as a paragraph or not

But still create line breaks within paragraphs:

When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs enabled

Ajax:

Enabling Ajax allows page updates without having the Tiki site having to perform a browser refresh

Ajax auto-save:

Enabling this feature allows the Wiki service to automatically save edits

Click the **Toolbars** button to modify the WYSIWYG toolbars.

**Page links**

Note that if the SEFURL feature is on, page links created using wysiwyg might not be automatically updated when pages are renamed. This is planned to be addressed through the future "Use Wiki syntax in WYSIWYG" feature.

---

**Wysiwyg Editor Features**

- Wysiwyg Editor is optional  
Requires [Wysiwyg editor](#) (OK)

  - Wysiwyg Editor is displayed by default
  - Reopen with the same editor

- Content is parsed like wiki page
  - Content is partially wiki parsed
  - Use Wiki syntax in WYSIWYG  
Requires [Ajax auto-save](#) (OK)

Wysiwyg editor skin: Office 2003

Font names: sans serif;serif;monospace;Arial;Century Gothic;Comic Sans MS;Courier New;Tahoma;Times New Roman;Verdana

---

**Related features**

- Wiki paragraph formatting
  - ...but still create line breaks within paragraphs
- Ajax
  - Ajax auto-save  
Requires [Ajax](#) (OK)

[Change preferences](#)

| Setting   | Description  | Default |
|---|--|---------|
| <b>Wysiwyg Editor Features</b>                  |  |         |
| Wysiwyg Editor is optional:                     | Enabling this feature allows users to switch between WIKI and Wysiwyg editors  |         |
| Wysiwyg Editor is displayed by default:         | Enabling this feature selects the Wysiwyg editor as the default  |         |
| Reopen with the same editor:                    | Enabling this feature ensures the editor last used to edit a page or item is used for the next edit as the default   | enabled |
| Content is parsed like a wiki page:             | Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins and inline character styles (but see next option)   |         |
| Content is partially wiki parsed:               | Enabling this feature ensures pages and items created using the Wysiwyg editor would also include Wiki parsing for plugins BUT NOT some other wiki syntax such as inline character styles (above option must be enabled)                     |         |
| Use Wiki syntax in WYSIWYG:                     | Enabling this feature is experimental in 6.x. Wiki syntax can also be used when using Wysiwyg editor, but the handy Plugin Editor then only works in Wysiwyg Source mode (note: <i>Ajax auto-save</i> must be enabled if using this feature) |         |
| Wysiwyg editor skin:                            | Select your preferred Wysiwyg Editor Skin  |         |
| Font names:                                     | List of Font Names - note: must be separated by the ; (semi-colon character)   |         |
| <b>Related Features</b>                         |  |         |
| Wiki paragraph formatting:                      | Enabling this feature affects whether multiple lines appear as a paragraph or not  |         |
| But still create line breaks within paragraphs: | When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs   | enabled |
| Ajax:   | Enabling Ajax allows page updates without having the Tiki site having to perform a browser refresh   |         |
| Ajax auto-save:                                 | Enabling this feature allows the Wiki service to automatically save edits  |         |