

ÍŠ, ëž~ì»x ëšŒë“xê, °

ì' íž~ì'îš€ëš" íš, ëž~ì»x ë¼¼ ëšŒë“x ë•Œ ì œê³µë~ëš" ì,, ífi,-í•ì,, ì,,xëª...í•©ë^ëx.

ÍŠ, ëž~ì»x ëšŒë“xê, °

ì¼ ë^ë³,,: "ÍŠ, ëž~ì»x ë¼¼ ëšŒë“œëš" ëxì,, - ë^ë³,, ' ì-ì,,œ'

ë^ë³,,	ìfi,,_ë, ì-	ë,,ì>€ëš íž~ì'îš€
1. ÍŠ, ëž~ì»x ëšŒë“xê, °	ê'€ë ~ìžê°€ ÍŠ, ëž~ì»x ì'ë ,,ì,, ìš"ê³, ì,,ì²'ì ë³ëì^~ì™€ êŒŒí•œì,, í•ë^í•œëx	îš€ê,^ ë³'ê³ ê³,,ì< íž~ì'îš€ìž...ë^ëx
2. ÍŠ, ëž~ì»xì- í•,ë"œ ìŒ"ê°€í•~ê, °	ê'€ë ~ìžê°€ ì-ê³¼ ì^îš'ë ì•ë³'ì ìœ í•ì•ì~ë¼¼ ë, 'ë °ëx	ÍŠ, ëž~ì»xì- í•,ë"œ ìŒ"ê°€í•~ê, °
3. ÍŠ, ëž~ì»xì- í•ëª© ìŒ"ê°€í•~ê, °	ì,-ìš©ìžê°€ ÍŠ, ëž~ì»x ë, 'ëŒëì- "í•ëª©"ì,, ëšŒë“xê, ° ìœ,,í•~ì- ì-ì<ì,, ìž'ì,,±í•©ë^ëx	ÍŠ, ëž~ì»xì- í•ëª© ìŒ"ê°€í•~ê, °
4. ê²°ê³¼ë¼¼ ë³'ê±°ë,~ ë,~ì-í•~ê, °	ìž,,ì~ì' íž~ì'îš€ ì•^ì- ÍŠ, ëž~ì»x ê²°ê³¼ë¼¼ ëšžìŒí~ìœ¼¼ëìœ ë³'ê,°ìœ,,í•~ì- ì-ì"Œëÿ-ê, ì, ì,-ìš©í•©ë^ëx	ÍŠ, ëž~ì»x ê²°ê³¼ ë³'ê, °
5. ê, ë£¹ì- ÍŠ, ëž~ì»x í•ë^í•~ê, °	ì,, ífi,-í• - ÍŠ, ëž~ì»xëš" ë"±ëì<œì- ì,-ìš©ë ì^ë,, ìž'ìšµë^ëx	ê, ë£¹ì- ÍŠ, ëž~ì»x í•ë^í•~ê, °

ì,,xì¹~ëœ í<°í,xì- ÍŠ, ëž~ì»xë¼¼ í™œì,,±í™"í•~ê³ ë,~ë©', ÍŠ, ëž~ì»xë¼¼ ì,,xì•í• ì^~ìž'ìšµë^ëx. ÍŠ, ëž~ì»xë¼¼
 ìfi,,±í•~ë xë©', ÍŠ, ëž~ì»x ë©"ë%ò ì-ì,,œ "ÍŠ, ëž~ì»x ê'€ë|~ìžê°€¼ í'ë|í•~ì- ì-ëxìŒë²~ëÿ¼ ìx'ì•™ íŒ"ë,,ì,, ë,,ìš°ì<œì~x.
 ì-ì<ì- ÍŠ, ëž~ì»xì- ê'€í•œ ê,°ë³, ì•ë³'ë¼¼ ìš°ì,, ìž...ë ¥í•~ì- ì- ÍŠ, ëž~ì»xë¼¼ ëšŒë“œì<ìœì~x.

Admin Trackers

Trackers | Create Trackers | Duplicate Tracker

Create/Edit Trackers

Name:

Description: Description text is tiki-parsed:

Categorize [Show Categories](#)

Auto create corresponding categories

Show status

Default status displayed in list mode open
 pending
 closed

Show status to tracker admin only

Send copies of all activity in this tracker to this e-mail address:
You can add several email addresses by separating them with commas.

Use simplified e-mail format
The tracker will use the text field named Subject if any as subject and will use the user email or for anonymous the email field if any as sender.

New items are created with status

Authoritative status for modified items

Item creator can modify his items?
The tracker needs a user field with the option 1

Only one item per user or IP
The tracker needs a user or IP field with the option 1

Member of the default group of creator can modify items?
The tracker needs a group field with the option 1

Show creation date when listing tracker items?

Show creation date when viewing tracker items?

Show lastModif date when listing tracker items?

Show lastModif date when viewing tracker item?

What field is used for default sort?

What is default sort order in list?

Tracker items allow ratings?

Tracker items allow comments?

Tracker items allow attachments?

Items can be created only during a certain time

After:

Before:

Do not show empty fields in item view?

Show these fields (ID comma separated) in a popup on item link when listing tracker items?

<°í,àìœ,,í,àì—ì,,œ, ì´ í...œì´ë, "ì~ ì—´íœ í•,,ë“œ ì´ê³ í-%òìœ í•ëª© ìž...ë<^ë<œ. íš,ëž~ì»œëš” ìž,,ì~ì´ ì^~ì´ í•,,ë“œì™€ ìž,,ì~ì´
 ì^~ì´ í•ëª©ì,, ê°€ìš^ ì^~ ìž^ìšµë<^ë<œ. ì—´, ìì%ò í•,,ë“œ,ëš” í...œì´ë, ” ë,´ë¶¶ì~ ê° í-%ò, ìì%ò, í•ëª©ì— ê´€í•œ ë°ì´í,,°ë¥¼
 —í•´í• ê²fiž...ë<^ë<œ. ê´€ëì—ë¥¼ í•~ê³ ìž í•~ëš” í•ëª©ì,, ì¶”ê°€í, ì,ì œ í¹ìœ ë,~ì—´í• ì^~ ìž^ìšµë<^ë<œ. ê´€ëì—ë~ëš” ê°ê°ì
 •ëª©ì— ëœ“ê,€ì,, ì¶”ê°€í•~ê±°ë,~ íœœì¼ì,, ì¶”ê°€í• ì^~ ìž^ìšµë<^ë<œ. ê° í•ëª©ì— ì,—ìš©ìžë“àì´ë,~ ê´,ë£¹ë“àì,, í• ë<¹í•
 ì^~ ìž^ìœ¼ë©°, í•ëª©ì´ ì—´ë àìž^ì,, ë•œ, ì,—ìš©ìž-ì,, í´,ì,,àì • í™”ë© ì—´íœê,ë ê²fiž...ë<^ë<œ. íš,ëž~ì»œë¥¼
 ì´ë©”ì¼ëìœ ì£¼ì<œí• ì^~ ìž^ìšµë<^ë<œ. ê°,,ë<´í•œ ìž´ì—...ìëì,,ë,,ê°€ í•~ë,~ í¹ìœ ê´, ì´ìfi íš,ëž~ì»œë¥¼ ì,—ìš©ì•~ì—
 ëª“ë,í™” ë ì^~ ìž^ìšµë<^ë<œ.
 í•,,ë“œëš” ë<àìœ í...œì´ë, ”ì—ì,,œ ì,,œëª...ë©ë<^ë<œ:

íž~ì´ìš€: íš,ëž~ì»œë¥¼ ìfi,,±/ìž,ìš´ **ìš€ì— URL:** tiki-admin_trackers.php

„ ifi, -í• é „	ì„ íf ìž„ìì~ ì•œíœēē ²³ - ì^«ìžëiœ ëœ í...ìšxíš„	ì„xë ^a ... íš„ëž~ì»xì~ í'è „	ë ² „ì „	
„xë ^a ...	ìž„ìì~ í...ìšxíš„	íš„ëž~ì»xì~ ë ³ 'ë«x ifi„, í•œ ì„xë ^a ... í~ ¹ ì€ ê„ ë ^a ©ì . íš„ëž~ì»xì~ ì„xë ^a ... ë, 'ë¶€ì—ì„œ ìœ„, í, x ì„œì<ì š©ì„ í—^ìš©í•~ë xë©' Description	Tiki >= 2.0.	
ë ² „ì£¼í™“:	ë ² „ì£¼ ë ³ 'ê„° ë¥¼ í'è — í•~ì— ì œê ³ µë~ëš“ ë ² „ì£¼ ì „ë¶€ë¥¼ í'œê„°í•~ê±°ë„~ ê„ ìx'ì—ì„œ ì„ ífí•©ë^ë«x.	ê ² €ìf%œê ³ ¼ ê¶€í•œ ë ^a ©ì ì„ ìœ„, í•~ì— ì' íš„ëž~ì»xë¥¼ ë ² „ì£¼í™“ í•~ê„° ìœ„, í•~ì— ì„-ìš©. ì' í•„ë“œëš“ ë ² „ì£¼ ì~µì...~ì„ í™œì„±í™“ í-^ì„ ë•œëš€ ë„~íj€ë„©ë^ë«x.	is wiki parsed ì„ ifi, -í•ì„ ì„ ífí•~ì<œì~x	
„ ífë“	ë ^a “ë“ ì„ ífëœ ë ² „ì£¼ë“x	ë«xìx'ì~ ë ² „ì£¼ë“xì' ì„ ífë~ëš“ ê ² fi„ í—^ìš©		
í•'ë< ¹ ë ² „ì£¼ë¥¼ ìžë™ ifi„±	ì^/ì•„ë^ì~x	í•ë ^a ©ì„ ë ³ 'ëš“ ì'ì—ê ² € í•ë ^a ©ì~ ífíœë¥¼ í'œê„°.		
íffœ ë ³ 'ê„°	ì^/ì•„ë^ì~x	í•ë ^a ©ì' ë ³ 'ì—ìš^ ë•œ ífíœë¥¼ í'œê„°í•~ëš“ ê ² fi„ ít ê„€		
ë ^a ©ëì ë ^a “ë“œì—ì„œ	ì œê ³ µë~ëš“ íffœ	ê¶€í•œì— ì'í•~ì— ìffíœì~ í'œê„°ì—ë¶€ë¥¼ ít ê„€		
'œê„°ë~ëš“ ê„°ë ³ „ ífíœ	ì„ ífi, -í•:			
í—'è ¼, ë„ê ² °, ë«íž~	ì—'è ¼, ë„ê ² °, ë«íž~			
íš„ëž~ì»x	ì^/ì•„ë^ì~x			
è'€ë —ìžì—ê ² €ëš€ íffœ	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€	ë«xìx'ì~ í'ë©“ì¼ ì£¼ìt€ëš“ ì%œ¼í'œëìœ êµ—ë¶„„		
'œê„°	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€	ì~^ì œ: address1@tikiwiki.org , address2@tikiwiki.org , address3@tikiwiki.org		
í'ë©“ì¼ ì£¼ìt€ìœ ì'	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€			
íš„ëž~ì»xì~ ë ^a “ë“ í™œë™ì~	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€			
„-ë ³ „, ë ³ 'ë, 'ê„°	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€			
ë“^ìœí™“ëœ ì'ë©“ì¼ ì„œì<	ì^/ì•„ë^ì~x	í•„ë“œ ì œë ^a ©ì' ììž-í•œë«ë©' ë°œìtìœ ì'ë©“ì¼ì€ í•„ë“œ ì œë ^a ©ì~ ë, 'ìš©ì„		
„-ìš©	ì^/ì•„ë^ì~x	ì œë ^a ©ìœ¼ëìœ í• ê ² fiž„ (ë«xë¥„ ê ² ½ìš°ëš“ ê„°ë ³ „, ì„-ìš©). ìtì< ì œë ^a ©ì€		
í'ë©“ì¼ ì£¼ìt€ìœ ì'	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€	ì„-ìš©ìž ì'ë©“ì¼ì' ë ê ² fi'ë©°, ë-^'ê„°ë ^a ...ì— ëœí•~ì—ì„œëš“ ì ² « ë ² ^ìš„		
íš„ëž~ì»xì~ ë ^a “ë“ í™œë™ì~	ìž„ìì~ í'ë©“ì¼ ì£¼ìt€	ì'ë©“ì¼ í•„ë“œê„° ììž-í• ê ² ½ìš°, ê„ ë, 'ìš©ë-¼(tw > 1.9.7). ë©“ìœìš€ëš“		
í—'è ¼, ë„ê ² °, ë«íž~	ì—'è ¼, ë„ê ² °, ë«íž~	ë°œì< ì' ë ¹ „ì-ìž^ë«ë©' ë°œìtìœ~ìš€ ì•šì„ ê ² fiž„		
í'ë©“ì¼ ì£¼ìt€ìœ ì'	ì œê ³ µë~ëš“ ì„ ífi, -í•:	íj^ëìœì' ífi„±ë~ëš“ í•ë ^a ©ë“xì— ëœí•œ íffíœë¥¼ ì„ íf.		
íffœëìœ ífi„±ë“	ì—'è ¼, ë„ê ² °, ë«íž~			
í^/ì•~ëœ í•ë ^a ©ì— ëœí•œ	ë ³ €ê ² ½ ì—tìœ, ì—'è ¼,			
ë¶€í•œì íffœ	ë„ê ² °, ë«íž~			

„ ifi,-í•	ì,, íf	ì,,æë³...	ë²,,ì ,,
í•ë³© ìfi,,±ìžê°€ ìžì< ì~ í•- ë³©ì,, ì~ì • ê°€ëšŸ?	ì^/ì•,,ë<^ì~æ	íš,ëž~ì»æëš” ë°~ë“œì<œ ì,-ìš©ìž ìœ í•ì~ í•,,ë“œëŸ¼ ì,, ífi,-í• 1 ê³¼ í•”ê»~ í-í•”í• ì•¼ëšŸ í•©ë<^ë<æ.	
,-ìš©ìžëš” ë¬´ë³...ì— ì~í•´ fi,,±ëœ í•ë³©ì~ †œ êŸœì,, ì”í• ì~ ìž^ë<æ	ì^ í~ìè ì•,,ë<^ì~æ	ë¬´ë³...ì,-ìš©ìžê°€ ìfi,,±í•~ë,,ëì í—^ìš©ë~ì—^ê³ í•ë³© ìfi,,±ìžê°€ ìžì< ì~ í•ë³©ì,, ì~ì •í•~ë,,ëì í—^ìš©ë~ì—^ê³ íf€ ì,-ìš©ìžê°€ ë<æëŸ, í•ë³©ì,, ìž,ìš’í•~ëš” ê²fi,, í—^ìš©í•~ìš€ ì•šëš” íš,ëž~ì»æëŸ¼ ìœ,,í•. ë¬´ë³...ì— ì~í•~ì— ìfi,,±ëœ í•ë³©ì,, í•œ ì,-ìš©ìžê°€ ìž,ìš’í•~ëš” ìì%ì<œ, ê, í•ë³©ì€ ê, ì,-ìš©ìžì™€ ì—°ê´€ì´ ìš€ì-ìš€ë° ê, ì™, ë<æëŸ, ì,-ìš©ìžëš” ê, í•ë³©ì,, ìŸ”í>,, ìž,ìš’í• ì~ ì—†œ	tw >=4.0
Only one item per user or IP	Yes/No	The tracker must include a field of type user with option 1 .	
Member of the default group of creator can modify items?	Yes/No	The tracker must include a field of type user with option 1 .	
Show creation date when existing tracker items?	Yes/No		Tiki>= 2.0
Show creation date when viewing tracker items?	Yes/No		Tiki>=2.0
Show lastModif date when existing tracker items?	Yes/No		Tiki>=2.0
Show lastModif date when viewing tracker items?	Yes/No		Tiki>=2.0
What field is used for default sort?	Any tracker field, including: Item ID, Last Modified, Created	Note: You will need to create fields for the tracker first, before selecting the field to use for sorting.	
What is default sort order in list?	ascending, descending		
Trackers items allow ratings?	Yes/No		
...with values			
...and display rating results in listing?	Yes/No		
Trackers items allow comments?	Yes/No		

„ ífi,-í•	ì,, íf	ì,,æä...	ë²,,ì ,,
. .and display comments n listing?	Yes/No		
Trackers items allow attachments?	Yes/No		
. .and display attachments n listing?	Yes/No	adds the attachments column to the List view	
Attachment display options	rank all options	selects the data columns to include when displaying attachments, in which order.	
Items can be created only during a certain time	Select the date and time between which users can create tracker items.		Tiki>=2.0
Show these fields in a popup	Trackers field ID	Enter the field ID of the tracker's fields to include in a popup window, when listing tracker items. Separate multiple IDs. For example: 1,2,5,6,9	Tiki>=2.0
•ëª©ì,, í'œê, °í• ìœ,,í,æ Ž`ì`ìš€	ìœ,,í,æíŽ`ì`ìš€ì— ëœ€í•`ì— wiki:pageName í`ì€ í...œí"œë!ì€ tpl:tplName	í'œìæ€ íš, ëž`ì»æ í•ëª© ë³'ê, °ëŸ¼ ëšžìŸí~ • ë ^`ì•,,ì>f ë° ì,,œì<ìœ¼ëiœ êµì²'í•©ë<^è<æ; ìœ,,í,æ íŽ`ì`ìš€ í`ì€ í...œí"œë!ìœ¼ëiœ tpl íœœì¼. í...œí"œë!ì,, ìfi,,±í•`ëš" ê²fi— ëœ€í•œ ì,,æä...ì€ Pretty Tracker ì,, ì°_ìi°í•`ì<œì`æ.	Tiki>=5.0