

ì¼ë°~

íºí, æ ìœ,, í, æ CMS

ê·, ëf¹ì> "ì- 'ëS"Â ë¬ î—‡ì, ê°€?

íºí, æ ìœ,, í, æ CMS ê·, ëf¹ì> "ì- ' (íºí, æ) ëS" í'ë¶€í•æ ê, °ëS¥ì~, ì>¹ê, °ë°~ì~, ë<æêµì- ' (35ê°œ ì`ìfi~ ì-, ì-'), ê, 'ë°€í•~ ê²Œ í†µí•©ë~ì- 'ì- 'ìž~ëS" all-in-one ìœ,, í, æ+CMS+ê·, ëf¹ì> "ì- ', ìžìœ ì†ŒìŠæ ì†Œí", „íŠ, ì> "ì- ' (GNU/LGPL)ëiœì" PHP, MySQL,

Zend Framework, jQuery ë° Smarty ë¥¼ ì, -ìš©í•~ê³ ìž~ìŠµë<^ë<æ. ëŒ€í~ • ê·œë¤~ì~ êµì œ ì»æë®æë<^íºì— ì~í• 'í™œë™ì ìœ¼ëiœ ê°œë°œë~ëS" íºí, æëS" ë¤~ë" ì¢...ë¥~ì~ ì>¹ ì'ìš©í", „ëiœê·, ëž", ì, -ì`íŠ, , í¬í„, , ì§€ì¹ ì°½ê³, , ì, íŠ, ë¼ë,, , ë° ì—'ìŠæíŠ, ë¼ë,, , ë§Œë“æê, ° ìœ,, í•~ì— ì, -ìš©ë ì~ ìž~ìŠµë<^ë<æ. ì¶"ê°€ ì •ë³'ëS" About Tiki ë¥¼ ì, 'íŽ'ë³'ì<ìœì~æ. ìºí, æëS" Free and open-source Web Application with the most built-in features ìž...ë<^ë<æ.

Í~ „ìž¬ í<°í,¤ ë²„í „í€Â ë¬ ^í—‡ìž...ë<^ê¹Œ?

Í~ „ìž¬ í<°í,¤ ì•^í • ë²„í „ê³¹/₄ LTS (ìž¥ê,° ì§€ì») ë²„í „í€ <http://info.tiki.org/Download> ì— ë,~í— ‘ë~í-’ ìž^ìŠµë<^ë<¤
ì€í—ëŠ” 6ê°œì»” ì¶œì<œ ì,¬ì’í’í„ ë”°ë¥’ê³ ìž^ìœ¹/₄ë©°, We follow a six-month release cycle, with minor updates and
patches released as-needed. See RoadMap and Version lifecycle for details. To date, Tiki has had more than 50
release. See All releases for details.

Í<°Í, æë¥¼ ì-’ë””ì—ì,,œ ë<æìš’ë°>ì,, ì^~Â ìž^ìŠµë<^ê¹Œ?

☒

Í<°Í, æë¥¼ http://tiki.org/Download ì—ì,,œ ë<æìš’ëiœë“œ í• ì^~ ìž^ìŠµë<^ë<æ. ë¤”ë“ *.tiki.org (ì’ê’ „ì iœ¼ëiœ **t.o** è¹¼è³
ë¶”ë|¼) ì, -ì’íŠ, ë“æ ì „ì²’ì” ë©”ë‰’ è°”ì—ë,, **ë<æìš’ëiœë“œ** ì,, ìfi, -í•ì’ ìž^ìŠµë<^ë<æ.
ë¤”ë“ ë<æìš’ëiœë“œë“æì€ SourceForge.net ì—ì,,œ í~, ìŠæíŠ, ë©ë<^ë<æ. í~, ìž¬ è°œë°œ ìæ’ì,, è°°í¬ ì „ë², ì „ì~ ì¹¼ì¹¼
ë¹Œë“œë,, **ë<æìš’ëiœë“œ** í• ì^~ ìž^ìŠµë<^ë<æ. ìfi,, ë, ^ì—ì€ Download ì,, ì, ‘íŽ’ë³’ì<œì~ æ.

ì,¬ìš©ê°€ëŠ¥í•œ ë°ëa.. í~¹ì€ ì<œí—~

ë²,,ì „ì’Â ìž^ìŠµë<^ê¹Œ?

ì~^.

ì,¬ìš©ê°€ëŠ¥í•œ í°í,¤ ë°ëa.. ë“¤ì’ì—¬ëÝ¬ ê³³ ìž^ìŠµë<^ë<¤. ifl,,ë, ’ì—ì€ demo ì,, ì°,ê³ í•~ì<œí~¤. .iso íŒŒì¹/₄ì,,
ë<¤ìš’ëiœë“œí•~ì—¬ í°í,¤ ì,,¤ì¹~í”,ëiœê·,ëž” ì,,ì²’ê°€ ë<’ê, ’ë¶€íŒ... ê°€ëŠ¥í•œ CDë¥¹/₄ ëšŒë“¤ê,° ìœ,,í•~ì—¬
TikiLive CD ë¥¹/₄ ì,¬ìš©í• ì^~ë,, ìž^ìŠµë<^ë<¤.

Í<°Í, æëŠ” ë¬’ ëƒŒìž...ë<^ê¹Œ?

Í<°Í, æëŠ” ë¬’ ëƒŒìž...ë<^ê¹Œ? Í<°Í, æëŠ” ë¬’ ëƒŒìž...ë<^ê¹Œ? Í<°Í, æëŠ” ë¬’ ëƒŒìž...ë<^ê¹Œ? Tiki is free, LGPL ëiœ ë½ì`ì,,½ìŠ¤ ë©ë<^ë<¤. ìfì,,„ë, `ì—ì „ì²`ì—ëŒ€í•~ì—æëŠ” ë½ì`ì,,½ìŠ¤ ë¥½ì—` ë³`ì<ìœì~¤. ì”,ëiœì íŠ,ì~ì² ì•™ì€ ì €í~ì~, ñíšŒì ë³,ì•½ì,,œ ì—ìfì,,„íž~ì íž~ìŠµë<^ë<¤.

í[°]í, æëš" ë^øæìŒ ê, °ëš¥ë“æì,,
ë³ ^íœ í•~ê³ Â ìž^ìŠµë<^ê¹Œ?

- ì, -ëžŒë“æì' ë³_{1/4} ì^~ ìž^ê±°ë, ~ ê°ì¶œ ì^~ ìž^ëš" ê°æë³, í", "ëiœíŒŒì^{1/4}ë“æ
- ë, 'ë¶€ ë©"ì^{1/4}

- ì, -ìš©ìžê°€ ìfì,, ±í•œ ì»"í...ì, ì!‰. ìœ,,í, æ
- í~'ì—.../ì†Œì...œ ê·, ë£¹
- ì^~ìµ ì,, ìfì, -í•

...

ì^{1/4}ë°~ì ìœ^{1/4}ëiœ ê·, ë^øµì€ "ì~" ìž...ë^øë^ø. ê·€í•~ê»"ì,,œëš" í[°]í, æë¥^{1/4} í¬í•"ëœ ê, °ëš¥ë“æì~ ë,,ìŒìœ^{1/4}ëiœ í•,,ìš"í•~ì
ì-’ë-æ ê²fê³_{1/4} ëŒ€í•~ì— ìž'ë™ í•~ë,,ëi ë§Œë“œì^ø ì^~ ìž^ìŠµë<^ë^ø ðÝ~‰. ê, °ëš¥ì~ ì „ì²' ë^øëŒëiì€ ê, °ëš¥ ìž~ì`ì§€ë¥^{1/4}
ì°, ê³ í•~ì^øìœì~æ.

í<°í,øì»øë®øë<^í<°

í<°í, æöŠ” ë^,, ê°€
ì†Œìœ /í<æí-%o/ê’€ë!¬Â í•©ë<^ê¹Œ?



í§§ì€ ë<µì€ **ë¤”ë‘** ìž...ë<^ë<¤.

í<°í, æöŠ” ì»¤ë®¤ë<^í<°ê°€ ê’€ë!¬í•~ëŠ”, ê°æë°©í~• ê°æë°æ í”, „ëiœì íŠ, ëiœì” , ê³µì< í<°í, æ ì†Œí” „íŠ, ì>”ì-’ ì»¤ë®¤ë<^í<°~íšŒ ë¥¼ ë²•ì ëŒ€í’œëiœ í•~ê³ ìž^ìŠµë<^ë<¤. í<°í, æ ê’€ë!¬ìžì~ ë¤”ëiì€ ë^,, êµ¬ì—ê²Œ ì—°ë½ì,, í• ^ì•¼í•~ëŠ”ê°€ ë¥¼
ì°, ê³ í•~ì<ì<œì~¤.

í<°í,¤ ì»¤ë®¤ë<^í<°ì—ëŠ”

ì-’ë-»ê²ŒÂ ì° ,ì—¬í•©ë<^ê¹Œ?

ë<”ì^œíž^ í<°í,¤ ì»¤ë®¤ë<^í<° í¬í„ „ì—ì„œ ë“±ëi í•˜ì<ì<œì˜¤. ì`ëŠ” *.tiki.org ì,¬ì`íŠ,ì— ì ‘ê·¼ ê¶Œí•œì„ œ“œë!‘
ê²fiž...ë<^ë<¤.

ì-’ë->ê²Œ í•~ë©’ í<[°]í, ø ê[°]œë[°]œìžê[°]€Â ë©ë<[^]ê¹Œ?

í<[°]í, ø ë|¬í¬ì§€í,,°ë|¬í— ì»øë[°]< ì ’ê·½ê¶Œí•œì,, ë³ `ìœ í•œ í<[°]í, ø ê[°]œë[°]œìžê[°]€ ë~ë øë©’, ê·,ëf¥ ìš”ì²í•~ì<ìœì~ø!
ê[°]œë[°]œìžë“øì€ 3Rules ì,, ë”°ë¥½ ê²fì’ ìš”êµ¬ë©ë<[^]ë<ø. ì¶”ê[°]€ ì •ë³’ëŠ” How to get commit access ë¥½ ì, ’íŽ’ ë³’ì<-
ìœì~ø.

ì,,øì¹~

í<°í, ø€¥¼ ì-’ë-»ê²ŒÂ ì,, øì¹~í• ©ë<^ê¹Œ?

ìfì,, í•œ ë, ’ì—ì€ ìš”êµ¬ ì, ¬í• ê³¼ ì,, øì¹~ íž~ì ’ì§€ë“øì,, ì, ’íž’ ë³’ì<øì~ø.

í<°í, øëŠ" ê³µìœ ëœ ì>¹í~ , ìŠøíŒ...ì—
ëŒ€í•~ì—¬ Fantastico, SimpleScripts, ë°
ê, °íƒ€ ì œì-’íŒ (control panel, cPanel)
ë“±ì~ ìŠøí¬ë|¹/₂íŠ, ë¥¹/₄Â í¬í•”í• ©ë<^ê¹Œ?

ì~^ . 1-click installers ë¥¹/₄ ì°, ê³ ì•~ì<œì~ ø

’ëÝ¬í•œ ìŠøí¬ë|¹/₂íŠ, ë“øì€ ì™ „ì „í•œ í<°í, øì„øì¹~ë¥¹/₄ ì~í-%oí• ê²fi’ë©°, ê·, ì— ë°ì’í,, °ë² ì’ìŠø êµ¬ì,, ±ë,, í¬í•”í• ©ë<^ë<ø
ì-’ë-ø ê²fi’ ì§øì>ë~ëŠ”ì§øëŠ” ê·øí•~ì~ ì>¹í~ , ìŠøíŒ...ì— ì—°ë¹/₂í•~ì<œì~ ø.

ê, °ìí’ì, -ìíš, (ë<¤ë¥, ì¢...ë¥~ì~ CMS) ì—ì,,œ í[°]í,¤ëiœ ë§^ì’ê·, ë ^ì^ì... ~ í• ì^~Â ìž^ìŠµë<^ê¹Œ?

ì~^.

„ëž~ ë¤ëíì,, í¬í•”í•~ëŠ” ì—-ëÝ- ê°œì~ í”í•œ CMS íŒ”í,¤ëí— ëŒ€í•œ ë§^ì’ê·, ë ^ì^ì... ~ ìœ í₂,ë|¬í[°]ê°€ ìž^ìŠµë<^ë<¤

- Mediawiki
- PhpNuke
- Phpwiki
- Postnuke
- TWiki
- ê, °íƒ€ ë“±ë“±.

ìfí,, „ ë, ^ì—ì€ í[°]í,¤ ë§^ì’ê·, ë ^ì^ì... ~ ì,,¤ë¤...ì,,œ ë¥^{1/4} ì°, ê³ í•~ì₂œì~¤.

Í<°í, æ¥1/4 í•œ ì„œë² „ì—ì„œ ë<æ¥,

ì„œë² „ëiœ ì—'ë-»ê²ŒÂ ì`ë™ í•©ë<^ê¹Œ?

1. Í<°í, æ ê²€ì, ¬ ë¥1/4 ì, ¬ìš©í•~ì—¬ if^ ì„œë² „ê°€ ìì ^íž^ ìš"êµ¬ì, ¬í•ì,, ì¶©ìi±í•~ëS" ì§€ í™ •ì, í•~ì<œì~ æ.

2. ê, °ìi' ì, ¬ì`íS, ë¥1/4 MySQL ë°ì'í,, °ë² ì`íSæì™ € í•~ê»~ ë°±ì—...ì,, ë§Œë“œì<œì~ æ.

3. if^ ì„œë² „ì—ì„œ ë²~ë“ íŒŒì1/4ë“æê³1/4 MySQL ë°ì'í,, °ë² ì`íSæë¥1/4 ë³µìí•~ì<œì~ æ.
if^ ì„œë² „ê°€ í• „ìš"í•œ ìš"êµ¬ì, ¬í• ì „ë¶€ë¥1/4 ì¶©ìi±í•œë<æë1/4ëS" ê²fi,, í™ •ì, í•~ì<œì~ æ.

4. Í<°í, æ ì„œí~í” „ëiœê·, ëž~ì,, ì<œí-%o í•~ì<œê³ if^ ë°ì'í,, °ë² ì`íSæ ì—°ê²°/ìœ,,ì¹~ ì •ë³'ë¥1/4
ì§€ì •í•~ì<œì~ æ.

ëŒ€ì•~ìœ1/4ëiœì~, ë°ì'í,, °ë² ì`íSæ ì—°ê²° ì •ë³'ë¥1/4 ì~ë™ ì—...ë°ì`íS, í• ì~ìž`íSµë<^ë<æ.

ë¬, ï œ í• ’ê²°

ê° í<°í, æ ê, °ëŠ¥— ëŒ€í•œ ìfí,, í•œ ì •ë³’ëŠ” ê, °ëŠ¥ ì,, ì°, ê³ í•~ì<œì~æ. ì¶”ê°€ ì •ë³’ëŠ” ë¬, ì œ í• ’ê²° ì,, ì, ’íŽ’ ë³’ì<œì~æ.

ë,,ì>€ë§ê³/4 ì§€ì>ì€ ê²Œì<œíŒ ê³/4 ë© ”ì¹/₄ë§ ë!¬ìŠ¤íŠ, ë¥¹/₄ ì, ¬ìš©í• ~ì<œì~æ.

ı¹/₄ě°~

ë¬,ì œ í• ‘ê^{2°}ì— ë,,ì>€ì,, ì£^{1/4}ê, ° ìœ,,í• ‘
í[°]í,¤ ëiœê¹...ê³_{1/4} ì~¤ë¥~ ë³’ê³ ë¥^{1/4}
ì-’ë-»ê²Œ íTM œì,,±íTM ” í• Â ìž^ìŠµë<^ê¹Œ?

ê’€ë|¬:ì^{1/4}ë°~ ìž~ì`ìš€ì~ ì^{1/4}ë°~ ê,°ë³,ì,,¤ì • íƒi—ì,,œ ê,°ëiê³_{1/4} ë³’ê³ ì,, íƒi,—í•ì,, íTM œì,,±íTM ” í• ì^~ ìž^ìŠµë<^ë<¤.
í[°]í,¤— ì‘ê·^{1/4} í~ì€ ê’€ë|¬ìžëiœì” ëiœê·,ì,,ì` ë¶^ê°€ëŠ¥í~ë<¤ë©’, í[°]í,¤ ì,,¤ì^{1~í”},ëiœê·,ëž~ì,, ì,—ìš©í•~ì—¬ ê,°ëiê³_{1/4}
ì~¤ë¥~ ë³’ê³ ë¥^{1/4} íTM œì,,±íTM ” í• ì^~ ìž^ìŠµë<^ë<¤.

1. í[°]í,¤ ì,,¤ì^{1~í”},ëiœê·,ëž~ì,, ì<¤í-%oí• ©ë<^ë<¤ (tiki-install.php)
2. 7ë<^ê³,ëiœ ê³§ë°”ëiœ ê°’ë<^ë<¤: ì^{1/4}ë°~ ì,,¤ì • êμ¬ì,,±.
3. ê,°ëiê³_{1/4} ë³’ê³ ë¥^{1/4} íTM œì,,±íTM ”í•~ê³ ê³,ì† ì,, í’ë|í• ©ë<^ë<¤.
4. í%oì†Œì^{2~}ë¥^{1/4} í[°]í,¤— ìž...ìž¥í• ©ë<^ë<¤.

""Fatal error: Allowed memory size of
XXXXXX exhausted" (ì¹~ë¤...ì `ì~¤ë¥~:
í—^ìš©ëœ ë©"ë¤"ë|¬ í¬ê, ° XXXXXX
ì†Œì§,,ë") ë©"ì<œì§€ê°€ ì~ë~, í•~ëŠ"
ê²fi€Â ë¬ ^ì—‡ìž...ë<^ê¹Œ?

í<°í,¤—ì„œ ë" ë§žì€ ë©"ë¤"ë|¬ê°€ í• „ìš"í• ©ë<^ë<¤. **php.ini** íŒŒì¹/₄ì~ **memory_limit** ì„¤ì •ì„ ì|ê°€í•~ì<œì~¤ . ì¶"ê°€
ì •ë³'ëŠ" PHP ìš"êµ¬ì„í• ì„ ì, 'íž' ë³'ì<œì~¤.

ì œ ì,-¬ì’íš,ëš” è¹,,ì-’ìž‡ëš” íž~ì’ì§€ë¥¹/₄
í’œì<œí•©ë<^ë<¤. ë¬’ì—‡ì,, í• ì^~
ìž^ëš”Â ê²fiž...ë<^ê¹Œ?

ë¹,,ì-’ìž^ëš” íž~ì’ì§€ì~ìì,ì€ì—¬ëÝ¬ê°€ì§€ê°€ ë ì^~ìž^ìšµë<^ë<¤:

1. í<í,¤ì—ì,,œ ë” ë§žì€ ë©”ë¤”ë|¬ê°€ í•,,ìš”í•©ë<^ë<¤. **php.ini** íŒŒì¹/₄ì~ **memory_limit** ì,,¤ì•ì,,ì|ê°€í•~ì<œí~¤ . ì¶”ê°€ì•ë³’ëš” PHP ìš”êµ¬ì,-í•ì,,ì,’íž’ë³’ì<œí~¤
2. ë¤”ë“^í~¹ì€ì,-ìš©ìžì§€ì•ì¹/₂”ë“œì~ì—ìœìš”í•~ì§€ì•šì€ìš¤ë§^í°í~¹ì€HTML
êµ¬ë¬ì’ë“¤ì-’ìžì,,ì^~ìž^ìšµë<^ë<¤.
ë¬,ìœí•’ê²°ì,,ì°,ê³í•~ì<œí~¤

í<°í,¤ ì»”ì„¤í,, ’íŠ, è¥¼ ì-’ë-»ê²Œ ê³ ìš©í•
ì^~Â ìž^ìŠµë<^ê¹Œ?

ê³ ìš©ì— èŒ€í•~ì—¬ ì øê³µë~ëŠ” í<°í,¤ ì»”ì„¤í,, ’íŠ, è“¤ì~ ì •ë³’ëŠ” Consultants è¥¼ ì, ’íž’ë³’ì<ìœì~¤.

í<°í, æì—ì,, œ ì™ œ ì`ífí•œ ê, €ìžë“æì’
ë³ `ì¹/₄ ê¹Œìš” (í~¹ì€ ê, °íf€
ì, `ì¹/₂”ë“±Â ê¬, ì œ)?

ê, °ë³, ìœ¹/₄ëiœ í<°í, æëš” **utf-8** ì, `ì¹/₂”ë”©ì,, ì, -ìš©í•©ë<^ë<æ.

- ìf^ ì,, æì¹~ì— ëŒ€í•~ì—-ì,, œëš” ë°ì’í,, °ë² ì`íšæ, í...Œì’ë,” ë° ì—°ê²° ë°ì’í,, ° ì •ë -ì’í~ -ë°”ë¥’ê²Œ ì,, æì •ë~ì-`ìž^ë<æëš” ê²fi,, í™ •ì, í•’ ë³ `ì<øì~æ.
- ì—...ê·, ë ^ì’ë“œì— ëŒ€í•~ì—-ì,, œëš”, ì—...ê·, ë ^ì’ë“œ - ì, `ì¹/₂”ë”© ê¬, ì œ ì^~ì • ê³¹/₄ ì, `ì¹/₂”ë“œ ì^~ì • í™ •ì, íž~ì`ì§€ë“æì,, ê²€ít í•’ ë³ `ì<øì~æ.



if^ iœ,,í,¤ íž~ì `ì§€ë¥¹/₄ ì-’ë->ê²ŒÂ ë§Œë“- ë<^ê¹Œ?

if^ iœ,,í,¤ íž~ì `ì§€ë¥¹/₄ ë§Œë“œëŠ” ë°©ë²•ì€ ì—-ëÝ- ê°œ ìž^ìŠµë<^ë<¤:

1. ê, °ìi’ íž~ì `ì§€ì—ì,œ ë§í—ë¥¹/₄ ë§Œë“¤ë©’ ê·, ë§í—ë¥¹/₄ í’ë|í-^ì,, œ•Œ í[°]í,¤ê°€
ìžë™ì ìœ¹/₄ëiœ (ëŒ€ìf) íž~ì `ì§€ë¥¹/₄ ë§Œë“ë<^ë<¤.
2. ë¹ ë¥, íž,ì§’ ë¤“ë“^ ì,, ì,-ìš©í•~ì—- ìf^ íž~ì `ì§€ë¥¹/₄ ë§Œë“ë<^ë<¤.

ì™ œ CaMeL CaSe ëiœ ëœ ë<”ì-’ë“¤ì’
ì „ë¶€ ìœ,,¤ ë§í¬ëiœÂ ì „í™ ~ë©ë<^ê¹Œ?

WikiWords ê,°ëŠ¥ì,, í™ œì,,±í™” í•~ì...”ì,,œ ê·,ë ſìŠµë<^ë<¤. ì’ ê,°ëŠ¥ì€ ë<¤ë¥,, ìœ,,í,¤ íŽ~ì `ì§€ë“¤ (ì,, ë§Œë“¤ê³) ì—
ë§í¬ë¥¼ ë§Œë“œëŠ” ë¹ ë¥’ê³ ì‰—ìš’ ë°©ë²•ìž...ë<^ë<¤.

CaMeL CaSe ëiœ ëœ ë<”ì-’ê°€ ìœ,,í,¤ ë§í¬ë¥¼ ë§Œë“¤ì§€ ì•Šê²Œ í•~ë ¤ë©’ (WikiWords ê,°ëŠ¥ì’ ì¹/₄œì „ìž~ì,,ì§€ë¹/₄ë,,)
ë<”ì~œíž^ ê·, ë<”ì-’ë¥¼ ë’ ê°œì~ ì—ê’ „í~,ëiœ ë~ëÝ¬ìŒ”ì•,, ì£¹/₄ì<œì~¤.

ì~^ë¥¼ ë“¤ë©’:))**NotALink((**

ë¹„ëi))**NotALink((** í...ìŠ¤íŠ,ëŠ” CaMeL CaSe ëiœ ë~ì-’ìž~ì§€ë§Œ, ë§í¬ëŠ” ì•,,ë<™ ë<^ë<¤.

ìœ,,í,¤ êµ¬ë¬, ì²~ë!¬ë¥¼ ì-`ë-»ê²Œ ëŒ
ì^~Â ìž^ìŠµë<^ê¹Œ?

ê,°ë³,ìœ¼ëiœ í^oí,¤ëŠ" í•if ë°`ì¤,, ê„ê„°— ëŒ€í•~ì—_ == = ë¥¼ "ì‘ífxë|"ì— ëŒ€í•~ì—_ " ëiœ í•~ëŠ" ê²fì²~ëÝ¼ í•if
WikiSyntaxë¥¼ í•`ì,,í• ê²fìž...ë<^ë<¤'.

ìœ,,í,¤ ë¬,ë²• ì²~ë!¬ë¥¼ **ë"** ìœ¼ëiœ í•~ë¤ë©' ~ **np** ~ êµ¬ë¬,ì,,ì,¬ìš©í•~ì^oíœì~¤. ìfì,,ë, `ì—ì€ WikiSyntax ë¥¼
ì°,ê³ í•~ì^oíœì~¤.

ìœ„í, ø íž~í ï§€í— ìžë°”íŠøí¬ë|½íŠ, ë¥½
ì-’ë-»ê²Œ í¬í•”ìí, ¬ ì^~Â ìž^íŠµë<^ê¹Œ?

JS plugin í,, í, ¬íš©í•”ìí~ø.

How do I enable the spellchecker?

To enable the spellchecker:

1. Download the spelling database table and add it to your database.
2. Enable the spellchecking option on the Wiki Config page.

Note: The spellchecker is an endangered features. You should use a browser-based spellchecker add-on instead.

ìœ,,í,¤ ÍŽ~ì `ì§€ì— ê·,ë|¹/₄ì,,
ì-’ë->ê²ŒÂ ì¶”ê°€í• ©ë<^ê¹Œ?

ìœ,,í,¤ ÍŽ~ì `ì§€ì— ê·,ë|¹/₄ (JPEG, PNG, GIF, BMP) ì€ IMG í”ŒëÝ¬ê·,ì, ìœ,,í,¤ ë¬,ë²•ì,, ì,-ìš©í•~ì—¬ ì¶”ê°€í• ©ë<^ë<¤.
ìfì,, „ë, ^ì—ì€ Wiki-Syntax Images ì,, ì°,ë³ í•~ì<¤í~¤.

• ë§Œì•½ ê·,ë|¹/₄ íŒŒì¹/₄ì’ ì’ë~, ì>¹ì,,œë²,,ì— ìi ’ìž¬í•œë<¤ë©’ ê<”ì^œíž^ ê²¹/₂ëíœì™ €
íŒŒì¹/₄ë¤...ë§Œ í¬í•”ì<¤í,¤ì<¤í~¤.

í~¹ì€

• ìœ,,í,¤ ÍŽ~ì `ì§€ë¥¹/₄ íŽ,ì§’í• ê™ì•^ ê·,ë|¹/₄ ì—...ëíœë“œ í•,,ë“œë¥¹/₄ ì,-ìš©í•~ì—¬
ê·,ë|¹/₄ì,, ì—...ëíœë“œ í• ì^~ ìž~ìŠµë<^ë<¤. í°í,¤ëŠ” í•’ë<¹ ÍŽ~ì `ì§€ì— ÍŽ~ì `ì§€ë¥¹/₄
ì¶”ê°€íž^ê, ° ìœ,,í•’ í•,,ìš”í•œ ìœ,,í,¤ êµ¬ë¬,ì,, ìžë™ì ìœ¹/₄ëíœ ì¶”ê°€í• ê²fiž...ë<^ë<¤.

"ì, ¬ì†Œí•œ" (minor)

íž, ì§'ì€Â ë¬ ^i—‡ìž...ë<^ê¹Œ?

ìœ,,í,¤ íž~ì `ì§€ íž,ì§' ìœ, ì,¬ì†Œí•œ íž,ì§' (í™ œì„±í™" œœ ê²¹/₂ìš°) ì,, í• ì^~ ìž^ìŠµë<^ë<¤. ì,, ífœœ ê²¹/₂ìš°, íž~ì `ì§€ë¥¹/₄
ì£¹/₄ìœí•~ëŠ" ë<¤ë¥, ì,¬ìš©ìžë“¤ì€ ì`ë©"ì¹/₄ ì•Œë|¹/₄ì,, œ°ì§€ ì•Šê²Œ ë©ë<^ë<¤.
ì¶"ê°€ ì •ë³'ëŠ" ìœ,,í,¤ íž~ì `ì§€ ì,¬ìš©í•~ê, ° ë¥¹/₄ ì, íž'ë³`ììœì~¤.

What is the maximum wiki page size?

The maximum wiki page size is determined by the datatype of the DESCRIPTION column of the TIKI_PAGES database table.

- Starting with Tiki 1.10, Tiki uses the MEDIUMTEXT datatype. The maximum page size is 16MB.
- In Tiki 1.9 (and earlier), Tiki uses the TEXT datatype. The maximum page size is 64K.

You can manually change the datatype to LONGTEXT to have longer (4GB) pages. Refer to the MySQL documentation for details.

File Gallery

How do I upload multiple images at once (batchÂ upload)?

1. Enable the **Batch Uploading** option on the Admin: File Gallery page.
2. Archive the files/images into a single .ZIP file (see ToolBox page)
3. On the File Upload page, use the **Batch Upload** field to select your archive file.

How can I upload images larger than XXXÂ MB?

The maximum upload file size is determined by the **upload_max_filesize** setting in your **php.ini** configuration file.
Refer to the Requirements and Setup documentation for details.

How do I get the automatic thumbnails to work when I uploadÂ images?

Automatic thumbnail generation uses/requires the GD or Imagick image libraries. If the libraries are installed properly on your server and Tiki is able to access the installation, there should be no additional work â€“ Tiki will automatically generate the thumbnails.

You can regenerate your thumbnails of any gallery with id XXX while browsing it (**tiki-browse_gallery.php?galleryId=XXX**) through the option "rebuild thumbnails" (**tiki-browse_gallery.php?galleryId=XXX&rebuild=XXX**)

How do I add an image to a wikiÂ page?

You can add images (JPG, PNG, GIF, BMP) to a wiki page by using the Image wiki syntax. See [Wiki-Syntax Images](#) for details.

Image Gallery

Note: The Image Gallery was deprecated in Tiki 4. We recommend using the File Gallery instead.

Blog

Look and Feel

Note: Prior to Tiki 4, the Look & Feel was called *Site Identity*.

How do I change the themeÂ (skin)?

Use the **Admin: Look & Feel** page to select a default theme (set of templates and CSS style sheet) for your Tiki. Any CSS file in your `../styles` directory can be selected.

In addition to the themes included with the Tiki installation, you create your own custom themes.

For more information, see <http://themes.tikiwiki.org>.

How do I change text size or colors of the theme?

To make global changes, edit the theme's CSS file

To make specific changes, use the appropriate Wiki Syntax to change text attributes.

Users and Groups

How can I "reset" the Admin login?

If you loose <http://doc.tiki.org/tiki-editpage.php?page=Tiki+FAQs&hdr=41> your **admin** password, you can reset it directly from the database.

Execute the following SQL statement on your database:

```
UPDATE `users_users` SET `password`='MYNEWPASS', `hash` = md5('adminMYNEWPASS') WHERE `login`='admin'
```

where:

- **MYNEWPASS** is a new password.

TIP: Always use a secure password.

Admin (ế€ë|¬) ê³„ì •ì,, ì-’ë-»ê²Œ "ë³µêµ¬" í• ì^~Â ìž^ìŠµë<^ê¹Œ?

ì^áí^~ëíœ **admin** (ế€ë|¬ìž) ê³„ì •ì,, ì,ì œí•œ ê²½ìš°, ë°ì'í,,°ë² ì`ìŠxì—ì,,œ ì§ì ' ë³µêµ¬í• ì^~ ìž^ìŠµë<^ë<x.
ë<xŒ SQL ë^a...ë¹í-’ë¥^{1/4} ë°ì'í,,°ë² ì`ìŠx ìfì—ì,,œ ì^áí-%oí•~ì^áíœì~x:

```
INSERT INTO `users_users` SET `password`='MYNEWPASS', `hash`= md5('adminMYNEWPASS') WHERE  
`login`='admin';  
ìœ,,ì—ì,,œ:
```

• **MYNEWPASS** ëš" ìf^ ì•"í~,ìž...ë<^ë<x.

íŒ: í•ìf ë³`ì•^ ìœ ì§€ê°€ ë~ëš" ì•"í~,ë¥^{1/4} ì,-ìš©í•~ì^áíœì~x.

"admin" (ế€ë|¬ìž) ì, ¬ìš©ìžë¤...ì,, ë<¤ë¥,
ê²fiœ¹/₄ëiœ ë³€ê²¹/₂í• ì^~Â ìž^ìŠµë<^ê¹Œ?

ì• „ë<^ì~¤.

í°í,¤ëŠ" **admin** ì, ¬ìš©ìžë¤...ì,, ế€ë|¬ìž ê³,,ì •ì— ëŒ€í•~ì—¬ ìš"êµ¬í•©ë<^ë<¤. if^ ì, ¬ìš©ìž (ì-’ë-¤ ì’ë|,,ìœ¹/₄ëiœë,,)
ì¶"ê°€í• ì^~ ìž^ìœ¹/₄ë©° ê·, ì, ¬ìš©ìž—ê²Œ ë¤" ế€ë|¬ ê¶Œí•œì,, í—^ìš©í• ì^~ ìž^ìŠµë<^ë<¤ëŠŒ, admin ì,,
'ë|,,ë³€ê²¹/₂í•~ê±°ë,~ ì œê±°í• ì^~ëŠ" ì—tìŠµë<^ë<¤. admin ì—ê²ŒëŠ" ê°~ë"œì<œ ê°•ë ¥í•œ ì•"í~,ë¥¹/₄ ê¶€ì—¬í•~ë,,ë
í•~ì<œì~¤. í•œ ë¤...ì~ ì, ¬ìš©ìž (**admin**) ë§Œì`ì< ë"±ê,‰ì~ ê¶Œí•œì,, ë³`ìœ í~ë,,ëi í•~ëŠ" ê²fi`ìµœìfi`
ë°©ë²•ìž...ë<^ë<¤.

ìfi,,ë, `ì—ì€ admin í~¹ì€ Permissions ì,, ì, `íž`ë³`ì<œì~¤.

RSS í”¼ë“œ

í<°í, æëŠ" ì-’ë-æ ì¢...ë¥~ì~ RSS

í"1/4ë“œë¥1/4Â ì§€ì>í• ©ë<^ê¹Œ?

í<°í, æëŠ" ë°©ë¬, ìžê°€ êµ¬ë...í• ì^~ ìž^ë,,ëi, íŠ¹ì • í<°í, æ °ëŠ¥ (ìœ,,í, æ, ë, "ëiœê·,, ê, °íƒ€ ë“±ë“±ê³¹/₄ ê°™ì€) ì—
ëŒ€í•~ì—→ RSS í"1/4ë“œë¥1/4 **ifì,,±** í• ì^~ ìž^ìŠµë<^ë<æ. í<°í, æëŠ" ë<æë¥, ì>¹ì, ¬ì'íŠ, ì—ì,,œ ìœ íš"í•œ RSS í"1/4ë“œë¥1/4
ë“±ëi í• ì^~ ìž^ìŠµë<^ë<æ

í<°í,¤ ê, °ëŠ¥— ëŒ€í•œ RSS í"1/4ë“œëŠ”
ì-́ë-»ê²Œ ë§Œë“¤ ìž^Â ìž^ìŠµë<^ê¹Œ?

RSS Config íž`ì`ì§€ë¥¼ ì,¬ìš©í•~ì—, í¬í•”í• í•ë²©ì~ ì~, ì`ë|,, ì œë²©, ê, °íƒ€ ë“±ë“±ì,, í¬í•”í•~ì—, í[°]í,¤ì~ RSS
í"1/4ë“œë¥¼ êµ-ì,,±í•~ì[°]í,¤ëŠ” ì`ì œ í•~ë[°] ë[°] (í™œì,,±í™” ë~ì-`ìž^ì,, ê^{21/2}ìš[°])ì— RSS ë§í—ë¥¼
í¬í•”í•~ë©° ì,¬ìš©ìžê°€ RSS í"1/4ë“œì— êµ-ë...í•~ëŠ” ê²ƒì,, í—^ìš©í•©ë<^ë[°]¤.

ë<¤ë¥, ì,¬ì’íŠ,ì—ì,,œì˜ RSS í”¼ë“œë¥¼
ì œ í°í,¤ëiœ
ì-’ë-»ê²ŒÂ ë“±ëií•©ë<^ê¹Œ?

ë<¤ë¥, ì,¬ì’íŠ,ì—ì,,œì˜ RSS í”¼ë“œëŠ” í°í,¤ ë¤”ë“^ í”ì€ ìœ,,í,¤ íž”ì’íš€— í¬í•”ë ì^~ ìž”ìŠµë<^ë<¤.

1. RSS Modules ì,, ì,¬ìš©í•”ì—– if^ RSS ë¤”ë“^ì,, ë§Œë“œì<ì<œì˜¤.

2. ë<¤ìŒì,, ì,¬ìš©í•”ì—– RSS module ì,, ìœ,,í,¤ êµ¬ì— í”ì€ ë¤”ë“^ì— ì¶”ê°€í•”ì<ì<œì˜¤:

{rss id=xx}

ìœ,,ì—ì,,œ **xx** ëŠ” RSS ë¤”ë“€ì,, ë§Œë“¤ì—^ì,, ë•Œ í• ë<¹ëœ ID ìž...ë<^ë<¤.



ë³ î• ^

ë³' ê³ í• ^í• ¼â í• ©ë<^ê¹Œ?

ë³ ë§™ìŠµë<^ë<¤! ìœìŠ¤í...œí,, íŒ”í•~ê,° ìœ,,í•œ ìœê°,,í,, í—^ìš©í•`ì£¹/₄ìœë¤ë©‘, ë<¤ìŒê³¹/₄ ê°™í’ í•`ì£¹/₄ìœí~¤:
1. ë²,,ê·,, íŠ,ëž~í,¹ ìœìŠ¤í...œí,, ì,—ìš© í•~í——í•~í• ½í ì,, ë³' ê³ í•`ì£¹/₄ìœí~¤.

• **security** ë²”ì£¹/₄ë¥¹/₄ ì,—ìš©í•~í•œí~¤.

• ì•~í• ½í ì,, ìƒ,, íž^ ê,°ìž... í•~ìš€ ë§^ìœí~¤ (ì•...ìš©ë~ëŠ” ê²ƒ,, ê°©ìš€í•~ê,°
ìœ,,í•~ìž...ë<^ë<¤).

2. <http://security.tiki.org> ì™€ security at tikiwiki.org ì,, ì,—ìš©í•~í——í•~í• ë³'ì•^ íŒ€í—
ì—°ë¹/₂í•~ìœê³ ë—,ìœí ì,, ìƒ,, íž^ ë§ì”€í•`ì£¹/₄ìœí~¤.

ì œ í[°]í, æ ¥1/4 ì-’ë-»ê²Œ ì•^ì „í•~ê³
ë³ ^ì•^ì,, ìœ ì§€í• ì^~Â ìž^ìŠµë<^ê¹Œ?

1. í[°]í, æ ¥1/4 ìµœì< ë², „ìœ^{1/4}ëiœ ìœ ì§€í•~ì<ìœì~æ. ë³ ^ì•^ ïŒ”ì¹~ëS” ê° ì—...ë°ì’íS, ì—í•~ë©ë<^ë<æ.
2. í[°]í, æ ì„æì¹~í”, „ëiœê·, ëž”ì~ ë§^ì§€ë§‰ ìž~ì`ì§€ ìfì~ **Enter Tiki and Lock Installer** (ì„æì¹~í”, „ëiœê·, ëž”ì,, ìž ê·, ê³ í[°]í, æì— ìž...ìž¥) ì,, ìfì, ~í•ì,, ì, ~ìš©í•~ì<ìœì-’ **tiki-install.php** ïŒŒì^{1/4}ì,, ì œê±°í•~ê±°ë,~ ì`ë|,, ì,, ë³€ê²1/2í•~ì<ìœì~æ.
3. ë””ë %oí,, °ë|~ ê¶Œí•œì,, í™ •ì, í•~ì<ìœì~æ. ë°~ë“œì<œ ê, °ì-µí•~ì<ìœì~æ, 7-7-7 ì€ ì™ „ì „í•œ ì^{1/2}ê, °/ì“°ê, °/ì<æí-%o ê¶Œí•œì,, í—~ìš©í•’ë², „ë|~ëS” ê²fìž...ë<^ë<æ!

CSRF (ì,¬ì'íŠ, ê°,, ìš"ì² ìœ,,ìi°) ëŠ"
ë¬ ^i—‡ì'ë©° ë, ' í<°í,¤ë¥¼ ì- 'ë-»ê²Œ
ë³'í~,í• ì^~Â ìž^ìŠµë<^ê¹Œ?

ì,¬ì'íŠ, ê°,, ìš"ì² ìœ,,ìi°(Cross Site Request Forgery, CSRF) -â€" ì¢...ì¢... "sea surfing" (ë°"ë<¤ ì,,œí•') ì'ë¹/₄ê³ ë¶^ë¹/₄ -
â€" ì€ PHPëiœ ë™ìž'í•~ëŠ" ì,¬ì'íŠ,ë¥¼ ê³µê²©í•~ëŠ" ë°©ë²•ìž...ë<^ë<¤.
°í,¤ë¥¼ ë³'í~,í•~ë¤ë©', ê'ë!¬: ë³'ì•^ ìž~ì'ì§ë—ì,,œ **Protect against CSRF** (CSRFì— ëŒ€ë¹,,í•~ì—¬ ë³'í~,) ì,, íƒi,¬í•
ì,, ì,¬ìš©í•~ì<¤ë~¤.