

Í<°í,æ11

°í,æ11è ì• ì´^ 2013ë...,, 4ì>”ëiœ ì~`ì •ë~ì-´ ìž`ì—`ìœ¼ë,~, 2013ë...,, 6ì>”ì— ìµœìç... ì¶œì<œë ê°€ëŠ¥ì,,±ì´ ë†`ìŠµë<^ë<æ
ë²,,ì ,, ì^~ëª... ì£¼ê,°ì— ë”°ë¼ 12.1ì´ ì¶œì<œë ë•œê¹œì§€ ì§€ì>ë ê²fiž...ë<^ë<æ.
Tiki10ì²~ëÿ¼, í•,,ì^~ì,-í•ì€ PHP 5.3.x ìž...ë<^ë<æ
pre-5.3 ì§€ì>ì´ í•,,ìš”í•~ì<œë<æ©´, ìž¥ê,° ì§€ì> ë²,,ì ,,ì, Tiki9 ì,, ì,-ìš©í•~ì<æ ì^~ ìž`ìŠµë<^ë<æ.

- 1.1. ê³ ê,‰ ë“±ê,‰â†µ
- 1.2. ê²€ì,- (ê°œì,, ì,-í•)
- 1.3. ëœ“ê,€
- 1.4. ì™,ë¶€ ë¼ì´ë,œëÿ-ë|¬ë“æì,, ê´€ë|¬í•~ê,° ìœ,,í•~ì—¬ ì»´ì¬ì €ê°€ ì¶”ê°€ë”
- 1.5. ì½~ì†”
- 1.6. ì—~íœœì,ë” (elFinder)
- 1.7. íœœì¼ ê°æëÿ-ë|¬
 - 1.7.1. ì—~íœœì,ë”ëiœ ê´€ë|¬
- 1.8. Gravatar
- 1.9. êµ¬ê,€ Analyticsâ†µ
- 1.10. ê,°ê³,, ë²^ì—
- 1.11. ë©”ì¼â†µ
- 1.12. ëª”ë“^
 - 1.12.1. freetags_most_popular ëª”ë“^ ê°œì,, ë”
 - 1.12.2. last_youtube_playlist_videos (ìµœê¼ ìœ íšœë,œ ìž¬ìfëª©ëì ë™ì—¬ìf) ëª”ë“^ì´ í-¥ìfë”

- 1.12.3. ì,ê,° ë,“ëioæê±°ë¥¼ ë,~ì—’í•~ëŠ” ëª”ë“^
- 1.13. OpenPGP
- 1.14. íŠ¹ì • ìž’ì—...ì— ëŒ€í•~ì—¬ ë©”ëª”ë|¬ì™ € ì<œê°, ì œí•œì,, ì~æë²,,ë¼ì’ë“œ
- 1.15. ì§€ë¶^
- 1.16. rewrite ê·œì¹™ì,, routing íŒŒì¼ëioæ êµì²’
- 1.17. ê²€ìf%o
- 1.18. ì,,ì...~ ì¶©ëŒ ë³’í~,
- 1.19. Setup.sh
- 1.20. í...Œëš^
 - 1.20.1. mod ì— ì—...ë°ì’íŠ,ë”: ë<æ ì^~
 - 1.20.2. ì< ê·œ: Greenvalley
 - 1.20.3. ì< ê·œ: Uthopias
 - 1.20.4. ì< ê·œ: teal frmo jqüi ë,’ ë¶€ì— ì^~í%oì,, ì,, íî,¬í•
- 1.21. íŠ,ëž~ì»æ
 - 1.21.1. ì,ë¼ì, ìž,ìš’
 - 1.21.2. íŠ,ëž~ì»æ ë,~ì—’: í•,,ë“œ ì³¼ê,òì— ìžë™ì™,,ì,,±ì’ ì¶”ê°€ë”.
 - 1.21.3. íŠ,ëž~ì»æ í•,,ë“œ: ì¹¼í^¬ë¼
 - 1.21.4. íŠ,ëž~ì»æ í•,,ë“œ: Math
- 1.22. ë²^ì—
- 1.23. ë™ì~ìf
- 1.24. ìœ,,í,æ

- 1.24.1. í"Œëž~ê, í'œê, °ëœ ì^ì •
- 1.25. ìœ,,í,œ í"Œëÿ¬ê, ì,
 - 1.25.1. ListExecute í"Œëÿ¬ê, ì,
- ** ì—...ê, ë ^ì'ë"œ **

(ë³, ë¬, ì,,œì~ ì¬-´ ì>ë¬, ì€ ì•ŒíŒŒë²³ì^œìœ¼ëìœ í•ë²©ì´ ì •ë ¬ë~ì- ìž^ìŒ)

1.1. ê³ ê, %ooÂ ë" ±ê, %ooâ†µ

- Dogfood Ease Importance Priority ì— ëŒ€í•œ ë<œì-´í•œ ê, °ëšŸ í-Ÿìf

1.2. $\hat{e}^2 \in \mathbb{R}, \neg \hat{A} (\hat{e}^\circ \in \mathbb{R}, \mathbb{R}, \neg \hat{I} \bullet)$

í<°í, x- $\hat{e}^2 \in \mathbb{R}, \neg \hat{e}, \hat{e} \in \mathbb{R}$ — $\mathbb{R}^{\wedge} \mathbb{R}^{\vee}$ (WinCache) $\hat{e}^\circ \mathbb{R}^{\vee} \hat{I} \hat{S}, \mathbb{R}^{1/2}$ "ë" $\mathbb{R}^{\vee} \mathbb{R}^{\vee}$ (ByteCode Cache) $\mathbb{R}^{\vee} \mathbb{R}^{\vee} \hat{e}^2 \in \mathbb{R}, \neg \hat{e} \mathbb{R}^{1/4} \mathbb{R}^{\vee} \hat{e}^\circ \mathbb{R}^{\vee}$.
 $\mathbb{R}^{\vee}, \mathbb{R}^{\vee} \hat{e}^2 \in \mathbb{R}, \neg \hat{e} \mathbb{R}^{1/4} \mathbb{R}^{\vee}, \mathbb{R}^{\vee} \hat{e}^\circ \mathbb{R}^{\vee} \sim \mathbb{R}^{\vee} \mathbb{R}^{\vee} \hat{e} \mathbb{R}^{\vee}$

1.3. "€"

• "€" is a symbol for the Euro currency, used in many European countries. It is a stylized letter 'E' with a horizontal line through it. The symbol is used to denote the Euro, which is the official currency of the Eurozone.

1.4. ì™, ë¶€ ë¼ì´ë, Æëÿ¬ë¬ë“xì,,
ê´€ë¬¬í•~ê, ° ìœ,, í•~ì—¬
ì»´í¬ì €ê°€Â ì¶”ê°€ë”

ì´ëš” í<í,x ì,¬ìš©ìžì—ê²Æëš” ì´í-¶ì,, ë¬,ì¹~ìš€ ì•šìš€ëšÆ, ê°œë°œìžë“xì— ëÆ€í•~ì—¬ ë” ë,~ì€ í™~ê²½ì,,
ì œê³µí•©ë^ë<x. ì¶”ê°€ ì•ë³´ëš” <https://dev.tiki.org/Composer> ì™€ ì•,,ëž~ì” “#ì—...ê¬,ë ^ì´ë“œ” ì,,¹ì...~ì,, ì,´ìž´ë³´ì<-
ì<œì~x.

1.5. "1/2~it"

í<°í,æ ì½~it"i€ ä...ë 1ìæ,,ì,, í†µí•~ì— í<°í,æ ì,,æì¹~ë¥¼ ê´€ë|¬í•~ê,° ìæ,,í•æ ê²fiž...ë^ë<æ. ì´ëŠ" Symphony ì~ ì½~it"
ì»´í¬ë,,ÆíŠ, ì— ê,°ë°í•~ê³ ìž^ìŠµë^ë<æ. ë<æìÆì~ ë,´š©ë"æì,, ì²~ë|¬í•©ë^ë<æ

- í<°í,æ ì,,æì¹~ , êµ¬ì,,±, ì—...ë°ì´íŠ,

 - ì´ì ,, 'php installer/shell.php' ä...ë 1ì-´ì™€ ë™ë"±í•©ë^ë<æ

- í"„ëioeí•,, ì,,æì¹~ í>„ ìžŠì-´ë²„ë|¬ê,°

- ì°ì<æ ì,ì æ

- ê²€ìf%o ì°ì<æ ë|¬ë¹Æë"æ

-

ì½~it"ì,, ì°,ê³ í•~ì<æì~æ.


1.6. ì—~íĈĈì,ë"Â (elFinder)

#ì—~íĈĈì,ë"ëiœ_ê'€ë|¬ ì°,ì°

1.7. $\int_{-\infty}^{\infty} \delta(x) dx = 1$

1.7.1. ì—~íĈĈèì, ë”ëïœÂ ê´€ë!¬

íĈĈèì¼ ê°æÿ¬ë!¬ëš” íf^ëiê³ ë³´ë<æ ë” ë¹,,ìŸ¬ì-¼í•œ ë°©ìkìœ¼4ëiœ íĈĈèì¼ê³¼ í´ë”ëŸ¼ ê´€ë!¬í•~ëš” ê²fì,, í—^ìš©í•~ì—¬, ë“œëž~ê·, ì•æ ë“œëi ê,°ëšŸí´ íĈĈèì¼ ê°æÿ¬ë!¬ ë,´ëŸ€ì—ì,,œ ê°€ëšŸí•´ìš€ë©°, ëiœì»¬ ë°ìšxí¬ít±ê³¼ ík´í,x íĈĈèì¼ ê°æÿ¬ë!¬ì—ì,,œë,, ê°€ëšŸí•´ìš´ë<^ë<æ



í™•ëĈĈèí•~ë æë©´ í´ë!

ìŸ”ê°€ ì•ë³´ëš”, íĈĈèì¼ ê°æÿ¬ë!¬ ë°ì—~íĈĈèì,ë” ëŸ¼ ì°,ê³

1.8. Gravatar

ě“ě“ ì, ñš©ž ì• „ě°“í€ì— ě€€9í• ñ— ñ ê· ě¼ě°“í€€¼ ì, ñš©í• ì, íí, ñí• ì¶”ê°€ ě”(https://en.gravatar.com/)

1.9. Analytics

- Google Analytics Plugin

1.10. $\hat{e}_j, \hat{e}^3, \hat{A} \hat{e}^2 \hat{i} -$

- $\hat{e}_j \hat{e}^j = \delta_j^j = 3$ (v1 $\hat{e}^j \hat{e}_j = 3$)
- $\hat{e}_j \hat{e}^j = \delta_j^j = 3$ (v1 $\hat{e}^j \hat{e}_j = 3$)

\hat{e}_j

1.11. Zend_Mail implementation

- Zend_Mail implementation of HTMLMailMime

1.12. ä"ë"^^

ì"ì œ í...œí"Œë|ž ë, 'ë¶€ì— ä"ë"^^ ë° ä"ë"^^ êµ-ì-ì,, í•~ë"œ ì½"ë"©í•~ëš" ê²fí' ê°€ëšŸ
êµ-ì-ì— ë, 'ë¶€ì— ä"ë" ä"ë"^^ì,, í'œê,°

{modulelist zone=top}

í...œí"Œë|ž ë, 'ë¶€ì— ä"ë"^^ì~ ë³€ì^~ëŸ¼ í•~ë"œ ì½"ë"©í•~ëš" ê²fí,, í-^ìš©

{module module=search title="xyz" ...}

ì'ëš" ê°œë°œ, ì<œí—~, ë°°í-ëŸ¼ ì†ì%½ê²Œ ì<±í-í•~ëš" ë° ìœ ìš©í• : êµ-ì,,± ê'€ë|-

- <http://sourceforge.net/p/tikiwiki/code/44270>!ì,-ìš©ìž ì•ì~ ä"ë"^^ ì~ì-ì,, í-^ìš©
- íž~ì'ìŸ€ ë, 'ë¶€ì~ ì,-ìš©ìž ìŸ€ì • ä"ë"^^ ì~ì-ì,, í'œì<œí• ModuleList ìœ,,í,x í"ŒëŸ-ê•,ì, ìšxëŸ^í<° í"ŒëŸ-ê•,ì,ì,, ì,-ìš©í•~ì-ì-ì...œí"Œë|ž ë, 'ë¶€ì— ä"ë"^^ ä"ë"^^ì,, í-í•~ëš" ê²fí,, í-^ìš©
- <http://thread.gmane.org/gmane.comp.cms.tiki.devel/28929>

1.12.1. freetags_most_popular

ëä"ë" ^ Â ê°œì,, ë"

freetags_most_popular ëä"ë" ^ ë, 'ë¶€ì—ê°œì²'î~ ìœ í•ì,, (ìœ,,í,æ íž`ì`ìš€, ë,"ëioœê·, ê²œì<œë¬¼, ê, °ì,¬, íœœì¼
ê°æÿ¬ë|¬, ë"±ë"±) ì,, ífí• ìf^ ëšæê°œë³€ì^ê°€ ìž`ìšµë<^ë<æ.

1.12.2. last_youtube_playlist_videos

(ìµœê·¼ ìœ íšœë,Œ ìž¬ìfëª©ëi ë™ ì—¬ìf)

ëª"ë" ^ì' Â í-¥ìfë"

'ëª"ë" ^ì€ The module accepts the param "orderby" ë¸æ°œë³€ì^~ë¼¼ ë°>ì•„ë"æì—¬ í'œì<œë~ëš" ìž¬ìfëª©ëi ë,'ë¶€ì-ë„ì~ìfì ì•ë ¬ ì^œì„œë¼¼ ì¸€ì •í•~ê³ , ê,°ë³,ì' ìœ íšœë,Œì~ ê³µì< ê,°ë³,ì, 'position' (ìœ„ì¹~) ëìœ ëŒì•„ì™ "ìšµë<^ë<æ.

Module last_youtube_playlist_videos ë¼¼ ì° ìì°í•~ì<ìœì~æ

1.12.3. ì, ê, ° ë, "ëiœê±°ë¥¼

ë, ãì— í• ãëš" Â ëª" ë" ^

ì, ê, ° ë, "ëiœê±° (top blogger) ë¥¼ ë, ãì— í• ãëš" ëª" ë" ^

1.13. OpenPGP

OpenPGP is a standard for secure communication.

1.14. íŠ¹ì • ìž'ì—...ì— ëŒ€í• ~ì—¬
ë©"ë^a"ë|¬ì™ € ì<œê°,,
ì œí•œì,,Â ì~xë²,,ë^{1/4}ì'ë"œ

- <http://sourceforge.net/p/tikiwiki/code/43870>
- <http://sourceforge.net/p/tikiwiki/code/43907>

1.15. ìš€ëŋ^

í<°í,æ11 ëioæ ê,°ì^`ìì`ìš€ëšŒ ê,°ëšŸì,,±ì,, ê°-ìŋ~ ì‡¼í•' ì,-ì'íš,ëŸ¼ ëšŒë“æ ì^~ ìž^ëš” ì~`ì œ í...œí”Œë|ž. TikiKart
í”„ëioæí•„ì— ì'í•~ì—¬ ì,-ìš©ë~ë©°, ëš^ì¹”ë, ìž'ë™ í•”!
(ì•„ìš ëšæìš° ì<æí—~ìì, ë<”ê³„ì'ë©°, ì•„ìš ì,-ìš©ìž ìš€ì • ê²€ìf‰‰ ë° ì—¬ëŸ¬ ì,-ìí•ì,, ìŋ”ê°€í•'ì•¼í•”...)

1.16. rewrite $\hat{e} \cdot \hat{\omega}^1$ TM \hat{i} , routing $\hat{i} \in \hat{\omega}^1/4 \hat{e} \hat{i} \hat{\omega} \hat{A} \hat{e} \hat{\mu}^2$

- <http://sourceforge.net/p/tikiwiki/code/44661/>

1.17. $\hat{e}^2 \in \mathbb{F}^{\infty}$

• $\text{it}\mu \cdot \text{©} \hat{e}^2 \in \mathbb{F}^{\infty} \text{—} \ddot{e} \in \mathbb{E} \text{—} \sim \text{—} \text{it}\mu \hat{e}^3, \hat{e}^2 \in \mathbb{F}^{\infty} \text{ } \text{is} \in \text{ } \rangle$

1.18. ì,,ì...~ ì¶©ëŒÂ ë³'í~,

• <http://sourceforge.net/p/tikiwiki/code/45249/>

1.19. Setup.sh

ì¶"ê°€ ì •ë³´ëŠ" ìœ,,ì~ "#ì»´í¬ì €(Composer)"ì™€ ì•„ëž~ì~ "#ì—...ê·ë ^ì´ë“œ"ë¼ëŠ" ì,,ì...~ë“æì,, ì,´íŽ´ë³´ì<ì<œì~æ.

1.20. í...⊕ë§^

1.20.1. mod ì— ì—...ë°ì´íš,ë": ë<⊗Â ì^~

Andreas08, Andreas09, CandiiClouds, Club Card, Faulkner, Fluid Index, Green Blog, Judy, Kubrick, LiteJazz, Milkyway, Mittwoch, Mollio, Planetfall, Smooth, Tikipedia, Twenty Ten, Underground,

1.20.2. à ê·œ:Â Greenvalley

ìžì—°ì~ ëšë,œì' ë,~ëš" ìf^ëiœèš' í...œëš^ . RTL ì- ,ì- ì™ €ë,, ìž'ë™ ìž~ í•".

1.20.3. ì< ê·œ:Â Uthopias

if^ ìœ í† í"¼ì•,, í...œë\$^ ë° ì,, ífi,¬í•, another, attainable, foundation, greycard, north, spaces, writer.

1.20.4. ì< ê·œ: teal frmō jqui ë, ´ ë¶€ì—
ì^~í%ooì,, Â ì,, ífì, ¬í•

ì< ê·œ: teal ë, ´ë¶€ì— jqui-Horizons tjsxortkgkd

1.21. íš, ěž, ï»x

1.21.1. à, ë¼, Â íž, ìš'

í•ë³©ì,, í'œìœëœ í•ë³©ë“»ì~ ë³©ëì—ì,,œ (ajax_inline_edit)ì,, ì,¬ìš©í•~ì—¬ ì,ë¼ì, íž,ìš'ì,, í—^ìš©í•~ëš” ìf^ëìœìš' ê,°ëš¥í' íš,ëž~ì»»ì— ë,,ìž...ë~ì—^ìšμë<^ë<».

ë¶€ê°€ì ìœ¼ëìœ PluginTrackerList í~¹ì€ PluginTrackerFilter ëìœë¶€í,,° ìfì,,±ë~ëš” í•ë³©ë“»ì~ ë³©ëìì€ íž,ìš'ë ì^~ ìž^ìœ¼ë©°, ìfì'í•~ëš” ìf^ ëš»ê°œë³€ì^~ "editable" (í•,ë“œì~ ë³©ëì' íž,ìš'ê°œëš¥í• ì•¼í•”) í~¹ì€ "editableall=y" ê°€ ì,¬ìš©ë ê²½ìš° ê°œëš¥.

ì¶”ê°€ì •ë³'ëš”, Tracker Inine edit ì,, ì°,ìì°

1.21.2. íŠ, ëž~ì»x ë, ~ì—': í• „ë“œ ì°3/4ê, °ì—
ìžë™ ì™ „ì„±ì'Â ì¶”ê°€ë”.

1.21.3. íŠ, ëž~ì»α í• „ë“œ:Â ì¹¹/₄í^ ¬ë¹/₄

1.21.4. íŠ, ëž~ì»x í•„ë“œ:Â Math

- Inline editing (ajax_inline_edit), ëšžì€ íŠ, ëž~ì»x í•ëª©ë“xì„, í•œ ë²^ì— íž,ìš‘
ê°€ëšŸí•~ê,° ìœ„í•”
- ëˆ,ë””ì-´ëŸ¼ íŠ, ëž~ì»x í•ëª©ì— ì²”ë¶€í•~ê,° ìœ„í•œ ì¹¼í^¬ë¼ íŠ, ëž~ì»x í•„ë“œ

1.22. ë²^ì—

• ëšžìŋıí~ • ìžë°"ìšıí¬ë½íš, ë²^ì—: ìžë°"ìšıí¬ë½íš, ê'€ë " ë©"ì<œìš€ì— ëŒ€í•~ì—¬, ê.
ì-´ë- í•œ ìœ íš"í•œ ìžë°"ìšıí¬ë½íš, ë¥¼ í¬í•"í• ìš€ë¼ë,,, ëšžìŋıí~ • ë²^ì—ìœ¼ëiœ
ì-,ì-^ì— ëŒ€í•~ì—¬ lang/xx/custom.js íŒŒì¼ì— ë'~ ì^~ ìž^ìŒ

1.23. ë™ ì~ìf

• íš, ëž~ì»x í•ëª©ì— ë̄, ë""ì- 'ë¥¼ ì²""ë¶€í•~ê, ° ìœ,, í•œ ì¹¼í^ ¬ë¼ íš, ëž~ì»x

1.24. ìœ,,í,œ

1.24.1. í"Œëž~ê·, í'œê, °ëœÂ ì^~ì •

í"Œëž~ê·, í'œê, °ëœ ì^~ì • ì~ ìjífœì— ëŒ€í•~ì— ñ ì¼ê', ìšì, ê¾¾¾ ê³'ê³ ê, °ëš¥ì,, í-í•"í•œ ëšžì€ í-¥ìf ë, ì—.

1.25. ìœ,,í,Â í”Ɖëÿ¬ê.ì,

1.25.1. ListExecute

PluginListExecute
âµ

**** ì—...ê·, ë ^ì'ë“œÂ ****

ì,,œë,œë²,,ì,,ì,, íτμí·~ì—→ ì,,xì¹~ í~¹ì€ ì—...ë°ì'íš,ë¥¼ í·~ëš” ê²¹/₂ìš°, ëª±ëª± ì™,ë¶€ ë¼ì'ë,œëÿ-ë|-ë“xì€ ì'ì œ (using "ì»'í-ì €"ë¥¼ ì,-ìš©í·~ì—→) ë<xë¥'ê²œ ì·"ê,‰ë©ë^ë<x:âτμ

```
root@camagroc:/var/www/tiki_trunk# sh setup.sh
curl is /usr/bin/curl
#!/usr/bin/env php
All settings correct for using Composer
Downloading...

Composer successfully installed to: /var/www/tiki_trunk/temp/composer.phar
Use it: php temp/composer.phar
php is a tracked alias for /usr/bin/php
Loading composer repositories with package information
Installing dependencies from lock file
Warning: The lock file is not up to date with the latest changes in composer.json. You may be getting outdated dependencies. Run update to update them.
- Installing adodb/adodb (5.18)
  Downloading: 100%

- Installing phpcas/phpcas (1.3.1)
  Downloading: 100%

- Installing phpseclib/phpseclib (0.3.1)
  Downloading: 100%

- Installing smarty/smarty (v3.1.13)
  Checking out /tags/v3.1.13/@4699

- Installing zetacomponents/base (1.8)
  Downloading: 100%

- Installing zetacomponents/webdav (1.1.3)
  Downloading: 100%

- Installing zendframework/zendframework1 (1.12.1)
  Checking out /tags/release-1.12.1/@25165
```

í™·ëœ€í·~ë xë©'í'ë|í·~ì<xœì~x

ì'ëš” ë~í·œ ê·€í·~ì,,œë²,,ì— `php5-gmp php-compat` ê³¼ ê°™ì€ ëª±ëª± ì¶”ê°€ íœ”í,xìš€ë“xì,, phpseclibì~ ìμœì í™”ëœ ë™ìž'ì,, ìœ,,í·~ì—→, ì¶”ê°€í·~ì·¼í· ìš€ë,, ëª”ë¥,ë<xëš” ê²fì,, ì~ë”_í·©ë<^ë<x. ê·,ë ìš€ ì·šë<xë©', ì·,,ëž~ì™€ ê°™ì€ ìœ í~ì~ ë©”ì<xœìš€ë¥¼ ë³'ê²œë ì~ë,, ìž^ìšμë<^ë<x:âτμ

“

âτμ

phpseclib/phpseclib suggests installing ext-gmp (Install the GMP (GNU Multiple Precision) extension in order to speed up arbitrary precision integer arithmetic operations.)âτμ

phpseclib/phpseclib suggests installing pear-pear/PHP_Compat (Install PHP_Compat to get phpseclib working on PHP = 4.3.3.)âτμ

âτμ

ě°ě¹,,ì·^ ê,°ě°~ì~ ì,,œě²,,ì—ì,,œěš” ě<ɹìĈê³¼ ìœ ì,—í·œ ě²...ě ¹ì-’ě¥¼ ì’š©í·~ì—ì,,ɹì¹~í· ì^~ ìž^ìš̂μě<^ě<ɹ (ě<ɹě¥,
ìš’ì~ì²’ì œì~ ê²¹/₂ìš° ì·Ĉěšžê²Ĉ ě³€ê²¹/₂í·~ì<ìœì~ɹ):

ì½~ì†” í™”ě©’ì—ì,,œì~ ě²...ě ¹ž...ě ¥

```
sudo apt-get install php5-gmp php-compatâ†µ  
í<°í,ɹ11ì— ì—°ê²°ě~ěš” íž~ì’ìš€  
No pages link to í<°í,ɹ11
```