

ê, °ì, ¬ í"ŒëÝ¬ê· ì,

íœ,,í,¤ í"ŒëÝ¬ê· ì, ì, ¬ìš©í•~ì—¬ ìœ,,í,¤ íZ~ì `ì§€ ì•~ìœ¼ëiœ ê, °ì, ¬ë¥¼ ì>í•~ëS" ì^~ë§Œí¼ í¬í•©í•~ëi ì•~ì<ì<œì~¤
 í•œ ê°œì~ ê, °ì, ¬ì~ ë¶€ë¶,,ë“¤, „ íí•~ëS" í"ŒëÝ¬ê· ì, ì€ ê, °ì, ¬ í"ŒëÝ¬ê· ì, ì, °, ê³ í•~ì<ì<œì~¤. ì` í"ŒëÝ¬ê· ì, ì€
 í™ ^íZ~ì `ì§€— ìfìœ,, 2ê°œì~ ê, °ì, ¬ë¥¼ í¬í•~ì<œí, ¬ ë•Œ íS¹íž^ ìœ ìš©í•©ë<^ë<¤, í•~ì§€ë§Œ, ì-‘ë- í•œ ì, ¬ìš©ìž ì§€ì~•
 ìœ,,í,¤ í...ìŠ¤íŠ, è¥¼ ìž`ì, ±í•~ì^~ë, „ ìž`ìŠµë<^ë<¤.
 ê, °ì, ¬ì~ ë²©ëiì~ ì§§ì€ ìš"ì•½ì€ pluginModule ì,, ì`ìš©í•~ì—¬ Module last_articles ì,, ì, ¬ìš©í•~ì^~ë, „ ìž`ìŠµë<^ë<¤.

ì, ¬ìš©ë² •

íœ,,í,¤ íZ~ì `ì§€— ê, °ì, ¬ë¥¼ í'œì<œí•~ë¤ë©~, ë<¤Œ ë¬, è²•ì,, ì, ¬ìš©í•©ë<^ë<¤:

{ARTICLES(max=>3, topic=>tw,topicId=>1, type=>news, categId=>1, lang=>en,
 sort=>lastModif_asc)} {ARTICLES}

Param	Values	Defaults	Req	Explanation	Since
max	ì^«ìž			ê, °ì, ¬ì~ ê°¬ì^~ë¥¼ ìœì~í•~ê, °ìœ,,í•~	
topic	ë¬, ìžì—`			ít í"½ì,, í•,,í,,°í•“. ì^~: 'ë‰¤ `ìŠ¤', '!ë‰¤ `ìŠ¤', 'ë‰¤ `ìŠ¤+ì`è²¤íŠ, ', '!ë‰¤ `ìŠ¤+ì`è²¤íŠ, '	
topicId	ë¬, ìžì—`			ít í"½ IDë¥¼ í•,,í,,°í•“. ì^~: '1', '11', '1+2', '11+2'	1.10
type	ë¬, ìžì—`			ìœ í~•ì,, í•,,í,,°í•“. ì^~: 'ê, °ì, ¬', '!ê, °ì, ¬', 'ê, °ì, ¬+ë!¬ë·°', '!ê, °ì, ¬+ë!¬ë·°'	
categId	ì^«ìž			è²"ì£¼ IDë¥¼ í•,,í,,°í•~	
lang	ë¬, ìžì—` (en,fr,en_uk...)			ì- , ì-`	1.9.7
sort	ë¬, ìžì—` (columnName_asc í~¹ì€ columnName_desc ì—` ìœ, °ì,,œ columnName ì€ ì—` ì`ë!, (created, publishDate, title....) í~¹ì€ ë¬, ìž`ìœ,,			column asc í~¹ì€ desc ëiœ ì•ë ì	1.10
order	ì^~ì§ë‰¤ëŒ€ê, °ëiœ êµ¬ë¶,,ëœ ê, °ì, ¬ID			ê, °ì, ¬ê°€ ë§¤ê°œë³€ì^~ì` ì`œì,,œëŒ€ëiœ íZ~ì `ì§€ ë, 'ë¶€ì—ì,,œ íœì<œë~ëS" ê²½ìš°, ë²©ëiì~ ìfë<`ì—` ë, °ì, ¬ë¥¼ ë“ê²Œë"	9.0

Param	Values	Defaults	Req	Explanation	Since
			?		
articleId	ì~ì§ è§ê°æë!¬ê³ êµ¬ë¶,,éœ ê,°ì,¬ID			ì'ëÝ¬í•œ ê,°ì,¬ID è“æ§Œì,, í'œì<œí•” - è<æ¥, í•,,í,,° ì—ì<œ ì šçè”	9.0
notArticleId	ì~ì§ è§‰œéœ ê,°ëíœ êµ¬ë¶,,éœ ê,°ì,¬ID			ì'ëÝ¬í•œ ê,°ì,¬ID è“æì,, í'œì<œí•”ì§€ ì•ŠìŒ	9.0
start	ì^«ìž			ë¤©ëìì’ ì’ ê,°ì,¬ è²^ì~,ë¶€í,,° ì<œìž’ë”	5.0
fullbody	y í~¹ì€ n			y í~¹ì€ n èíœ ì§€ì •í•~ëç° ê,°ì,¬ ì „ì²’ê°€ í'œì<œë~ëŠ”ì§€ ì•,ëç°ëç’í—æ”ì™€ ì œë¤©ë§Œì,, í'œì<œë~ëŠ”ì§€ ì—¬ë¶€ë¥¼ì§€ì •í•”	5.0
dateStart, dateEnd	ë, ì§œ			YYYY-MM-DD ì„œì<ì,, ì,¬ìšçí•~ì—, ê°œì œ ë, ì§œê°€ dateStart è³’ëç ì¬ê±°ë,~ dateEnd è³’ëç ìž’ê±°ë,~ ê°™ì€ ê,°ì,¬ë“æì’ ì—í•”ë”	5.0
overrideDates	y í~¹ì€ n			ì'ëŠ” y èíœ ì„æ” •ë~ëŠ” ê²fi’ ì¢<ìœ¼ëç°, ê, , ì’ìœ ëŠ” ìœ í~• è§æê°œë³€ì^~ "Show before publish date" í~¹ì€ "Show after expire date" ê°€ ì ì „í•œ ê,°ì,¬ëíœ ì„æ” •ë~ì§€ ì•Šì€ ê²½ìš°ì—ë,, ì—ì „íž’ ê,°ì,¬ë“æì’ ê°œì œ í~¹ì€ è§Œê, °ë, ì§œ ìi°ê±’ì~’ë”ê¹¥ì¾’ì¼ ê°€ëŠ¥ì,,±ì’ ìž’ëŠ” dateStart è° dateEnd ê°”ë“æì,, ì,¬ìšçí•~ì—, ì¶”ì¶œë ì~’ìž’ëç.	5.0
containerClass	ì...ìŠæíŠ,			ê²°ê³¼ë¬¼ í'œì<œì— ìŠæíf€ì¼ì,, ê·œì •ì§“ê,° ìœ,,í•~ì—, ì,¬ìšçœëœ css í’ëž’ìŠæíf€ì¼ì,, ì§€ì •í•~ëŠ” ì...ìŠæíŠ,	5.0
largefirstimage	y í~¹ì€ n			y ì¼ ê²½ìš°, ì²’ë²^ì§, ê·,ë¼ì’ ê,°ì,¬ è³’ê,°ë¥¼ ìœ,,í•~ì—, ì,¬ìšçœë œ ê·œê²çìœ¼ëíœ ìœì<œë”	6.0
urlparam	url è§æê°œë³€ì^~			tiki-read_articles.php èíœ ì¶”ê°€í• ë¶€ê°€ì è§æê°œë³€ì^~ (ì~^: from=y)	6.0
actions	y í~¹ì€ n	y		ê¶Œí•œì’ ì ì „í•œ ê²½ìš°, í'œì<œëœ ê° ê,°ì,¬ì— ì~í-%oí• ìž’ì—...ì,, ì• è§í—ì™€ è²,,íŠ¼ì,, í'œê,°í•~ê,° ìœ,,í•œ è³€ì^~. 'n’ìœ¼ëíœ ì„æ” •ë~ëç’ , 'ëŒ“ê,€ ì¶”ê°€’ èíœì~ è§í—ê°€ è³’ì— ì§€ì§€ ì•Šì,, ê²fi’ëç°, ê,°ì,¬ë¥¼ íŽ,ì§’í• è²,,íŠ¼ è~í•œ ìœì<œë~ì§€ ì•Šì,, ê²fiž,,, ê,°íƒ€.	6.1
usePagination	y í~¹ì€ n	n		ê,°ì,¬ ë,~ì— ì~ ê,, ì’ê°€ ê,, ê²½ìš° íŽ”ì’ì§€ë§æ¹€ ê,°ëŠ¥ì,, í™œì,,±í™”	

Param	Values	Defaults	Req	Explanation	Since
			?		
Maximum Displayed	1-100			éæ©éí— í“œí<œé ê, °í, ¬í~ í^~ (ê, °é³, íœ¹¼éíœ íµœéŒé°’ í„œí •é~í§€ í„œíŒ). Pagination í‘ y (Yes) éíœ í„œí •éœ ê²½íš°, í‘éŠ” íž~í~í§€é<¹ ê, °í, ¬í~é¥¼ ê²°í •í•”. í‘éŠ” Use Pagination é°€ í™ œí„±í™ “éœ ê²½íš° í•„íš”í•”.	
periodQuantity	1-100	n		í, ¬íš©ížé°€ í•í~í•œ íœé°,, í„œí „íž, í•í~— é§Œé“œí- í§,, é, °í, ¬é§Œí, í“œí<œí• í^~í~ é°’. í•„éž~í~ é§œé°œé³€í~ “Period unit” í™€ í•”é»~ í, ¬íš©í~éé©®, í‘ é§œé°œé³€í~éŠ” íœé°,, í„œí „íž, í„ í•í~í~ é, °íœ„í•í~— í-½é§éé, ~ é§ží€ ê, „éÝ-í•œ íœ é<>é“œí’ é³ è æé ê²fi, í§€é¥¼ è, ~íf€éf,,. “max=-1” é³¼ í•”é»~ í, ¬íš©í•í~— í•é~é“ í•é~é“œí, íœí „í~ í•” (ê, °é³, íœ¹¼éíœ “max” éŠ” 10íœ¹¼éíœ í„œí •é”).	6.5, 7.2, 8.0
periodUnit	íœé°,,/í¼/í£¼/í·”	n		“Period quantity” í™€ í•”é»~ í, ¬íš©í~éŠ” íœé°,, é<”íœ,,	6.5, 7.x, 8.0

í~íœ

í•”éž~í~ í~íœ—í„œéŠ” íœ„í, íž~í~í§€é°€ ê, °í, ¬é“œ (articles) í”ŒéÝ-íœí „í, í-í•í~í- íž~í~í§€í~ “! é‰’íšœ”
í—œé”©í•”éž~í— íµœé·¼ ê, °í, ¬é“œí’ é³ í—í§€é, éí é~í- íž~éŠ” ê²fi, é³¼ í~ íž~íšµé<”é<œ:

What can you find here ?

This website hosts a part of the activity of that community. Take a look inside: check the latest Documentation effort at <http://doc.tikiwiki.org>, watch the [TikiMovies](#), wander in [Help](#). This website is very large, somewhat 'natural' and permissive in the collaboration protocol, so don't be surprised by some diversity in the 2300+ wiki pages that you can experience here 😊. You are welcome to participate. **Also Tiki security is important for us: Read [TikiSecurity](#) and feel free to help us making Tiki even more secure.**

Try it !

You can test live [Demo at Opensourcecms.com](http://Demo.opensourcecms.com) before you download.

Tips

Visit [Tiki First Steps](#) on the top menu bar, to learn how to [Download, Install](#) and do more ...
Check also [Common Problems](#) and the [Documentation](#)

Download the latest released version, Tikiwiki 1.9.7, at
[Sourceforge.net](#)



News

Nominate Tiki for the Open Source CMS Award

By ricks99 on: Tue 17 Jul, 2007 05:34 CET (38 reads)



Nominations are now being accepted (through August 31) for the 2007 Open Source CMS Awards.

You can nominate Tiki in these categories:

[Overall Winner, Open Source CMS Award](#)

AWARD '07

[Most Promising Open Source Content Management System](#)

• [Best Open Source PHP Content Management System](#)

[add comment](#)

New to Tiki? Watch this 24' overview install. & config. video...

By Tiki Movies Fan on: Tue 10 Jul, 2007 18:54 CET (43 reads)

Are you new to Tiki? First of all, [Welcome to Tikiwiki CMS/Groupware](#) 😊

Many new users have arrived at Tikiwiki Community in the last months. This article is to tell you that you can get easily started by watching this basic introduction and overview 24 minutes video, featuring a quick Tikiwiki installation

ì` ì~^ì øè—ì,,œ, ì,-ìš©ëœ ë¬,ë²•ì€ ë<øìŒê³¼ ê°™ìŠµë<^ë<ø:

{ARTICLES(max=>5,topicId=>15)} {ARTICLES}

topic="!ë‰o `ìŠø+ì` ë²øíŠ,' ëiœ ì,,øì •ë~ë© ', ë‰o `ìŠø ít í"½ì` ì•„ë~^ê±°ë,~ ì` ë²øíŠ, ít í"½ì,, ê°€ì§,, ê,°ì,-ë“øë§Œì` øè—œë ë²fiž...ë<^ë<ø. +' ë¬,ìžëiœ êµ¬ë¶,,í•~ì—_ì>í•~ëŠ" ë§Œí¼ ë§Žì€ ì~ì` ít í"½ì,, ët“ì,, ì~ìž^ìŠµë<^ë<ø. +' ë¬,ìžëŠì•,,ë<~ ì,, ì~ë~,í•ë<^ë<ø - ì²« ë²^ì§, ìœ,,ì¹~ì—ë§Œ ì~ì—ì~ìž^ìŠµë<^ä,,.. êµ¬ë¶,,ìž ì£¼ìœ,,ì— ìŠøíŽ~ì` ìŠøë¥¼ ë‘ì§€ ë§~ì<ìœì~ø.

ë<¤êµì- 'ì§€ì>

ë<¤êµì- 'ì§€ì>ì€ 2ê°€ì§€ ì,,ië© 'ì—ì,,æ ê'€ë|¬ë©ë<^ë<¤:

- ë<¤êµì- 'ì§€ì>ê^{31/4} ìµæê³ ì-,ì- '(best_language) ê,°ëŠ¥ì,,ì,,ífí•æ ê^{21/2}ìš°,ê·,ë|¬ê³ ì' ì"ŒëÝ¬ê·,ì,ì'ì •ì~ëœ ì-,ì- 'ë¥^{1/4} ë³ 'ìœ í•~ëŠ" í•œ íž~ì 'ì§€ì— ì,^{1/2}ìž...ë~ì—^ì,,ë•Œ, ì^{1/4}ë¶€ ê,°ì,¬ë"¤ì€ í•,,í,,°ê^{31/4}ì •ì—ì,,æ ì œì™,ë ì^~ ìž^ìŠµë<^ë<¤. ë²^ì—ì~ ê° ì,,íš,ì— ëŒ€í•~ì—,ì' ì,,íš,ì~ í•œ ê,°ì,¬ê°€ íž~ì 'ì§€ ì-,ì- 'ì™€ ëTMì^{1/4}í•œ ì-,ì- 'ë¥^{1/4} ê°€ì§€ê³ ìž~ì,,ë•Œ, ì,,íš,ë, 'ë¶€ì~ ì' ê,°ì,¬ë§Œì' í'œì<œë ê²fiž...ë<^ë<¤. ì' ê,°ì,¬ê°€ ë²^ì—ì~ ì,,íš,ì•^ì— ìž^ì§€ ì•Šê±°ë,~ ì' ì,,íš,ê°€ íž~ì 'ì§€ ì-,ì- 'ëiœëœ ê,°ì,¬ê°€ ì—tì,, ê^{21/2}ìš°, ë<¤ë¥, ì-,ì- 'ëiœëœ ê,°ì,¬ë¥^{1/4} ì—nì „íž^ ë^{31/4}ì^~ìž‡ë<¤ëŠ" ì ì— ìœ ì~í•~ìkì<œì~¤.
- lang ë§¤ê°œë³€ì^~ë¥^{1/4} ì,—ìš©í•~ëŠ" ê^{21/2}ìš°, ì' ì-,ì- 'ëiœ ëœ ê,°ì,¬ë§Œì' í'œì<œë ê²fiž...ë<^ë<¤.