

Calendar

Calendar implementation details and configuration options.

Calendar configuration options and settings.

Calendar configuration options and settings.

Calendar configuration options and settings.

```
{CALENDAR(callds=>1,viewmode=>month, viewlist=>table, withviewevents=>y)}{CALENDAR}
```

Ã«Â§Â¸Ã¸Â°œÃ«Â³€Ã¬^~

Ã¬^Ã¬šÂ©Ã¸Â°'

callds

Ã¬^Â«Ã¬ž

viewmode

ÃÃ,Ã°Ã«Ã³Ã,

1

month

Š " ³¼

" « Ÿ → · , → , ' œ → < œ → • ^ → —

« < → « & A ≠ → ~ → ' «² x Š , « ≠ ¼ → • " .

° ' → ' → £ ¼ → - ' → § € → § €

→ • Š → œ ¼ « © ' , ° , ° «³ , → œ ¼ « ; œ

«³ ' ° , ° ° € « Š ≠ • œ « ° " « " &

« < → « & A ≠ → ' → , → → Š © « " .

« < → « & A ≠ → — « € • œ ' œ → < œ « ° " « " œ .

"day, week, month, quarter, semester, year"

→ x ' → — → „ œ → „ & Š . ° «³ , : month

Ã•„Ã¬^~? Ã¬Â´^ÃªÂ,Â° Ã¬Â Ã¬šÂ© Ã«Â²„Ã¬Â„

n 4.0

n 4.0

Ã«Â§Â¸Ã¸Â°œÃ«Â³€Ã¬^~ Ã¬^Ã¬šÂ©Ã¸Â°'

viewlist

viewnavbar

withviewevents

$\tilde{A} \hat{A}, \hat{A}^\circ \tilde{A} \ll \hat{A}^3 \hat{A},$

table

n

0

Š " ³¼

« \hat{A} ¬« \hat{A} $\hat{A} \neq \hat{A} \neg \text{—}$ « $\text{€} \hat{A} \cdot \text{œ}$ 'œ $\hat{A} \neg < \text{œ}$ « $\hat{A}^{\text{a}} \hat{A} \text{''}$ « '' œ.

"table, list" $\hat{A} \neg \hat{A} \alpha' \hat{A} \neg \text{—} \hat{A} \neg \text{,,}$ œ $\hat{A} \neg \text{,,}$ \hat{A} $\hat{A} \text{f}$. $\hat{A}^{\text{a}} \hat{A}$, $\hat{A}^{\text{o}} \hat{A} \ll \hat{A}^3 \hat{A}$, :

table

$\hat{A} \text{f} \hat{A} \neg \text{f} \% \text{o}$ « $\hat{A}^{\text{o}} \text{''}$ $\hat{A} \neg \text{—}$ « $\text{€} \hat{A} \cdot \text{œ}$ 'œ $\hat{A} \neg < \text{œ}$ « $\hat{A}^{\text{a}} \hat{A} \text{''}$ « '' œ.

"n, y" $\hat{A} \neg \hat{A} \alpha' \hat{A} \neg \text{,,}$ \hat{A} $\hat{A} \text{f}$. $\hat{A}^{\text{a}} \hat{A}$, $\hat{A}^{\text{o}} \hat{A} \ll \hat{A}^3 \hat{A}$, : n

$\hat{A} \cdot \sim \hat{A} \ll < \hat{A} \text{''}$ $\hat{A} \neg \text{—}$ $\hat{A} \neg \hat{A}' \hat{A} \ll \hat{A}^2 \hat{A} \alpha \hat{A} \text{Š} \hat{A}$, « $\hat{A}^{\text{a}} \hat{A} \text{©}$ « $\hat{A}; \hat{A} \neg \text{,,}$ \hat{A} -
'œ $\hat{A} \neg < \text{œ}$ (1) $\hat{A} \sim \hat{A}^1 \hat{A} \neg \text{€}$ 'œ $\hat{A} \neg < \text{œ}$ $\hat{A} \cdot \sim \hat{A} \neg \hat{A} \text{€} \hat{A} \neg \cdot \text{Š} \hat{A} \neg \text{€}$ (0)

$\hat{A} \neg \text{,,}$ $\hat{A}^{\text{a}} \hat{A}^2 \hat{A}^{\text{o}} \hat{A} \neg \hat{A} \cdot$ 0 $\hat{A}^{\text{a}} \hat{A}^3 \hat{A}^{1/4}$ 1 $\hat{A} \neg \hat{A} \alpha' \hat{A} \neg \text{,,}$ \hat{A} $\hat{A} \text{f}$.

$\hat{A}^{\text{a}} \hat{A}$, $\hat{A}^{\text{o}} \hat{A} \ll \hat{A}^3 \hat{A}$, 0. a

Ã•„Ã¬^~? Ã¬Â´^ÃÂ,Â° Ã¬Â Ã¬šÂ© Ã«Â²„Ã¬Â„

n 4.0

n 4.0

n 4.0

The jQuery Sortable Tables feature must be activated for the sort feature to work.

$\tilde{A} \rightarrow \sim^{\wedge} \tilde{A} \rightarrow \hat{A} \in (\tilde{A} - \hat{A} \neq \tilde{A} > ,, \tilde{A} \rightarrow \check{Z}' \tilde{A} \rightarrow ,, \hat{A} \pm \tilde{A} \bullet ,, \tilde{A} \rightarrow \check{S} " !)$

$\tilde{A} \ll \hat{A} \neq \tilde{A} \rightarrow \in \tilde{A} \rightarrow \hat{A}^{1/2} " \tilde{A} \ll " \text{oe} \tilde{A} \ll \check{S} ",$

Example...

```
{CALENDAR(calIds="1", viewmode="month", viewlist="table", viewnavbar=>y, withviewevents="0")} {CALENDAR}
```

$\tilde{A} \rightarrow \hat{A} ' \tilde{A} \ll \check{Y} \hat{A} ^ \circ \tilde{A} \hat{A} ^ 2 \hat{A} ^ \circ \tilde{A} \hat{A} ^ 3 \hat{A} ^ {1/4} \tilde{A} \ll \hat{A} \neq \hat{A} ^ {1/4} :$



RELATED PAGES

- [Wiki Plugin](#) - has links to all plugins and describes how the syntax works for a plugin

- Mods Type Wikiplugins
- Module calendar_new