

Email bounce handling

New in Tiki25. Leveraging rambomst/php-bounce-handler and Email filters, handle email bounces in Tiki: add system tracker to hold bounce information, add bounce handler lib, add sieve filters to check for bounces and add to bounce list in system trackers.

Initial commit: https://gitlab.com/tikiwiki/tiki/-/merge_requests/1879

What is bounce

A bounced email, or bounce, is an email message that gets rejected by a mail server. When an email bounces, it has for some reason not reached the intended destination.

A bounced email can be either a hard bounce or a soft bounce. A hard bounce means that the email address is permanently unavailable and should not receive electronic mail. A soft bounce is temporary, and may be caused by server outages or a full inbox. Most email service providers will designate soft bounces as a hard bounce after three failed sends.

How to configure

Step 1: Configure system tracker holding bounce information

Go to System-Trackers, access it from `/tiki-admin.php?page=trackers` and check **Email bounces tracker** then:

- Choose which tracker will store the bounced emails and statistics.
- Choose an email field that stores the email address that bounced.
- Choose an email folder field that stores the bounced messages read by Tiki.
- Choose a numeric field that stores the total number of soft bounces occurred for an email address.
- Choose a numeric field that stores the total number of hard bounces occurred for an email address.
- Choose a checkbox field that stores the blacklist state for an email address - whether Tiki should skip sending emails to that email address or not.

iki

▼ Preference Filters ▼

Search preferences...

Q

Admin Dashboard

Global Setup

Main Features

Wiki

Editing and Plugins

WYSIWYG

File Galleries

Blogs

Calendar

Comments

Articles

Forums

Trackers

Miscellaneous

Access ▼

Content ▼

System ▼

Tools ▼

Profile

Email bounces tracker

✓

i

↺

✓

Choose tracker

Email bounces

✕

▼

i

↺

✓

Mailbox field

email

✕

▼

i

↺

✓

Email folder field

emailfolder

✕

▼

i

↺

✓

Total soft bounces field

soft bounces

✕

▼

i

↺

✓

Total hard bounces field

hard bouces

✕

▼

i

↺

✓

Blacklisted field

blacklisted

✕

▼

i

↺

✓

Apply

click to enlarge

Create a tracker with these fields before

Tracker Fields: Email bounces ?

+ Add Field

⬆ Import Fields

🔑 Properties

📁 Fields

📂 Trackers

☰ Items

☐	ID	Name	Type	List	Title	Search	Public	Mandatory	Actions
☐	61	name emailbounceName🔗	Text Field	☒	☐	☐	☒	☒	☒
☐	60	emailfolder emailbounceMailbox🔗	Email Folder	☒	☒	☐	☒	☐	☒
☐	62	email emailbounceEmail🔗	Email	☐	☐	☐	☒	☐	☒
☐	63	soft bounces emailbounceSoftBounces🔗	Numeric	☐	☐	☐	☒	☐	☒
☐	64	hard bounces emailbounceHardBounces🔗	Numeric	☐	☐	☐	☒	☐	☒
☐	65	blacklisted emailbounceBlacklisted🔗	Checkbox	☐	☐	☐	☒	☐	☒

Save All

✕ ▾

Go

click to enlarge

Step 2: Configure the filter

Go to Webmail, Click on **filters** in settings section then click on **add filter** and set other details of filter: name, priority and test. In the conditions & actions section, Add **is bounce** as a condition and select **type** of condition soft, is not soft, hard, not hard. Then click on add action and pick **add to bounce list**

Filter Name:

Priority:

Test:

Conditions & Actions
Filters must have at least one action and one condition

Conditions Add Condition

Is Bounce	Soft	Delete
Is Bounce	Hard	Delete

Actions Add Action

Add to bounce list	Delete
--------------------	--------

click to enlarge

Step 3: Set up cron job

Finally add **php console.php sieve:filters** command to Tiki Scheduler or a cron job

When these are configured and condition is met (using <https://github.com/rambomst/PHP-Bounce-Handler/>) item is created/updated in the bounce tracker, updating soft/hard bounce counts, the email added to the tracker email field (if configured)