

Facebook Tab

Error: **Cant find socialnetworks-facebook** you may choose from one of the following:

- ads-activatethefeature
- ads-plugins
- ads-siteadsandbanners
- ads
- articles-articleslistingandview-articleview
- articles-articleslistingandview-listarticles
- articles-articleslistingandview
- articles-generalsettings-activatethefeature
- articles-generalsettings-features
- articles-generalsettings-plugins
- articles-generalsettings-sharingonsocialnetworks
- articles-generalsettings
- blogs-blogslistings-itemstodisplay
- blogs-blogslistings
- blogs-generalsettings-activatethefeature
- blogs-generalsettings-comments
- blogs-generalsettings-features
- blogs-generalsettings-plugins
- blogs-generalsettings-sharingonsocialnetworks
- blogs-generalsettings
- calendar-activatethefeature
- calendar-generalsettings
- calendar-plugins
- calendar
- category-activatethefeature
- category-categoryobjects

category-features
category-forum
category-inlineplugins
category-performance
category-plugins
category-poll
category-structure
category-theme
category-tracker
category-wiki
category
comments-annotations
comments-displayoptions
comments-sitewidefeatures
comments-usingcommentsinvariousfeatures
comments
community-communityfeatures-additionalsoptions
community-communityfeatures-community
community-communityfeatures
community-plugins
community-socialinteraction-activitystream
community-socialinteraction-friendshipandfollowers
community-socialinteraction-goalrecognitionandrewards
community-socialinteraction-score
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers
community-socialinteraction
connect-jitsi-jitsi
connect-jitsi
connect-settings-tikiconnect
connect-settings
copyright-activatethefeature
copyright-features

copyright
directory-activate the feature
directory-directory
directory
faqs-activate the feature
faqs-settings
faqs
features-global features-3
features-global features-4
features-global features-additional features
features-global features-administrative features
features-global features-interaction with online services or other software
features-global features-mail and sharing
features-global features-main features
features-global features-payment and accounting
features-global features-progressive web app
features-global features-secondary features
features-global features
features-interface-element plus
features-interface-experimental
features-interface-jquery plugins and addons
features-interface
features-programmer-custom code
features-programmer-logging and reporting
features-programmer
fgal-admin listings-0
fgal-admin listings
fgal-enhancements-access
fgal-enhancements-draw
fgal-enhancements-h5p
fgal-enhancements-scorm
fgal-enhancements-vimeo

fgal-enhancements
fgal-generalsettings-activatethefeature
fgal-generalsettings-features
fgal-generalsettings-quota
fgal-generalsettings-settingsfordiagrams
fgal-generalsettings-settingsformediaalchemyst
fgal-generalsettings-settingsforrecordrtc
fgal-generalsettings-uploadregex
fgal-generalsettings
fgal-listings
fgal-plugins-plugins
fgal-plugins
fgal-searchindexing
forums-forumlisting
forums-generalsettings-activatethefeature
forums-generalsettings-features
forums-generalsettings-searches
forums-generalsettings-threads
forums-generalsettings
freetags-activatethefeature
freetags-plugins
freetags-tags
freetags-tagsearchpage
freetags
general-dateandtime-datetimeselectors
general-dateandtime-timezoneandformat
general-dateandtime
general-generalpreferences-errortracking
general-generalpreferences-headlessbrowserintegration
general-generalpreferences-loggingandreporting
general-generalpreferences-mail
general-generalpreferences-newsletter

- general-generalpreferences-schedulersettings
- general-generalpreferences-siteidentity
- general-generalpreferences-webcron
- general-generalpreferences
- general-generalsettings-contact
- general-generalsettings-help
- general-generalsettings-multidomain
- general-generalsettings-server
- general-generalsettings-sessions
- general-generalsettings-siteterminal
- general-generalsettings-stats
- general-generalsettings-termsandconditions
- general-generalsettings
- general-navigation-breadcrumbs
- general-navigation-homepage
- general-navigation-menus
- general-navigation-namespace
- general-navigation-redirects
- general-navigation-siteaccess
- general-navigation-sitemapprotocol
- general-navigation-user
- general-navigation
- i18n
- intertiki-intertikiclient-activatethefeature
- intertiki-intertikiclient-clientserversettings
- intertiki-intertikiclient-currentlylinkedmasterserver
- intertiki-intertikiclient
- intertiki-intertikimasterserver-activatethefeature
- intertiki-intertikimasterserver-masterserversettings
- intertiki-intertikimasterserver
- login-cas-cascentralauthenticationservice
- login-cas-casserver

login-cas
login-generalpreferences-captcha
login-generalpreferences-cookies
login-generalpreferences-password
login-generalpreferences-registration
login-generalpreferences-username
login-generalpreferences
login-ldap-ldapadmin
login-ldap-ldapbindsettings
login-ldap-ldapuser
login-ldap-warning
login-ldap
login-ldapexternalgroups-ldapadmin
login-ldapexternalgroups-ldapbindsettings
login-ldapexternalgroups-ldapexternalgroups
login-ldapexternalgroups-ldapgroup
login-ldapexternalgroups-ldapgroupmemberifgroupmembershipcanbefoundingroupattributes
login-ldapexternalgroups-ldapuser
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes
login-ldapexternalgroups
login-oauthserversettings-0
login-oauthserversettings
login-openidconnect-0
login-openidconnect
login-pam-pam
login-pam
login-passwordblacklist-password
login-passwordblacklist
login-phpbb-phpbb
login-phpbb
login-remotetikiautologin-warning
login-remotetikiautologin

- login-saml2-advancedsettings
- login-saml2-attributemapping
- login-saml2-groupmapping
- login-saml2-identityprovidersettings
- login-saml2-options
- login-saml2-saml2
- login-saml2
- login-shibboleth-shibboleth
- login-shibboleth
- login-webserver-webserver
- login-webserver
- look-customization-customcode
- look-customization-editing
- look-customization
- look-layout-logo
- look-layout-modulezonevisibility
- look-layout-sitereportbar
- look-layout-title
- look-layout
- look-miscellaneous-contextmenus
- look-miscellaneous-favicons
- look-miscellaneous-responsiveimages
- look-miscellaneous-separators
- look-miscellaneous-tabs
- look-miscellaneous
- look-pagination
- look-shadowlayer
- look-theme
- look-uieffects-other
- look-uieffects-standarduieffects
- look-uieffects-tabuieffects
- look-uieffects

maps-defaults
maps-settings
maps
mautic-credentials
mautic-mainsettings
mautic
messages-activatefeature
messages-settings
messages
metatags-geomatags
metatags-metatags-facebook
metatags-metatags-general
metatags-metatags-twitter
metatags-metatags
metatags-robots
module-crumbcrumbdescription
module-modulezonevisibility
module
payment-advancedshoppingcart-advancedcarttrackernamessetup
payment-advancedshoppingcart-cartsettings
payment-advancedshoppingcart-features
payment-advancedshoppingcart-productstrackerssetup
payment-advancedshoppingcart
payment-payment-0
payment-payment
payment-plugins-plugins
payment-plugins
payment-shipping
performance-database
performance-majorslowdown
performance-memcache
performance-monitor

performance-newsletter
performance-performance
performance-plugins
performance-redis
performance-sessions
performance-timeandmemorylimits
performance-wiki
polls-polls-activatethefeature
polls-polls-plugins
polls-polls-settings
polls-polls
polls-surveys-1
polls-surveys-activatethefeature
polls-surveys
print-articles
print-otherfeatures
print-pdfsettings
print-wikiprintversion
print
profiles-advanced-repositorystatus
profiles-advanced
rating-advanced
rating-articles
rating-comments
rating-defaultoptions
rating-globalconfiguration
rating-trackers
rating-userinterface
rating-wiki
rating
rss-feeds
rss-generalpreferences

rss-incomingfeeds
rtc-bigbluebutton
rtc-xmpp
score-activatefeature
score-causescoresolderthanacertainnumberofdaystoexpire
score
search-federatedsearch
search-generalsettings-features
search-generalsettings-filegalleriessearches
search-generalsettings-forumsearches
search-generalsettings-search
search-generalsettings
search-searchresults-informationtoforeachresult
search-searchresults-itemstodisplayinsearchresults
search-searchresults
search-storedsearch
security-api
security-generalsecurity-csrfsecurity
security-generalsecurity-httpheaders
security-generalsecurity-smartyandfeaturessecurity
security-generalsecurity-trackerssecurity
security-generalsecurity-userencryption
security-generalsecurity
security-openpgp-openpgpfunctionalityforpgpmimeencryptedemailmessaging
security-openpgp
security-siteaccess
security-spamprotection-captcha
security-spamprotection
security-tokens
security-webhooks
sefurl-activatefeature
sefurl-settings

sefurl
semantic-activate-the-feature
semantic
share-activate-the-feature
share-site-wide-features
share
social-networks-bit
social-networks-general
social-networks-legacy-integrations-facebook
social-networks-legacy-integrations-linkedin
social-networks-legacy-integrations-warning
social-networks-legacy-integrations
social-networks-share-this
stats-google-analytics-0
stats-google-analytics
stats-piwiki-analytics-0
stats-piwiki-analytics
stats-tiki-statistics-0
stats-tiki-statistics
textarea-general-settings-default-size
textarea-general-settings-external-links-and-images
textarea-general-settings-features
textarea-general-settings-markdown
textarea-general-settings-miscellaneous
textarea-general-settings-plugins
textarea-general-settings-typography
textarea-general-settings-wiki-syntax
textarea-general-settings
textarea-plugins-edit-plugin-icons
textarea-plugins-filter
textarea-plugins-plugin-preferences
textarea-plugins-plugins

textarea-plugins
trackers-plugins-0
trackers-plugins
trackers-settings-activatefeature
trackers-settings-fieldsettings
trackers-settings-linkedwikipages
trackers-settings-trackerattachmentpreferences
trackers-settings-trackerforcefillfeature
trackers-settings-trackersettings
trackers-settings
trackers-systemtrackers-systemtrackers
trackers-systemtrackers
user-messagingandnotifications-messages
user-messagingandnotifications-usernotifications
user-messagingandnotifications
user-userfeatures-useraccountfeatures
user-userfeatures
user-userfiles-activatefeature
user-userfiles-settings
user-userfiles
user-userinfoandpicture-profilepicture
user-userinfoandpicture-userinformationdisplay
user-userinfoandpicture
user-usersettings-adminuserpreferences
user-usersettings-defaultuserpreferences
user-usersettings
video-kaltura-activatefeature
video-kaltura-enablerelatedtrackerfieldtypes
video-kaltura-kalturadynamicplayer
video-kaltura-kalturapartnersettings
video-kaltura-kalturatikiconfig
video-kaltura-legacysupport

- video-kaltura-pluginintoembedinpages
 - video-kaltura
- webservices-activatethefeature
 - webservices-options
 - webservices
- wiki-features-attachments
 - wiki-features-comments
 - wiki-features-generalfeatures
 - wiki-features-namespaces
 - wiki-features-redirectandsimilar
 - wiki-features-structures
 - wiki-features-wikiwatch
 - wiki-features-wikiwordsfeatures
 - wiki-features
 - wiki-flaggedrevision-0
 - wiki-flaggedrevision
- wiki-generalpreferences-activatethefeature
- wiki-generalpreferences-automatictableofcontents
 - wiki-generalpreferences-editing
 - wiki-generalpreferences-pagedisplay
 - wiki-generalpreferences-pagename
 - wiki-generalpreferences-plugins
 - wiki-generalpreferences
 - wiki-pagelistings-configuration
 - wiki-pagelistings-options
 - wiki-pagelistings
- workspace-areas-activatethefeature
 - workspace-areas
- workspace-workspaces-activatethefeature
 - workspace-workspaces-advanced
 - workspace-workspaces-dependencies
 - workspace-workspaces

wysiwyg-activatefeature
wysiwyg-legacyckeditorwysiwyg
wysiwyg-markdowntoastuiwysiwyg
wysiwyg-relatedfeatures
wysiwyg-wysiwygeditorfeatures
wysiwyg

general-generalpreferences-emailtokenreset
general-generalpreferences-maintenance
print-generalpreferences
print-otherpreferences
print-pdfpreferences
print-printpreferences
stats-matomoanalytics-0
stats-matomoanalytics
wysiwyg-wysiwygeditorpoweredbysummernote

Since Tiki 1.6 Tiki integrates default parameters that are used by Facebook when fetching a page if they are missing or you prefer to use your own for the entire Tiki.

Activate Facebook integration

Note: It is possible to have your post (forum, blog, article, etc) posted to Twitter using an external social media automation solution. Those external services are very popular and use Tiki RSS feed to fetch and publish content on your behalf.

Consumer Key and **Consumer Secret** are used for integrate your Tiki and Facebook using a Facebook application.

Setting up Facebook integration

First, you need to register a new application with Facebook. This can be done via the Developers tool. Later on, you can edit the Application via Application settings in your Facebook profile.

Step 0

On the Developer page click on Set Up New Application and enter a name for your Application, sell your soul (agree to the terms) and click on **Create Application**. After a successful captcha check, you can proceed with step 1.

You may need to login in Facebook to accept the validation process in Facebook (to allow the developer application use your account details in Facebook, etc).

Step 1

The name of your application is already set, so you don't need to enter a new one. Feel free to upload a logo and icon

for your app. As I give support via e-Mail, I entered my email address for the users support.

[Edit octestserver](#) [Back to My Applications](#)

The screenshot shows the 'Basic Information' tab of the Facebook Developer console for the application 'octestserver'. The left sidebar contains navigation links: 'About' (selected), 'Web Site', 'Facebook Integration', 'Mobile and Devices', and 'Advanced'. The main content area is divided into two sections: 'Basic Information' and 'Developers'. The 'Basic Information' section contains several fields: 'Application Name' (octestserver), 'Description' (empty), 'Icon' (Facebook icon), 'Logo' (tiki logo), 'Language' (Deutsch), 'User Support Address' (Email selected, URL unselected), 'Contact Email' (v@...de), 'Privacy Policy URL' (empty), and 'Terms of Service URL' (empty). Each field has a corresponding help text on the right. The 'Developers' section shows 'Jörn Ott' as the developer with a 'Remove' link, and an 'Add Developers' field with the placeholder 'Start typing a friend's name'. A 'Save Changes' button is at the bottom right.

Step 2

Enter the site URL and the Site Domain. My test server is at test.ott-consult.de and tiki is at the URL for my test server is at http://test.ott-consult.de/trunk. The Site URL therefore is **http://test.ott-consult.de/trunk/tiki-socialnetworks.php?request_facebook**.


[Edit octestserver](#) [Back to My Applications](#)

The screenshot shows the 'Core Settings' tab of the Facebook Developer console for the application 'octestserver'. The left sidebar contains navigation links: 'About', 'Web Site' (selected), 'Facebook Integration', 'Mobile and Devices', and 'Advanced'. The main content area contains fields for 'Application ID' (1...08), 'Application Secret' (7...4), 'Site URL' (http://test.ott-consult.de/trunk/tiki-socialnetworks.php?request_facebook), and 'Site Domain' (test.ott-consult.de). Each field has a corresponding help text on the right. A 'Save Changes' button is at the bottom right.

Step 3

In this step, you don't to change anything since the **Post-Authorize Callback URL** field has been removed by

Facebook.




The screenshot shows the 'Facebook Integration' settings page. On the left is a sidebar with links: About, Web Site, Facebook Integration (highlighted), Mobile and Devices, Credits, and Advanced. The main content area is divided into sections: 'Core Settings' with fields for Application ID, Application Secret, and OAuth client IDs; 'Canvas' with fields for Canvas Page, Canvas URL, Secure Canvas URL, Canvas Type (Iframe selected), IFrame Size (Show scrollbars selected), and Bookmark URL; 'Discovery' with a Social Discovery toggle (Enabled selected); and 'Page Tabs' with fields for Tab Name, Tab URL, and Edit URL. A 'Save Changes' button is at the bottom.

Step 4

Here, you choose the way your application authorizes with Facebook. As it is set by default, just check that **HTML5/mobile web** for your **Application type** is selected.

[Edit octestserver](#) [Back to My Applications](#)



The screenshot shows the 'Mobile and Devices' settings page. The sidebar on the left includes: About, Web Site, Facebook Integration, Mobile and Devices (highlighted), and Advanced. The main content area has sections: 'Core Settings' showing Application ID (1 8 4), Application Secret (7 4), and Application Type (HTML5 / mobile web selected, Native application unselected); and 'Apple iOS' with an iTunes App Store ID field. A 'Save Changes' button is at the bottom.

Step 5

Start Using Facebook Credits, this financial/billing integration mostly not needed for Tikiwiki, leave it that way.

About

Web Site

Facebook Integration

Mobile and Devices

Credits

Advanced

Start Using Facebook Credits

Welcome to the [Facebook Credits](#) program. To get started:

1. Register your company below
2. Provide core settings below
3. Review [API documentation](#) and complete your integration

Company Information

Company Name: Don't see your company listed? [Register it now](#)

Before accepting Facebook Credits, we need to collect company information to pay you for Credits users spend in your application.

Core Settings

Credits Callback URL:

Email:

Credits Test Users (optional):

Facebook pings this URL after a user initiates or updates an order.

This email is used for payments related communication.

Users entered here (UIDs, comma-delimited) will be able to use your app and go through Facebook Credits flows but will not be charged.

[Save Changes](#)

Step 6

On this last step, you can give the Facebook **Deauthorize Callback** which will be called, when a user disallows your application on Facebook. Don't choose sandbox mode here.

Usually, your web server has a static IP address. By putting it on the **server whitelist**, you can add a bit of security, as only requests from that IP will be processed. If you run a server farm with multiple servers, add all IP addresses. You can also uncheck all the "deprecated" setting, it won't hurt.

About
 Web Site
 Facebook Integration
 Mobile and Devices
 Credits

Advanced

Authentication

Authorize Callback
 Facebook prep this URL when a user authorizes your app. If enabled, only the developers of your app will be able to sign in to your app.

Sandbox Mode ☐ Enable ☒ Disable

Migrations

Disable Deprecated Auth Methods ☐ Enabled ☒ Disabled
 Disable Deprecated Connect Methods ☐ Enabled ☒ Disabled
 Disable Deprecated Data Methods ☐ Enabled ☒ Disabled
 Disable Deprecated FMM Methods ☐ Enabled ☒ Disabled
 Disable Deprecated Permissions Methods ☐ Enabled ☒ Disabled
 Disable Deprecated Profile Methods ☐ Enabled ☒ Disabled
 Disable Deprecated SMS Methods ☐ Enabled ☒ Disabled
 Stream post URL security ☐ Enabled ☒ Disabled
 OAuth 2.0 for Canvas ☒ Enabled ☐ Disabled
 POST for Canvas ☒ Enabled ☐ Disabled
 Canvas Session Parameter (Deprecated) ☐ Enabled ☒ Disabled
 November 2010 Rollup ☒ Enabled ☐ Disabled
 Timezone-less events ☒ Enabled ☐ Disabled
 JSON Encoding Empty Arrays ☒ Enabled ☐ Disabled

Security

Server Whitelist
 If specified, Facebook will block requests from your app unless they come from one of the servers specified in the whitelist.

Advertising

Advertising Accounts
 Connect requested list of Facebook advertising accounts associated with your app. After the check address the user when creating the account.

Advanced Canvas Features

Preload FQL
 Facebook will send the result of these FQL queries in JSON-encoded FQL parameters to your Canvas app.

Preload FQL Multiquery
 Facebook will send the result of these FQL multiqueries in JSON-encoded FQL parameters to your Canvas app.

Early Flush
 Facebook will attempt to preload state resources.

[Save Changes](#)

Now you created the application at Facebook and you can enter the data on your tiki server. Go to Admin->Social networks and enter the data from Facebook.

Facebook Settings

Note

To use Facebook integration, you must register this site as an application at <http://developers.facebook.com/setup/> and allow extended access for the application. Enter <your site URL>tiki-socialnetworks.php as connect URL.

API key: [i](#) [↻](#)

Application secret: [i](#) [↻](#)

Application ID: [i](#) [↻](#)

User authorization

Users need the tiki_p_social_network permission in order to use social networks. To login via facebook, the Anonymous group will need this permission.

Before being able to use the Facebook integration, users must authorize the TikiWiki site by requesting an oauth token. This can be done via the **Social networks** tab on My Tiki.

Note : As i (Bernard) authorize it i encounter an error from Facebook servers: "message": "Invalid redirect_uri:

Given URL is not allowed by the Application configuration.". I had to logout/login for Facebook to accept the authorization. It is possible also that you have to wait more than 15mn for the Facebook server to use the setting you just entered.
