

Introduction

GlitchTip is an Open Source error tracking system and you can self-host GlitchTip or subscribe to GlitchTip.com
It also does:

- Uptime Monitoring
- Application Performance Monitoring (not yet supported in Tiki, but you can use Real User Measurement).

The recommended and fully functional way to track your Tiki errors in GlitchTip is (where yourtiki.org is your Tiki instance and glitchtip.example.com is your GlitchTip instance):

Setup GlitchTip for a new project:

- Add a new project in your GlitchTip instance by clicking the "Create New Project"
- Choose PHP as your platform, input the project name (yourtiki.org) and select your team

Create a New Project

Platform
The primary platform for this project. Used for documentation.

Filter platforms

Popular Browser Server Mobile Desktop All

JavaScript	React	Django
Python	Flask	Rails
Express	Laravel	Symfony2
Java	C#	Elixir
PHP	Ruby	Node.js
React-Native	Angular	

Project Name
yourtiki.org

Assign a team
test

Create Project

- Tiki23+ bundles sentry/sdk so you should not run Composer
- Note and copy your DSN from the left panel, it will be used in the Tiki .ini file:

DSN

Most instructions will have a spot that says "your DSN here". Copy the DSN and paste it into that spot.

DSN

<https://4bd1dec539c9496b9d3f31>

Security Endpoint

<https://bugsbucket.evoludata.com>

1.1.3. Create a new system configuration .ini file or add a new rule and modify local.php:

It is not recommended to use tiki-admin.php Setup Error Tracking feature in Admin > General > Error Tracking because it loads later and will miss some error messages

For more information about system configuration and tiki.ini (or tiki.ini.php), see: System Configuration

- Create a new folder named tikiconfig outside the web accessible directory, and inside this folder create a new prefs.ini file containing

```
../tikiconfig/prefs.ini
```

```
[glitchtip] preference.error_tracking_enabled_php = y preference.error_tracking_enabled_js = y  
preference.error_tracking_dsn = https://4bd1dec539c9496b9d3f3ef5bd284f70@glitchtip.example.com/4
```

Of course, replace the preference.error_tracking_dsn link with the DSN generated by GlitchTip

- Now add the following lines to your existing local.php file in the /db folder

```
db/local.php
```

```
if (is_readable('../tikiconfig/prefs.ini')) { $system_configuration_file = '../tikiconfig/prefs.ini'; } else { trigger_error('In  
file not found: ../tikiconfig/prefs.ini', E_USER_WARNING); } $system_configuration_identifier = 'glitchtip';
```

1.1.4. You are done

Check the errors reported in your GlitchTip instance, by navigating to your project.

Original commit: https://gitlab.com/tikiwiki/tiki/-/merge_requests/825

Sample rate

Sampling allows you to better manage the number of reported events, so you can tailor the volume of data needed.

Use a value between 0 and 1. E.g.: 0.25 (will report 25% of the events)

Preference name: `error_tracking_sample_rate`

Usage for the Tiki development process

- Using GlitchTip as part of the Tiki development process

Related links

- <https://glitchtip.com/blog/2023-2-17-analytics>