

Navigation tab

Overview

Configure site navigation features such as menus and error redirects.

To Access

From the General Admin page, click the **Navigation** tab.

Related Topics

- [Navigation Overview](#)
- [Menus](#)

| Option | Description | Default |
|---|--|---------|
| SmartMenus | Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more. | |
| Menu user levels | Enables control of the per-group visibility of menu options | |
| Featured links | A simple menu system to display external web pages in a new browser tab or an iframe within the site, etc. | |
| Use folder icons for menu section (parent) items | When a menu isn't set as a Bootstrap or CSS menu, use folder icons for menu section items (rather than plus/minus signs). | |
| Menu icons | Allows icons to be defined for menu entries | |
| Default path for the icons | | |
| Edit menu icon | Adds an icon on the navbar to edit menu entries | |
| Use group homepages | Users can be directed to different pages upon logging in, depending on their default group. | |
| Go to the group homepage only if logging in from the default homepage | | |
| Use the top page of a Tiki feature as the homepage | Select the Tiki feature to provide the site homepage. Only enabled features are listed. | |
| Use custom homepage | Use the top page of a Tiki feature or another homepage <i>This option will override the Use Tiki feature as homepage setting.</i> | |
| Homepage URL | | |
| Homepage Browser title | Customize Browser title for the custom homepage | |

| Option | Description | Default |
|---|--|---------|
| Wiki homepage | The default home page of the wiki when no other page is specified. The page will be created if it does not already exist. | |
| Home blog (main blog) | | |
| Home forum (main forum) | | |
| Home file gallery (main file gallery) | Select the default file gallery | |
| Domain prefix handling | Strip or automatically add the "www." prefix on domain names to standardize URLs. | |
| Domain redirects | When the site is accessed through specific domain names, redirect to an alternate domain preserving the URL. Useful for domain name transitions, like tikiwiki.org to tiki.org. <i>One entry per line, with each entry a comma-separated list: old domain, new domain</i> | |
| Redirect on error | On an error, refresh to the homepage as specified on the Admin General page. | |
| Redirect to similar wiki page | If a requested page doesn't exist, redirect to a similarly named page | |
| On permission denied, display login module | If an anonymous visitor attempts to access a page for which permission is not granted, Tiki will automatically display the Log-in module. Alternatively, use the Send to URL field to display a specific page (relative to your Tiki installation) instead. | |
| Send to URL | URL to redirect to on "permission denied" | |
| The URL that the anonymous user is redirected to when a page is not found | | |
| URL the user is redirected to after account validation | The default page a Registered user sees after account validation is "tiki-information.php?msg=Account validated successfully". <i>Default: tiki-information.php?msg=Account validated successfully.</i> | |
| Alternate registration page | Enter URL of a custom registration page. Tiki will automatically redirect default registration page (tiki-register.php) to this page. | |
| URL Suffix Cleaner | When the requested page does not exist, tests removing 1 or 2 of the last characters from the URL to see if it gets an existing page. | |
| URL to go to when clicking on a username | URL to go to when clicking on a username. Default: tiki-user_information.php?userId= <i>(Use for login name and No value assigned for userId)</i> | |
| Sitemap protocol | Allows generating site maps based on the Sitemap protocol, in the form of XML documents. Mostly used to facilitate indexation of a site by web search engines. | |

| Option | Description | Default |
|---|---|---------|
| Close site | Use this setting to "close" the Tiki site (such as for maintenance). Users attempting to access the site will see only a log-in form. Only users with specific permission will be allowed to log in. Use the Message to display to specify the message that visitors will see when attempting to access your site. | |
| Title Message | | |
| Close site when server load is above the threshold | Use this option to "close" the Tiki site when the server load exceeds a specific threshold. Only users with specific permission will be allowed to log in. Use "Maximum average server load threshold in the last minute" to define the maximum server load. Use the "Message to display" to specify the message that visitors will see when attempting to access the site. | |
| Maximum average server load threshold in the last minute | | |
| Site Busy Title | | |
| Site Busy Message | | |
| Breadcrumbs | Indicates the navigation path through parent pages to the current page. <i>Unmaintained feature</i> | |
| Prefix breadcrumbs with "Location : " | Place the term "Location:" in the breadcrumbs. | |
| Site location bar | | |
| Larger font | | |
| Use page description | | |
| Namespace | Enable namespaces feature for wiki pages. | |
| Namespace separator | Select the character, symbol, or text to use as the namespace separator. | |
| Hide namespace indicator in structure path | Hide namespace indicator in structure path. <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i> | |
| Center text using instead of | | |
| Page name display stripper | The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped. | |
| Option | Description | Default |
| SmartMenus | Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more. | |

| Option | Description | Default |
|---|--|---------|
| Menu user levels | Enables control of the per-group visibility of menu options | |
| Featured links | A simple menu system to display external web pages in a new browser tab or an iframe within the site, etc. | |
| Use folder icons for menu section (parent) items | When a menu isn't set as a Bootstrap or CSS menu, use folder icons for menu section items (rather than plus/minus signs). | |
| Menu icons | Allows icons to be defined for menu entries | |
| Default path for the icons | | |
| Edit menu icon | Adds an icon on the navbar to edit menu entries | |
| Use group homepages | Users can be directed to different pages upon logging in, depending on their default group. | |
| Go to the group homepage only if logging in from the default homepage | | |
| Use the top page of a Tiki feature as the homepage | Select the Tiki feature to provide the site homepage. Only enabled features are listed. | |
| Use custom homepage | Use the top page of a Tiki feature or another homepage <i>This option will override the Use Tiki feature as homepage setting.</i> | |
| Homepage URL | | |
| Homepage Browser title | Customize Browser title for the custom homepage | |
| Wiki homepage | The default home page of the wiki when no other page is specified. The page will be created if it does not already exist. | |
| Home blog (main blog) | | |
| Home forum (main forum) | | |
| Home file gallery (main file gallery) | Select the default file gallery | |
| Domain prefix handling | Strip or automatically add the "www." prefix on domain names to standardize URLs. | |
| Domain redirects | When the site is accessed through specific domain names, redirect to an alternate domain preserving the URL. Useful for domain name transitions, like tikiwiki.org to tiki.org. <i>One entry per line, with each entry a comma-separated list: old domain, new domain</i> | |
| Redirect on error | On an error, refresh to the homepage as specified on the Admin General page. | |
| Redirect to similar wiki page | If a requested page doesn't exist, redirect to a similarly named page | |

| Option | Description | Default |
|--|---|---------|
| On permission denied, display login module | If an anonymous visitor attempts to access a page for which permission is not granted, Tiki will automatically display the Log-in module. Alternatively, use the Send to URL field to display a specific page (relative to your Tiki installation) instead. | |
| Send to URL The URL that the anonymous user is redirected to when a page is not found | URL to redirect to on "permission denied" | |
| URL the user is redirected to after account validation | The default page a Registered user sees after account validation is "tiki-information.php?msg=Account validated successfully". <i>Default: tiki-information.php?msg=Account validated successfully.</i> | |
| Alternate registration page | Enter URL of a custom registration page. Tiki will automatically redirect default registration page (tiki-register.php) to this page. | |
| URL Suffix Cleaner | When the requested page does not exist, tests removing 1 or 2 of the last characters from the URL to see if it gets an existing page. | |
| URL to go to when clicking on a username | URL to go to when clicking on a username. Default: tiki-user_information.php?userId=No value assigned (<i>Use No value assigned for login name and No value assigned for userId</i>) | |
| Sitemap protocol | Allows generating site maps based on the Sitemap protocol, in the form of XML documents. Mostly used to facilitate indexation of a site by web search engines. | |
| Close site | Use this setting to "close" the Tiki site (such as for maintenance). Users attempting to access the site will see only a log-in form. Only users with specific permission will be allowed to log in. Use the Message to display to specify the message that visitors will see when attempting to access your site. | |
| Title | | |
| Message | | |
| Close site when server load is above the threshold | Use this option to "close" the Tiki site when the server load exceeds a specific threshold. Only users with specific permission will be allowed to log in. Use "Maximum average server load threshold in the last minute" to define the maximum server load. Use the "Message to display" to specify the message that visitors will see when attempting to access the site. | |
| Maximum average server load threshold in the last minute | | |
| Site Busy Title | | |
| Site Busy Message | | |

| Option | Description | Default |
|---|---|---------|
| Breadcrumbs | Indicates the navigation path through parent pages to the current page. <i>Unmaintained feature</i> | |
| Prefix breadcrumbs with "Location :", | Place the term "Location:" in the breadcrumbs. | |
| Site location bar | | |
| Larger font | | |
| Use page description | | |
| Namespace | Enable namespaces feature for wiki pages. | |
| Namespace separator | Select the character, symbol, or text to use as the namespace separator. | |
| Hide namespace indicator in structure path | Hide namespace indicator in structure path. | |
| Center text using <code><div style="text-align: center;"></code> instead of <code><div style="text-align: center; width: 100%;"></code> | <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i> | |
| Page name display stripper | The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped. | |

| Option | Description | Default |
|---|---|---------|
| SmartMenus | Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more. | |
| Menu user levels | Enables control of the per-group visibility of menu options | |
| Featured links | A simple menu system to display external web pages in a new browser tab or an iframe within the site, etc. | |
| Use folder icons for menu section (parent) items | When a menu isn't set as a Bootstrap or CSS menu, use folder icons for menu section items (rather than plus/minus signs). | |
| Menu icons | Allows icons to be defined for menu entries | |
| Default path for the icons | | |
| Edit menu icon | Adds an icon on the navbar to edit menu entries | |
| Use group homepages | Users can be directed to different pages upon logging in, depending on their default group. | |
| Go to the group homepage only if logging in from the default homepage | | |

| Option | Description | Default |
|---|--|---------|
| Use the top page of a Tiki feature as the homepage | Select the Tiki feature to provide the site homepage. Only enabled features are listed. | |
| Use custom homepage | Use the top page of a Tiki feature or another homepage <i>This option will override the Use Tiki feature as homepage setting.</i> | |
| Homepage URL | | |
| Homepage Browser title | Customize Browser title for the custom homepage | |
| Wiki homepage | The default home page of the wiki when no other page is specified. The page will be created if it does not already exist. | |
| Home blog (main blog) | | |
| Home forum (main forum) | | |
| Home file gallery (main file gallery) | Select the default file gallery | |
| Domain prefix handling | Strip or automatically add the "www." prefix on domain names to standardize URLs. | |
| Domain redirects | When the site is accessed through specific domain names, redirect to an alternate domain preserving the URL. Useful for domain name transitions, like tikiwiki.org to tiki.org. <i>One entry per line, with each entry a comma-separated list: old domain, new domain</i> | |
| Redirect on error | On an error, refresh to the homepage as specified on the Admin General page. | |
| Redirect to similar wiki page | If a requested page doesn't exist, redirect to a similarly named page | |
| On permission denied, display login module | If an anonymous visitor attempts to access a page for which permission is not granted, Tiki will automatically display the Log-in module. Alternatively, use the Send to URL field to display a specific page (relative to your Tiki installation) instead. | |
| Send to URL | URL to redirect to on "permission denied" | |
| The URL that the anonymous user is redirected to when a page is not found | | |
| URL the user is redirected to after account validation | The default page a Registered user sees after account validation is "tiki-information.php?msg=Account validated successfully". <i>Default: tiki-information.php?msg=Account validated successfully.</i> | |
| Alternate registration page | Enter URL of a custom registration page. Tiki will automatically redirect default registration page (tiki-register.php) to this page. | |
| URL Suffix Cleaner | When the requested page does not exist, tests removing 1 or 2 of the last characters from the URL to see if it gets an existing page. | |

| Option | Description | Default |
|--|---|---------|
| URL Fragment Guesser | Scroll to the closest anchor when the one indicated in the URL is missing in a page. | |
| URL to go to when clicking on a username | URL to go to when clicking on a username. Default: tiki-user_information.php?userId=No value assigned (<i>Use No value assigned for login name and No value assigned for userId</i>) | |
| Sitemap protocol | Allows generating site maps based on the Sitemap protocol, in the form of XML documents. Mostly used to facilitate indexation of a site by web search engines. | |
| Close site | Use this setting to "close" the Tiki site (such as for maintenance). Users attempting to access the site will see only a log-in form. Only users with specific permission will be allowed to log in. Use the Message to display to specify the message that visitors will see when attempting to access your site. | |
| Title | | |
| Message | | |
| Close site when server load is above the threshold | Use this option to "close" the Tiki site when the server load exceeds a specific threshold. Only users with specific permission will be allowed to log in. Use "Maximum average server load threshold in the last minute" to define the maximum server load. Use the "Message to display" to specify the message that visitors will see when attempting to access the site. | |
| Maximum average server load threshold in the last minute | | |
| Site Busy Title | | |
| Site Busy Message | | |
| Breadcrumbs | Indicates the navigation path through parent pages to the current page. <i>Unmaintained feature</i> | |
| Prefix breadcrumbs with "Location :" | Place the term "Location:" in the breadcrumbs. | |
| Site location bar | | |
| Larger font | | |
| Use page description | | |
| Namespace | Enable namespaces feature for wiki pages. | |
| Namespace separator | Select the character, symbol, or text to use as the namespace separator. | |
| Hide namespace indicator in structure path | Hide namespace indicator in structure path. | |
| Center text using instead of | <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i> | |

| Option | Description | Default |
|---|---|----------------|
| Page name display stripper | The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped. | |
| Option | Description | Default |
| SmartMenus | Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more. | |
| CSS menus | Use CSS-styled (Suckerfish) vertical and horizontal menus. | |
| Superfish | Adds animation effects to CSS "Suckerfish" menus. | |
| Menu user levels | Enables control of the per-group visibility of menu options | |
| Featured links | A simple menu system to display external web pages in a new browser tab or an iframe within the site, etc. | |
| Use folder icons for menu section (parent) items | When a menu isn't set as a Bootstrap or CSS menu, use folder icons for menu section items (rather than plus/minus signs). | |
| Menu icons | Allows icons to be defined for menu entries | |
| Default path for the icons | | |
| Edit menu icon | Adds an icon on the navbar to edit menu entries | |
| Use group homepages | Users can be directed to different pages upon logging in, depending on their default group. | |
| Go to the group homepage only if logging in from the default homepage | | |
| Use the top page of a Tiki feature as the homepage | Select the Tiki feature to provide the site homepage. Only enabled features are listed. | |
| Use custom homepage | Use the top page of a Tiki feature or another homepage <i>This option will override the Use Tiki feature as homepage setting.</i> | |
| Homepage URL | | |
| Homepage Browser title | Customize Browser title for the custom homepage | |
| Wiki homepage | The default home page of the wiki when no other page is specified. The page will be created if it does not already exist. | |
| Home blog (main blog) | | |
| Home forum (main forum) | | |
| Home file gallery (main file gallery) | Select the default file gallery | |

| Option | Description | Default |
|--|---|---------|
| Domain prefix handling | Strip or automatically add the "www." prefix on domain names to standardize URLs. | |
| Domain redirects | When the site is accessed through specific domain names, redirect to an alternate domain preserving the URL. Useful for domain name transitions, like tikiwiki.org to tiki.org. <i>One entry per line, with each entry a comma-separated list: old domain, new domain</i> | |
| Redirect on error | On an error, refresh to the homepage as specified on the Admin General page. | |
| Redirect to similar wiki page | If a requested page doesn't exist, redirect to a similarly named page | |
| On permission denied, display login module | If an anonymous visitor attempts to access a page for which permission is not granted, Tiki will automatically display the Log-in module. Alternatively, use the Send to URL field to display a specific page (relative to your Tiki installation) instead. | |
| Send to URL The URL that the anonymous user is redirected to when a page is not found | URL to redirect to on "permission denied" | |
| URL the user is redirected to after account validation | The default page a Registered user sees after account validation is "tiki-information.php?msg=Account validated successfully". <i>Default: tiki-information.php?msg=Account validated successfully.</i> | |
| Alternate registration page | Enter URL of a custom registration page. Tiki will automatically redirect default registration page (tiki-register.php) to this page. | |
| URL to go to when clicking on a username | URL to go to when clicking on a username. Default: tiki-user_information.php?userId=No value assigned (<i>Use No value assigned for login name and No value assigned for userId</i>) | |
| Sitemap protocol | Allows generating site maps based on the Sitemap protocol, in the form of XML documents. Mostly used to facilitate indexation of a site by web search engines. | |
| Close site | Use this setting to \"close\" the Tiki site (such as for maintenance). Users attempting to access the site will see only a log-in form. Only users with specific permission will be allowed to log in. Use the Message to display to specify the message that visitors will see when attempting to access your site. | |
| Title Message | | |
| Close site when server load is above the threshold | Use this option to "close" the Tiki site when the server load exceeds a specific threshold. Only users with specific permission will be allowed to log in. Use "Maximum average server load threshold in the last minute" to define the maximum server load. Use the "Message to display" to specify the message that visitors will see when attempting to access the site. | |

| Option | Description | Default |
|--|---|---------|
| Maximum average server load threshold in the last minute | | |
| Site Busy Title | | |
| Site Busy Message | | |
| Breadcrumbs | Indicates the navigation path through parent pages to the current page. <i>Unmaintained feature</i> | |
| Prefix breadcrumbs with "Location : " | Place the term "Location:" in the breadcrumbs. | |
| Site location bar | | |
| Larger font | | |
| Use page description | | |
| Namespaces | Enable namespaces feature for wiki pages. | |
| Namespace separator | Select the character, symbol, or text to use as the namespace separator. | |
| Hide namespace indicator in structure path | Hide namespace indicator in structure path. <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i> | |
| Center text using instead of | | |
| Page name display stripper | The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped. | |

| Option | Description | Default |
|--|---|---------|
| CSS menus | Use CSS-styled (Suckerfish) vertical and horizontal menus. | |
| Superfish | Adds animation effects to CSS "Suckerfish" menus. | |
| Menu user levels | Enables control of the per-group visibility of menu options | |
| Featured links | A simple menu system to display external web pages in a new browser tab or an iframe within the site, etc. | |
| Use folder icons for menu section (parent) items | When a menu isn't set as a Bootstrap or CSS menu, use folder icons for menu section items (rather than plus/minus signs). | |
| Menu icons | Allows icons to be defined for menu entries | |
| Default path for the icons | | |
| Edit menu icon | Adds an icon on the navbar to edit menu entries | |

| Option | Description | Default |
|---|--|---------|
| Use group homepages | Users can be directed to different pages upon logging in, depending on their default group. | |
| Go to the group homepage only if logging in from the default homepage | | |
| Use the top page of a Tiki feature as the homepage | Select the Tiki feature to provide the site homepage. Only enabled features are listed. | |
| Use custom homepage | Use the top page of a Tiki feature or another homepage <i>This option will override the Use Tiki feature as homepage setting.</i> | |
| Homepage URL | | |
| Homepage Browser title | Customize Browser title for the custom homepage | |
| Wiki homepage | The default home page of the wiki when no other page is specified. The page will be created if it does not already exist. | |
| Home blog (main blog) | | |
| Home forum (main forum) | | |
| Home file gallery (main file gallery) | Select the default file gallery | |
| Home gallery (main gallery) | | |
| Domain prefix handling | Strip or automatically add the "www." prefix on domain names to standardize URLs. | |
| Domain redirects | When the site is accessed through specific domain names, redirect to an alternate domain preserving the URL. Useful for domain name transitions, like tikiwiki.org to tiki.org. <i>One entry per line, with each entry a comma-separated list: old domain, new domain</i> | |
| Redirect on error | On an error, refresh to the homepage as specified on the Admin General page. | |
| Redirect to similar wiki page | If a requested page doesn't exist, redirect to a similarly named page | |
| On permission denied, display login module | If an anonymous visitor attempts to access a page for which permission is not granted, Tiki will automatically display the Log-in module. Alternatively, use the Send to URL field to display a specific page (relative to your Tiki installation) instead. | |
| Send to URL | URL to redirect to on "permission denied" | |
| The URL that the anonymous user is redirected to when a page is not found | | |

| Option | Description | Default |
|--|---|---------|
| URL the user is redirected to after account validation | The default page a Registered user sees after account validation is "tiki-information.php?msg=Account validated successfully". <i>Default: tiki-information.php?msg=Account validated successfully.</i> | |
| Alternate registration page | Enter URL of a custom registration page. Tiki will automatically redirect default registration page (tiki-register.php) to this page. | |
| URL to go to when clicking on a username | URL to go to when clicking on a username. Default: tiki-user_information.php?userId=No value assigned (<i>Use No value assigned for login name and No value assigned for userId</i>) | |
| Sitemap protocol | Allows generating site maps based on the Sitemap protocol, in the form of XML documents. Mostly used to facilitate indexation of a site by web search engines. | |
| Close site | Use this setting to \"close\" the Tiki site (such as for maintenance). Users attempting to access the site will see only a log-in form. Only users with specific permission will be allowed to log in. Use the Message to display to specify the message that visitors will see when attempting to access your site. | |
| Title | | |
| Message | | |
| Close site when server load is above the threshold | Use this option to "close" the Tiki site when the server load exceeds a specific threshold. Only users with specific permission will be allowed to log in. Use "Maximum average server load threshold in the last minute" to define the maximum server load. Use the "Message to display" to specify the message that visitors will see when attempting to access the site. | |
| Maximum average server load threshold in the last minute | | |
| Site Busy Title | | |
| Site Busy Message | | |
| Breadcrumbs | Indicates the navigation path through parent pages to the current page. <i>Unmaintained feature</i> | |
| Prefix breadcrumbs with "Location : " | Place the term "Location:" in the breadcrumbs. | |
| Site location bar | | |
| Larger font | | |
| Use page description | | |
| Namespace | Enable namespaces feature for wiki pages. | |
| Namespace separator | Select the character, symbol, or text to use as the namespace separator. | |

| Option | Description | Default |
|--|---|----------------|
| Hide namespace indicator in structure path | Hide namespace indicator in structure path. | |
| Center text using <code><code> instead of <code><code></code></code> | Useful to avoid conflicts with C++ scope operators or default namespace separator. <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i> | |
| Page name display stripper | The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped. | |
