

Plugin Mail

Introduced in Tiki5

This wiki plugin allows users to directly mail other users or groups. This plugin can be placed in a wiki page, but functions like the message system in MyAccount.

Parameters

Mail other users or groups

*Introduced in Tiki 3. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: `wikiplugin_mail`

Parameters	Accepted Values	Description	Default	Since
mail_subject	text	Present Email subject content		14.0
label_name	text	Text to show on the button to send emails (default: <code>Send mail</code>)	Send mail	14.0
recurseuser	int	Indicate how many times to recurse to collect the users of a selected group and the users of each included groups. If <code>0</code> do not recurse, if <code>1</code> , recurse one time, <code>2</code> for two times....	0	8.0
bypass_preview	(blank) y n	Send emails without first previewing	n	14.0
debug	(blank) y n	Show list of emails that are sent (admins only)	n	14.0
group	groupname separator: <code>:</code>	Limit the list of groups to the groups including each group		5.0
showgroupdd	(blank) y n	Show a dropdown list of groups (not shown by default)	n	5.0

<code>popup</code>	(blank) y n	Show in popup instead of inline.	n	14.0
<code>showrealnamedd</code>	(blank) y n	Show a dropdown list of user real names (not shown by default)	n	5.0
<code>recurse</code>	(blank) y n	Show each group and each group included in this group	y	8.0
<code>showuserdd</code>	(blank) y n	Show a dropdown list of users (not shown by default)	n	5.0
<code>showuser</code>	(blank) y n	Show a box for user to enter email addresses	y	5.0

Example

Send to users:

admin	Andrew
andre	Grev
dona	System Administrator
dona	Willia
sgrevel	W

Send to:

Send to groups:

Ac
Ac
Ac
Ac
Admins
Editors
Eliza

Subject:

Message:

Choose between a drop down of user logins, user real names, or groups names, or direct input of emails. The groups list can be limited to the groups that include a specific group. The mail will be sent as a unique email from the webserver but the email address of the sender will appear in the "from:" address.