



PluginPeerTube

This wiki plugin embeds a PeerTube video in a Tiki page.
It uses PeerTube's oEmbed under the hood but exposes familiar Tiki parameters.
Available since Tiki 30.x.

Parameters

Embed a PeerTube video (uses oEmbed under the hood).

*Introduced in Tiki 30.x. Required parameters are in **bold**.*

Go to the source code

Required preferences: `wikiplugin_peertube` and `feature_peertube`.

Parameter	Accepted values	Description	Default	Since
<code>url</code>	url	Full watch URL of the PeerTube video (e.g., <code>https://videos.example.com/w/abc123xyz</code>)		Tiki 30.x
<code>height</code>	digits	Height in pixels (e.g., 315). Leave empty to use provider dimensions		Tiki 30.x
<code>width</code>	digits	Width in pixels (e.g., 560). Leave empty to use provider dimensions		Tiki 30.x
<code>start</code>	digits	Start time offset in seconds	0	Tiki 30.x
<code>privacyEnhanced</code>	y / n	Enable “privacy-enhanced” mode (if supported by the provider)		Tiki 30.x
<code>bg</code>	text	Container background color. Examples: <code>#ffffff</code> , <code>rgb(255,255,255)</code> , <code>white</code>		Tiki 30.x
<code>allowFullScreen</code>	y / n	Allow full-screen playback	y	Tiki 30.x
<code>borderRadius</code>	y / n	Apply rounded corners to the container	y	Tiki 30.x
<code>border</code>	text	Container border color. Examples: <code>#ffffff</code> , <code>rgb(255,255,255)</code> , <code>white</code>		Tiki 30.x

Show a video

Examples of using the PeerTube plugin:

Minimal

```
{peertube url="https://videos.example.com/w/abc123xyz"}
```

With display options

```
{peertube url="https://videos.example.com/w/abc123xyz" width="560" height="315" allowFullScreen="y"  
bg="#000000" border="#ff0000" borderRadius="y" start="30" }
```

Important notes

- Always use the full watch URL (the `.../w/shortUUID` form).
- Private/Internal videos may not embed due to instance privacy policy.
- If `width`/`-+height+-` are empty, Tiki uses the default responsive dimensions returned by `oEmbed`.
- `bg`, `border`, and `borderRadius` style the container (not the remote player UI).

Known limitations

- No automatic oEmbed discovery: you must provide a valid PeerTube watch URL.
- Works if the PeerTube instance exposes an oEmbed endpoint and allows iframe embedding.

To do (ideas)

- Add smarter URL discovery.
- Regularly test against multiple PeerTube instances/versions.

See also

[PeerTube](#) • [PluginOembed](#) • [Trackers](#)