

Plugin Permission

Introduced in Tiki5

Use this wiki plugin to display content based on permission settings. It is related to PluginGroup.

Parameters

Display content based on permission settings

Introduced in Tiki 5.

[Go to the source code](#)

Preferences required: `wikiplugin_perm`

Parameters	Accepted Values	Description	Default	Since
(body of plugin)		Wiki text to display if conditions are met. The body may contain <code>{ELSE}</code> . Text after the marker will be displayed to users not matching the conditions.		
<code>object</code>	text	Name or ID of the object to test if not global or the current object		21.3
<code>type</code>	workspace	Type of object referred to in Object ID		21.3
<code>notperms</code>	text <i>separator:</i> <code> </code>	Pipe-separated list of permissions, any of which will cause the default text not to show. Example: <code>tiki_p_rename tiki_p_edit</code>		5.0
<code>global</code>	(blank) 1 0	Indicate whether the permissions are global or local to the object		5.0
<code>perms</code>	text <i>separator:</i> <code> </code>	Pipe-separated list of permissions, one of which is needed to view the default text. Example: <code>tiki_p_rename tiki_p_edit</code>		5.0

×

Note

- The part `{ELSE}` is optional.
- Both parameters `perms` and `notperms` can be used together.

Security

- Be careful not to use this plugin to display secure information if the user can see the source
- Local permissions may not work depending on the place or object the syntax is inserted (ex: works for `tiki-index_raw.php` but not for `tiki-editpage.php`)

Examples

Basic syntax

```
{PERM(perms="tiki_p_view|tiki_p_edit" notperms="tiki_p_rename")}some content{ELSE}other content{PERM}
```