

# Plugin Subscribe Groups

*Introduced in Tiki2*

If you have allowed users to subscribe themselves to groups, you can use this wiki plugin to allow them to subscribe/unsubscribe to a list of groups. Please see PluginSubscribeGroup for a related plugin that allows a user to subscribe/unsubscribe to a single group.

## Security and permissions

- A user must have the perm `tiki_p_subscribe_group` to be able to see the box  
To set this permission go to *Settings > Groups*
- The group must be set as being a **user choice**  
To set this configuration go to *Settings > Groups*

×

**⚠ Security Caution**

*Using this plugin, **any registered user will be able to access any group** provided that the group has "User Choice" checked in the settings for the group at **Settings > Groups**.*

# Parameters

Allow users to subscribe to a list of groups

*Introduced in Tiki 2.*

[Go to the source code](#)

*Preferences required:* `wikiplugin_subscribegroups`

Parameters	Accepted Values	Description	Default	Since
<code>defaulturl</code>		Page user will be directed to after clicking on icon to change default group		4.0
<code>managementpagename</code>		Name of wiki page for group management by leaders, where <code>groupName</code> will be substituted by the group name		8.0
<code>groups</code>		Colon-separated list of groups. By default the list of groups available to the user.		2.0
<code>hidelink_including</code>		Hide link to group home page for groups that include the group being specified here		8.0
<code>including</code>		Only list groups that include the group being specified here		4.0
<code>leadergroupname</code>		Name of group for leaders of the group, where <code>groupName</code> will be substituted by the group name		8.0
<code>pendinggroupname</code>		Name of group for users that are waiting for approval to enter the group, where <code>groupName</code> will be substituted by the group name		8.0
<code>subscribe</code>		Text shown in the dropdown box. Default: <code>Subscribe to a group</code>		2.0
<code>alwaysallowleave</code>	(blank) y n	Always allow leaving group even if the group settings do not allow user choice.	n	8.0
<code>showgroupdescription</code>	(blank) y n	Show the description of the group (not shown by default)	n	4.0
<code>showdefault</code>	(blank) y n	Shows which group is the user's default group (if any) and allows the user to change his or her default group.	n	4.0

showsubscribe	(blank) y n	Show the subscribe box (shown by default). Will not show if there are no other groups the user may register for.	y	4.0
subscribestyle	dropdown table	Style to show the subscribe box.	dropdown	8.0

In the list of groups, you can see included groups in italics. You can not unsubscribe to an included group, if you are in the including group.

# Example

*This code:*

```
{subscribegroups groups="Cinergie:Editors" subscribe="Subscribe to a group"}
```

*Would produce:*

Cinergie	✘
Editors	✘

Subscribe to a group ▼

# Aliases

- Plugin SubscribeGroups
- Plugin Subscribe Groups