### Connect - Jitsi

Option	Description	Default
Expose Jitsi provision URL	Provide connection configuration information for Jitsi users to connect to a community/organization instant messaging server.	Disabled
itsi configuration	Content of a Jitsi-format Java properties file	None

### Connect - Settings

Option	Description	Default
Гiki connect	Connect your Tiki with the community by sending anonymised statistical data to tiki.org  A This feature is still under development.	Disabled
Send site information	Additionally send keywords, location, etc. to tiki.org so you can connect with other Tiki sites near you.	Enabled
Site title	Name of site to be listed on Tiki Connect  A Site title is required to send site information.	None
Email contact	Email to register	None
JRL	URL to register	None
Key words	Key words or tags describing your site	None
Site location	Site location expressed as longitude, latitude, and zoom	None
Send anonymous information	Send anonymous usage information.	Enabled
Connection frequency	How often to send information  ⊕ Click "Send Info" to connect.  ▲ Currently not in use.   ■	168 hours
Гікі connect server URL	Where to send the information. $\blacksquare$	https://mother.tiki.org
_ast connection		None
Connect server mode	For use by mother.tiki.org. 🚣	Disabled

None

For use by mother.tiki.org. Do not modify 4

Connect GUID

# Copyright

Option	Description	Default
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
License page	The wiki page where the license information is written.	None
Submit notice	Text to appear when content is being submitted	None
Wiki copyright	Apply copyright management preferences to this feature.	Disabled
Article copyright	Apply copyright management preferences to this feature.	Disabled
Blog post copyright	Apply copyright management preferences to this feature.	Disabled
AQ copyright	Apply copyright management preferences to this feature.	Disabled

### Directory

Option	Description	Default
Directory	User-submitted Web links	Disabled
Columns per page	Number of columns per page when listing directory categories $\equiv 1 \mid 2 \mid 3 \mid 4 \mid 5 \mid 6$	3 columns
inks per page	How many links should be displayed per page.	20 links
Validate URLs	Should Tiki check the URL?	Disabled
Enable "popular sites"		Enabled
show country flag	Show the country flag	Enabled
Method to open Directory links	The linked-to website can be opened in various ways Replace the current window   Open a new window   Open an iframe	Open a new window

### **FAQs**

Option	Description	Default
FAQs	Frequently asked questions and answers  A There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.	Disabled
Prefix for answers	The prefix for that Tiki should display for each FAQ answer. ■ None   Q and A   Question ID	Q and A
Comments for FAQs	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Enabled
Default number of comments per page	Maximum number of comments to display on each page. Users may override this number.	10 comments
Default order of comments	In which order to list the comments on the page. ■ Newest first   Oldest first   Points	Points
FAQ copyright	Apply copyright management preferences to this feature.	Disabled

#### Features - Addons

Error: Cant find features-addons you may choose from one of the following:

ads-activatethefeature

ads-plugins

ads-siteadsandbanners

ads

articles-articleslistingandview-articleview

articles-articleslistingandview-listarticles

articles-articleslistingandview

articles-generalsettings-activatethefeature

articles-generalsettings-features

articles-generalsettings-plugins

articles-generalsettings-sharingonsocialnetworks

articles-generalsettings

blogs-blogslistings-itemstodisplay

blogs-blogslistings

blogs-generalsettings-activatethefeature

blogs-generalsettings-comments

blogs-generalsettings-features

blogs-generalsettings-plugins

blogs-generalsettings-sharingonsocialnetworks

blogs-generalsettings

calendar-activatethefeature

calendar-generalsettings

calendar-plugins

calendar

category-activatethefeature

category-categoryobjects

category-features

category-forum

```
category-inlineplugins
                       category-performance
                          category-plugins
                            category-poll
                         category-structure
                          category-theme
                          category-tracker
                            category-wiki
                              category
                       comments-annotations
                      comments-displayoptions
                     comments-sitewidefeatures
             comments-using comments invarious features
                             comments
           community-communityfeatures-additionaloptions
             community-communityfeatures-community
                   community-communityfeatures
                         community-plugins
             community-socialinteraction-activitystream
         community-socialinteraction-friendshipandfollowers
       community-socialinteraction-goalrecognitionandrewards
                  community-socialinteraction-score
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers
                     community-socialinteraction
                          connect-jitsi-jitsi
                            connect-jitsi
                     connect-settings-tikiconnect
                          connect-settings
                    copyright-activatethefeature
                         copyright-features
                              copyright
                     directory-activatethefeature
```

directory-directory directory faqs-activatethefeature faqs-settings faqs

features-globalfeatures-3 features-globalfeatures-4

features-globalfeatures-additionalfeatures

features-globalfeatures-administrativefeatures

features-globalfeatures-interactionwithonlineservicesorothersoftware

features-globalfeatures-mailandsharing

features-globalfeatures-mainfeatures

features-globalfeatures-paymentandaccounting

features-globalfeatures-progressivewebapp

features-globalfeatures-secondaryfeatures

features-globalfeatures

features-interface-elementplus

features-interface-experimental

features-interface-jquerypluginsandaddons

features-interface

features-programmer-customcode

features-programmer-loggingandreporting

features-programmer

fgal-adminlistings-0

fgal-adminlistings

fgal-enhancements-access

fgal-enhancements-draw

fgal-enhancements-h5p

fgal-enhancements-scorm

fgal-enhancements-vimeo

fgal-enhancements

fgal-generalsettings-activatethefeature

```
fgal-generalsettings-features
              fgal-generalsettings-quota
       fgal-generalsettings-settingsfordiagrams
   fgal-generalsettings-settingsformediaalchemyst
       fgal-generalsettings-settingsforrecordrtc
           fgal-generalsettings-uploadregex
                 fgal-generalsettings
                     fgal-listings
                 fgal-plugins-plugins
                     fgal-plugins
                 fgal-searchindexing
                 forums-forumlisting
      forums-generalsettings-activatethefeature
           forums-generalsettings-features
           forums-generalsettings-searches
           forums-generalsettings-threads
                forums-generalsettings
             freetags-activatethefeature
                   freetags-plugins
                    freetags-tags
               freetags-tagsearchpage
                       freetags
       general-dateandtime-datetimeselectors
       general-dateandtime-timezoneandformat
                 general-dateandtime
       general-generalpreferences-errortracking
general-generalpreferences-headlessbrowserintegration
   general-generalpreferences-loggingandreporting
           general-generalpreferences-mail
        general-generalpreferences-newsletter
    general-generalpreferences-schedulersettings
        general-generalpreferences-siteidentity
```

general-generalsettings-contact general-generalsettings-help general-generalsettings-multidomain general-generalsettings-server general-generalsettings-sessions general-generalsettings-siteterminal general-generalsettings-stats general-generalsettings-termsandconditions general-generalsettings general-navigation-breadcrumbs general-navigation-homepage general-navigation-menus general-navigation-namespace general-navigation-redirects general-navigation-siteaccess general-navigation-sitemapprotocol general-navigation-user general-navigation i18n intertiki-intertikiclient-activatethefeature intertiki-intertikiclient-clientserversettings intertiki-intertikiclient-currentlylinkedmasterserver intertiki-intertikiclient intertiki-intertikimasterserver-activatethefeature intertiki-intertikimasterserver-masterserversettings intertiki-intertikimasterserver login-cas-cascentralauthenticationservice login-cas-casserver

login-cas
login-generalpreferences-captcha

general-generalpreferences-webcron general-generalpreferences

```
login-generalpreferences-cookies
                           login-generalpreferences-password
                          login-generalpreferences-registration
                           login-generalpreferences-username
                                login-generalpreferences
                                  login-ldap-ldapadmin
                               login-ldap-ldapbindsettings
                                   login-ldap-ldapuser
                                   login-ldap-warning
                                        login-ldap
                           login-ldapexternalgroups-ldapadmin
                        login-ldapexternalgroups-ldapbindsettings
                       login-ldapexternalgroups-ldapexternalgroups
                           login-ldapexternalgroups-ldapgroup
login-Idapexternalgroups-Idapgroupmemberifgroupmembershipcanbefoundingroupattributes
                            login-ldapexternalgroups-ldapuser
  login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes
                                login-ldapexternalgroups
                               login-oauthserversettings-0
                                login-oauthserversettings
                                  login-openidconnect-0
                                   login-openidconnect
                                     login-pam-pam
                                        login-pam
                            login-passwordblacklist-password
                                 login-passwordblacklist
                                   login-phpbb-phpbb
                                       login-phpbb
                            login-remotetikiautologin-warning
                                login-remotetikiautologin
                              login-saml2-advancedsettings
                              login-saml2-attributemapping
```

```
login-saml2-groupmapping
login-saml2-identityprovidersettings
         login-saml2-options
         login-saml2-saml2
            login-saml2
     login-shibboleth-shibboleth
          login-shibboleth
     login-webserver-webserver
          login-webserver
  look-customization-customcode
     look-customization-editing
         look-customization
          look-layout-logo
  look-layout-modulezonevisibility
      look-layout-sitereportbar
          look-layout-title
             look-layout
 look-miscellaneous-contextmenus
    look-miscellaneous-favicons
look-miscellaneous-responsiveimages
   look-miscellaneous-separators
      look-miscellaneous-tabs
         look-miscellaneous
          look-pagination
         look-shadowlayer
             look-theme
         look-uieffects-other
   look-uieffects-standarduieffects
     look-uieffects-tabuieffects
            look-uieffects
           maps-defaults
           maps-settings
```

maps mautic-credentials mautic-mainsettings mautic messages-activatethefeature messages-settings messages metatags-geometatags metatags-metatags-facebook metatags-metatags-general metatags-metatags-twitter metatags-metatags metatags-robots module-crumbscrumbdescription module-modulezonevisibility module payment-advancedshoppingcart-advancedcarttrackernamessetup payment-advancedshoppingcart-cartsettings payment-advancedshoppingcart-features payment-advancedshoppingcart-productstrackersetup payment-advancedshoppingcart payment-payment-0 payment-payment payment-plugins-plugins payment-plugins payment-shipping performance-database performance-majorslowdown performance-memcache performance-monitor performance-newsletter performance-performance

```
performance-plugins
        performance-redis
      performance-sessions
performance-timeandmemorylimits
         performance-wiki
   polls-polls-activatethefeature
        polls-polls-plugins
        polls-polls-settings
            polls-polls
          polls-surveys-1
 polls-surveys-activatethefeature
           polls-surveys
           print-articles
        print-otherfeatures
         print-pdfsettings
       print-wikiprintversion
               print
profiles-advanced-repositorystatus
        profiles-advanced
         rating-advanced
          rating-articles
         rating-comments
       rating-defaultoptions
    rating-globalconfiguration
          rating-trackers
       rating-userinterface
            rating-wiki
              rating
             rss-feeds
      rss-generalpreferences
        rss-incomingfeeds
         rtc-bigbluebutton
```

rtc-xmpp

score-activatethefeature score-causescoresolderthanacertainnumberofdaystoexpire

score

search-federatedsearch

search-generalsettings-features

search-generalsettings-filegalleriessearches

search-generalsettings-forumsearches

search-generalsettings-search

search-generalsettings

search-searchresults-informationtodisplayforeachresult

search-searchresults-itemstodisplayinsearchresults

search-searchresults

search-storedsearch

security-api

security-generalsecurity-csrfsecurity

security-generalsecurity-httpheaders

security-generalsecurity-smartyandfeaturessecurity

security-generalsecurity-trackerssecurity

security-generalsecurity-userencryption

security-generalsecurity

security-openpgp-openpgpfunctionalityforpgpmimeencryptedemailmessaging

security-openpgp

security-siteaccess

security-spamprotection-captcha

security-spamprotection

security-tokens

security-webhooks

sefurl-activatethefeature

sefurl-settings

sefurl

semantic-activatethefeature

semantic share-activatethefeature share-sitewidefeatures

share

socialnetworks-bit

socialnetworks-general

socialnetworks-legacyintegrations-facebook

socialnetworks-legacyintegrations-linkedin

socialnetworks-legacyintegrations-warning

socialnetworks-legacyintegrations

socialnetworks-sharethis

stats-googleanalytics-0

stats-googleanalytics

stats-piwikanalytics-0

stats-piwikanalytics

stats-tikistatistics-0

stats-tikistatistics

textarea-generalsettings-defaultsize

textarea-generalsettings-externallinksandimages

textarea-generalsettings-features

textarea-generalsettings-markdown

textarea-generalsettings-miscellaneous

textarea-generalsettings-plugins

textarea-generalsettings-typography

textarea-generalsettings-wikisyntax

textarea-generalsettings

textarea-plugins-editpluginicons

textarea-plugins-filter

textarea-plugins-pluginpreferences

textarea-plugins-plugins

textarea-plugins

trackers-plugins-0

trackers-plugins trackers-settings-activatethefeature trackers-settings-fieldsettings trackers-settings-linkedwikipages trackers-settings-trackerattachmentpreferences trackers-settings-trackerforcefillfeature trackers-settings-trackersettings trackers-settings trackers-systemtrackers trackers-systemtrackers user-messagingandnotifications-messages user-messagingandnotifications-usernotifications user-messagingandnotifications user-userfeatures-useraccountfeatures user-userfeatures user-userfiles-activatethefeature user-userfiles-settings user-userfiles user-userinfoandpicture-profilepicture user-userinfoandpicture-userinformationdisplay user-userinfoandpicture user-usersettings-adminuserpreferences user-usersettings-defaultuserpreferences user-usersettings video-kaltura-activatethefeature video-kaltura-enablerelatedtrackerfieldtypes video-kaltura-kalturadynamicplayer video-kaltura-kalturapartnersettings video-kaltura-kalturatikiconfig video-kaltura-legacysupport video-kaltura-plugintoembedinpages video-kaltura

webservices-activatethefeature webservices-options webservices wiki-features-attachments wiki-features-comments wiki-features-generalfeatures wiki-features-namespaces wiki-features-redirectandsimilar wiki-features-structures wiki-features-wikiwatch wiki-features-wikiwordsfeatures wiki-features wiki-flaggedrevision-0 wiki-flaggedrevision wiki-generalpreferences-activatethefeature wiki-generalpreferences-automatictableofcontents wiki-generalpreferences-editing wiki-generalpreferences-pagedisplay wiki-generalpreferences-pagename wiki-generalpreferences-plugins wiki-generalpreferences wiki-pagelistings-configuration wiki-pagelistings-options wiki-pagelistings workspace-areas-activatethefeature workspace-areas workspace-workspaces-activatethefeature workspace-workspaces-advanced workspace-workspaces-dependencies workspace-workspaces wysiwyg-activatethefeature wysiwyg-legacyckeditorwysiwyg

wysiwyg-markdowntoastuiwysiwyg wysiwyg-relatedfeatures wysiwyg-wysiwygeditorfeatures wysiwyg

### Features - Global features

**Description** 

**Default** 

Disabled

Option

Machine learning

Wiki	Pages and collaboratively authored documents with edit history.	Enabled
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Blog	Online diaries or journals.	Disabled
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
orums	Threaded or flat discussions.	Disabled
Frackers	Database and form generator	Enabled

ITUCKCIS	Database and form generator	Lilabica
Calendar	Events calendar with public, private and group channels.	Disabled
Jnified search index	Enables searching for content at the site using a Tiki-managed index.  It's recommended to set a cron job to periodically rebuild the search index.	Enabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can	Enabled

	it's recommended to set a croif job to periodically rebuild the search index.	
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Гags	Enables tags to be set on pages and other items for freeform categorization.	Disable
Polls	Procentation of a set of vetable entions, typically displayed in a module	Disable

Fags	Enables tags to be set on pages and other items for freeform categorization.	Disable
Polls	Presentation of a set of votable options, typically displayed in a module	Disable
Ouizzoc	Sate of quartions that can be presented with the sossions timed and the scores recorded.	Dicable

Quizzes	Sets of questions that can be presented, with the sessions timed and the scores recorded.	Disabled
Surveys	Create questionnaires with multiple-choice or open-ended questions	Disabled
Noweletters	Content mailed to registered users or other subscribers	Dicabled

VCVV3ICCCC13	content manea to registered asers of other subscribers.
Shoutbox	Quick comment (graffiti) box. Like a group chat, but not in real time.

phontpox	Quick comment (gramti) box. Like a group chat, but not in real time.	Disabled
Minichat	Real-time group text chatting enabled through a module.	Disabled

MINICHAL	Real-time group text chatting enabled through a module.	Disabled
ive support system	One-on-one chatting with customer <a>I</a>	Disabled

Define machine learning models, train them and run queries against them.

Option	Description	Default
Гiki manager	Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.	Disabled
Storage path	The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root.  • Default: storage/tiki-manager	None
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Action log	Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.	Enabled
Scheduler	Provides the ability to run tasks at a scheduled time.	Enabled
Banners	Insert, track, and manage advertising banners.	Disabled
Contribution	Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.	Disabled
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
Communications (send/receive objects)	Send/receive wiki pages and articles between Tiki-powered sites 💉	Disabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Search engine friendly URL	If the site is using Apache, you can rename _htaccess as .htaccess to use short URLs. On IIS, rename web_config as web.config	Disabled
HTML pages	Static and dynamic HTML content  • HTML can be used in wiki pages. This is a separate feature.	Disabled
Areas	Binding categories and perspectives to each other $oldsymbol{oldsymbol{\sqcup}}$	Disabled
Гiki suggestions	Tiki suggestions displayed once per login session based on a list of rules	Disabled
Femplated Groups	Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.	Disabled
Mautic Integration	Enable the feature here but configure it elsewhere	Disabled
Jser watches	Receive email notification of changes. Each user can choose to be notified of changes to specific items	Disabled
Group watches	All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group	Disabled
Daily reports for user watches	Allows you to schedule daily reports of watches to be sent (batched) at specific times.	Disabled
Enable daily reports for new users	Determines if daily reports will be automatically enabled for new users.	Disabled

Option	Description	Default
Jser watches translations		Disabled
Jser watches languages	Watch language-specific changes within a category.	Disabled
Group alert	With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes $\checkmark$	Disabled
Object maintainers and freshness	Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.	Disabled
Default update frequency	Default number of days for object update frequency.	90 days
preadsheet	Spreadsheets with calculations and charts	Disabled
Directory	User-submitted Web links	Disabled
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated.  Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately $oldsymbol{oldsymbol{L}}$	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery ${\color{red}  extstyle  $	Disabled
Fiki user credits		Disabled
Accounting	Double-entry accounting system 🚣	Disabled
Payment	Feature for tracking and managing payment requests	Disabled
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums  • Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. $oldsymbol{oldsymbol{\bot}}$	Disabled
Mail-in	Create and publish wiki pages and articles via email	Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files $oldsymbol{oldsymbol{\bot}}$	Disabled
Slideshow (reveal.js)	Create simple presentations via Wiki Syntax.	Disabled
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 😃	Disabled
FAQs	Frequently asked questions and answers  • There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.	Disabled

Allow Tiki to be used offline and be installed in a mobile device.  • Experimental feature.  Only Wiki pages and Trackers are available offline for now.	Disabled
List of links to be cached when PWA is enabled  *\textbf{\textit{A}} \text{Experimental feature.}	None
Connect your Tiki with the community by sending anonymised statistical data to tiki.org  A This feature is still under development.	Disabled
Integration with the Kaltura video management platform	Disabled
Connect Tiki to the Zotero online bibliography management system.  Solution You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.	Disabled
Required identification key. Registration required.	None
Required identification key. Registration required.	None
Numeric ID of the group, can be found in the URL.	None
Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.	None
Enable Web Monetization showing a message in page header. $oldsymbol{oldsymbol{oldsymbol{L}}}$	Disabled
Payment pointer to stream the payments. 🚣	None
Enable Web Monetization in all website pages. $oldsymbol{\bot}$	Disabled
Always use default Web Monetization site pointer, even when users add their username. $oldsymbol{oldsymbol{\sqcup}}$	Disabled
Default text to be used in web monetized content paywall.   L	None
Features - Interface	
<b>Description</b> Default	
Use Element Plus Vue based UI elements 4 Enabled	
Provides various dropdown menus on many text input boxes for page names, user names, Enabled groups, tags, etc.	
I U F	A Experimental feature.  Only Wiki pages and Trackers are available offline for now.   List of links to be cached when PWA is enabled  A Experimental feature.  Connect your Tiki with the community by sending anonymised statistical data to tiki.org  A This feature is still under development.   Integration with the Kaltura video management platform  Connect Tiki to the Zotero online bibliography management system.  You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.  Required identification key. Registration required.  Required identification key. Registration required.  Numeric ID of the group, can be found in the URL.  Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.  Enable Web Monetization showing a message in page header.   Payment pointer to stream the payments.   Always use default Web Monetization site pointer, even when users add their username.   Always use default Web Monetization site pointer, even when users add their username.   Default text to be used in web monetized content paywall.   Features – Interface  Description  Default  Bescription  Default  Enabled  Provides various dropdown menus on many text input boxes for page names, user names, Enabled

Default

Option

Description

Option	Description	Default
Element Plus Select	Provides a more advanced select input with features like clearable, collapsible tags, filterable, allow create, and sortable.	Enabled
Clearable Select	whether select can be cleared	Disabled
Collapsible Tags	whether to collapse tags to a text when multiple selecting	Disabled
Max Collapse Tags	max tags to show when collapsed	3
ilterable Select	whether select can be filtered	Enabled
Allow Create	whether creating new items is allowed	Disabled
Sortable	whether selected items can be re-ordered via drag and drop	Disabled
Query Autocomplete	Provides various dropdown menus on many text input boxes for page names, user names, groups, tags, etc. $\checkmark$	Disabled
Reflection	Creates a reflection under an image. Used in Plugin Img with the parameter "class=reflect"	Disabled
SmartMenus	Add "SmartMenus" to Bootstrap menus. See smartmenus.org for more.	Enabled
SmartMenus collapsible behavior	Parent items behavior in collapsible (mobile) view. □ Default   Toggle   Link   Accordion   Accordion toggle   Accordion link	Default
smartMenus open/close on click	Use mouse clicks to open/close item/sub menus	Disabled
FagCanvas FagCanvas	TagCanvas is a Javascript class which will draw and animate an HTML5 canvas-based tag cloud.	Enabled
Query UI theme	jQuery UI theme. Used in some modal popups and in the TikiSheet feature, etc.   □ None   black-tie   blitzer   cupertino   dark-hive   dot-luv   eggplant   excite-bike   flick   hot-sneaks   humanity   le-frog   mint-choc   overcast   pepper-grinder   redmond   smoothness   south-street   start   sunny   swanky-purse   trontastic   ui-darkness   ui-lightness   vader	Flick
Query UI	Include jQuery UI library. Enables a number of interface features.  • This feature is required for the interface for many features to work properly.	Enabled
/alidation	Provides various validation possibilities such as for trackers.	Enabled
Query zoom	Enables zoom in images on mouseover or click. Used in Plugin Img with the parameter "thumb=zoombox"	Disabled
Query Select2 Select Boxes	Styled replacement for dropdown select lists and multiple-select inputs.	Disabled
Sortable Select2 Multi-selects	Enable drag and drop re-ordering of Select2 multi-select options.	Disabled
FitVids.js	jQuery plugin for fluid-width (responsive) embedded videos.	Disabled
FitVids.js additional domains	Youtube and Vimeo are supported by default. Also apply FitVids.js to videos from these domains.	None

Option	Description	Default
Query Timeago	jQuery plugin for fuzzy timestamps.	Disabled
Query Double Scroll	jQuery plugin which adds an extra horizontal scroll bar at the top.	Disabled
Allow image lazy loading	Allow that images are loaded in a lazy way	Disabled
Prefix CSS	Use -prefix-free JavaScript library to add vendor specific css prefixes.  • May be replaced by a server-side option soon.	Disabled
Query infinite carousel	Create a slideshow (like an image carousel) for file galleries. Used in Plugin Carousel.	Disabled
Query sortable tables	Provides an interactive way to sort and filter data in tables produced with Plugin FancyTable and Plugin TrackerList, as well as administrative tables.	Disabled
Enable Vue.js	Loads the vue.js library. 🚣	Enabled
Always Load Vue.js	Loads the vue.js library for every page.	Enabled
/ue.js Deployment Mode	Selects which vue.js library is used. ☐ Production full (minified)   Production runtime (minified)   Development full   Development runtime only	Production full (minified)
Fracker Field Rules	Conditional rules for tracker fields.  • Experimental new feature, expect some issues.	Enabled

## Features - Programmer

Option	Description	Default
nternet of things	Enable usage of Tiki Internet of Things apps hour can use this feature to connect your physical objects with your Tiki instance and collect/monitor your data in real time	Disabled
ntegrator	$oldsymbol{ol{ol{ol}}}}}}}}}}}}}}}$	Disabled
Edit Blogs with XMLRPC API	Tiki implements the XML-RPC API of wBlogger. This API is used by several Windows applications that can be used to manage weblogs. Any application implementing the wBlogger XML-RPC API can be used to edit Tiki blogs. $\checkmark$	Disabled

Option	Description	Default
Debugger console	A popup console with a list of all PHP and Smarty variables used to render the current webpage. It can be viewed by clicking 'Quick Administration->Smarty debug window' or by appending ?show_smarty_debug=1 to the page URL. You may also execute SQL, watch vars and perform a number of other functions.  • Only viewable by admins • Not suitable for production use.	Disabled
<u> FikiTests</u>	Permits recording and playback of functional tests	Disabled
Smarty compilation	Indicates when the template cache should be refreshed. ■ Modified   Never check (performance)   Always (development, slow)	Modified
Web services	Can receive web services via JSON or YAML.	Disabled
Dummy preference	This is useful for developers to learn how to create a new preference. HTML may be used.  * This is the detail.  This is the hint. Wiki syntax may be used.  This is the shorthint. Wiki syntax may be used.  This is the warning.   This is the warning.	This is the default value o
PHP Error reporting level	Level of errors to be reported. Errors can be seen in a collapsible box at the bottom of the page, if any exist.    □ No error reporting   Report all PHP errors except strict   Report all PHP errors   Report all PHP errors except notices   According to the PHP configuration	Report all PHP errors excep
PHP errors visible to admin only	PHP Errors will be shown to only the Admin user.  During site development, it's better to display errors to all users. However, in production settings, errors should only be displayed to administrators.	Enabled
nclude Smarty notices in the PHP error report	Tiki will display Smarty notices with the PHP error messages.  In most cases, Smarty notices can be safely ignored. However, they may be useful in the development process when unexpected issues occur.	Disabled
₋og mail in Tiki logs	A line of type mail will be included in the System Log with the destination address and subject of each email sent.  • May impact performance	Disabled
Log SQL	All SQL queries will be registered in the database in the tiki_sql_query_logs table.  • Do not enable this feature all the time. It can be very resource intensive and will impact performance.	Disabled
Log queries using more than	Use to log only queries that exceed a specific amount of time.  • May impact performance	0.05 seconds

Option	Description	Default
Smarty template usage ndicator	Add HTML comment at start and end of each Smarty template (.tpl file)  ** Clear the Tiki system cache for this change to take effect.  ** Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.  ** May impact performance	Disabled
Custom JavaScript	Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages.  Use PluginJS to include Javascript on a single wiki page.  Do not include the < script > tags.	None
Smarty security	Enable/Disable Smarty security. If checked, you can then define allowed and disabled modifiers and tags(functions, blocks and filters) that should be or not accesible to the template.  A You should leave this on unless you know what you are doing.	Enabled

### File galleries - Admin listings

Option	Description	Default
D	☵ Hide   Show as a column   Show in popup box   Both	Show as a column
Гуре	☵ Hide   Show as a column   Show in popup box   Both	Show as a column
Description	☵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Name	<b>≔</b> Name-filename   Name only   Filename only	Name only
Size	☵ Hide   Show as a column   Show in popup box   Both	Show as a column
Created / Uploaded	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
_ast modified	☵ Hide   Show as a column   Show in popup box   Both	Show as a column
Jploaded by	☵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Creator	☵ Hide   Show as a column   Show in popup box   Both	Show in popup box
ast modified by		Show in popup box
Comment	☵ Hide   Show as a column   Show in popup box   Both	Show in popup box
Files		Show in popup box
Hits		Show in popup box
ast download		Hide

	Present a list of pages that link to the current page. Sh ≣ Hide   Show as a column   Show in popup box   Both	now as a column
Delete after ::	∃ Hide   Show as a column   Show in popup box   Both No.	one
Share #	∃ Hide   Show as a column   Show in popup box   Both No.	one
Source #	E Hide   Show as a column   Show in popup box   Both	one
Dption	le galleries - Enhancements	Default
WebDAV access to Tiki	Allow file gallery access with WebDAV  \$\int_{0}\$ use tiki-webdav.php as the URI of the WebDAV repository \$\frac{1}{4}\$	Disabled
Jse elFinder UI	Alternative file manager with drag and drop capability	Enabled
Jse elFinder on Toolbars	Use elFinder in the popup on toolbar FileGallery buttons	Enabled
Enable elFinder debug mode	Shows errors and warnings in the elFinder window and adds debugging information to service ca	alls. Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files ${\color{red} {f L}}$	Disabled
Jse PDF.js	Uses PDF.js to display PDF files in web pages	Disabled
H5P support	Handle H5P package files on upload. H5P enables the creation, sharing and reusing of interactiv	e Disabled

File gallery to create new H5P content in by default.

Allows users to resume at the point they last got to

**Default** 

1

json png jpg jpeg gif bmp t...

Disabled

Disabled Disabled

60 seconds

Disabled

Enabled

Hide

Option

ocked by

Default Gallery

H5P Developer Mode

H5P Tracker User

Store user state

Save Frequency

Hub Is Enabled

Whitelist

Export

**Description** 

HTML5 content.

Allowed filetypes

Store H5P results

Use "patched" libraries?

How often to update user data.

Updates libraries from h5p.org

Allows users to export H5P content

Option	Description	Default
Site Key	H5P Site Key.	None
	▲ Experimental	
H5P UUID	H5P Unique ID.	None
	▲ Experimental	
Content Type Updated	Last update.  • Experimental	0 seconds
Check Requirements	Unused so far	Enabled
Send Usage Statistics	Unused so far  ▲ Experimental	Disabled
Request User Consent	Unused so far  ▲ Experimental	Disabled
_RS Content Types	Reporting (?)  • Experimental	Disabled
Custom H5P Javascript Files	Comma-separated: library or "*" for all, path to the file and optional version number, one per line.  • For example: H5P.Timeline,themes/js/h5p-custom-example.js,1.00	None
Custom H5P CSS Files	Comma-separated library or "*" for all, path to the file and optional version number, one per line.  • For example: H5P.Timeline,themes/css/h5p-custom-example.css,1.00	None
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated.  Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper"	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately $oldsymbol{oldsymbol{\bot}}$	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery <a>L</a>	Disabled
SCORM support	Handle SCORM package files on upload. SCORM is a standard used in learning management systems.	Disabled
SCORM Tracker	The ID number of the tracker used to store SCORM metadata	0
Vimeo upload	Enables video upload to the Vimeo service. API keys are required and approval must be granted by Vimeo for the upload API.	Disabled
Vimeo delete	Causes videos uploaded to the Vimeo service via Tiki file galleries to be deleted when the Tiki file is deleted.	Disabled
	A Permanently removes videos from the registered vimeo.com account.	
Vimeo Default Gallery	The The ID of the default file gallery in which to store the Vimeo reference	1

Option	Description	Default
Vimeo consumer key	API consumer key	None
/imeo consumer secret	API consumer secret	None
Vimeo access token	The access token that is automatically generated by Vimeo when API keys are requested.	None
Vimeo access token secret	The access token secret automatically generated by Vimeo when API keys are requested	None

Option

**Description** 

# File galleries - General settings

**Default** 

File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Home file gallery (main file gallery)	Select the default file gallery  E File Galleries   Branding Graphics   colorbox   Documentation temporarily in P   Drawings   Example EPSG:4326  geoJSON boun   Example EPSG:4326 geoJSON path   Example map object images   Example POI icons   exportet- structures-francais,c   Fonctionnalité Articles   Gérer les Utilisateurs   H5P Content   Images for plugin Diagram   Images for slideshows   Images for the Documentation p   Images	Images for slideshows
Description		Show in popup box
Storage	Specify if uploaded files should be stored in the database or file directory.	Store in database
Preserve ilenames	Preserve original filename instead assigning a hash as name	Disabled
Path to the directory to store file gallery files	Specify a directory on this server, for example: /var/www/ It's recommended that this directory not be web-accessible. PHP must be able to read/write to the directory.	storage/fgal/
Podcast directory	File system directory for storing podcast files  The server must be able to read/write the directory. Required for podcasts.	files/
Rankings	Users can view the "top" or "most" downloaded files.	Disabled
File gallery comments	Users with permission may post threaded comments. The comments will appear at the bottom of the page.	Disabled
Display ZIP option in gallery	Users can upload a .zip (archive file). Tiki will automatically un-zip the archive and add each file to the gallery	Disabled

Option	Description	Default
Allow download imit per file		Disabled
Prevent download f score becomes negative	If using Tiki Score system, users with a negative score cannot download files.	Disabled
Allow file duplicates	Allow the same file to be uploaded more than once.	Yes, even in the same gallery
Jse jQuery upload	Use the improved Tiki 15+ upload page	Enabled
Batch uploading	Direct import of local files into a file gallery. This method can handle large files. The user can upload files via FTP to the target folder. It is highly recommended to use a file directory as the file gallery storage when using this feature.	Disabled
Path	♣ To enable and use directory batch loading, set up a web-readable directory (preferably outside the web space). Then upload files to that directory, such as with SCP, FTP, etc The server must be able to read the directory. The directory can be outside the web space.	None
Require file creator's name for anonymous uploads		Disabled
Automatic deletion of old ïles	The user will have an option when uploading a file to specify the time after which the file is deleted A cron job must be set up in order to delete the files.	Disabled
Deletion emails notification	Email addresses (comma-separated) to receive a copy of each deleted file	None
Keep the same ileld for the atest version of a ile	If the checkbox is checked, the file ID of the latest version of a file stays the same. A link to the file will always link to the latest version. If not checked, each version of the file is assigned its own file ID, so a link to the file will be to a specific version of the file	Enabled
Store user files in a file gallery	$\clubsuit$ Use the file gallery admin and the individual file gallery settings to manage file storage preferences. $\blacksquare$	Disabled
Jse file galleries for wiki attachments	Wiki attachments will be stored in the file gallery. This is the preferred way to store attachments starting Tiki 26+.	Enabled

Option	Description	Default
Save files as drafts	Allow saving of files as drafts	Disabled
File gallery configuration cemplates		Disabled
Allow searching for existing files n the tracker files field	Search files using the search index.	Enabled
Set MIME type pased on file suffix	Sets the MIME type of an image file according to the file suffix when it is incorrectly detected as application/octet-stream $\blacksquare$	Disabled
Clean XML Always	Sanitize XML based files such as SVG for all users.	Enabled
Allow SVG file upload	Because SVG files may contain malicious code and compromise system security, specifically grant permission to upload SVG files	Disabled
Jpload files from remote source	Enable copying files to file galleries from a URL that will be polled for new revisions.	Disabled
Domains	Allowed domains  • One domain per line	None
Remote source refresh frequency imit	Minimum number of seconds to elapse between remote source checks to prevent flooding the server with requests.  • Set to zero to disable refresh	3600 seconds
Display controls to attempt a file refresh	Let users trigger a refresh attempt from the remote host.	Disabled
Validate uploaded file content	Do not trust user input and open the files to verify their content.	Enabled
Redirect to file gallery	If enabled, redirect all requests to images that were migrated from the image gallery to the corresponding file in the file gallery	Disabled

Option	Description	Default
View or export office documents as PDF	If enabled allows to view documents without download or to export documents as PDF files	Disabled
Maximum width of file preview in pixels	The maximum value of width in pixels for the files preview in the popover.	250 pixels
Quota for all files and archives	The total size of files uploaded to all the file galleries or to a specific file gallery can be limited. The quota for a file gallery applies to that file gallery and all the file galleries under it. When the limit is reached, no more files can be uploaded. The user will see an explanatory error message. An email can be sent via the Mail notifications feature.)  • 0 for unlimited	0 megabytes
Quota for each ile gallery	A different quota can be defined for each file gallery.	Disabled
Default quota for each new gallery	♣ 0 for unlimited	0 megabytes
Must match	A regular expression that must be matched to accept the file example A-Za-z* (filename can only have a-z letters) For example, if you want to require that uploads must have a wordprocessing file extension, you could enter  .*.(odt sxw doc dot rtf wpt frm wpd txt ODT SXW DOC DOT RTF WPT FRM WPD TXT)	None
Cannot match	A regular expression that, if matched, causes the file to be rejected. For example, .gif rejects gif images. Note that the period must be escaped since a regular expression is being used. If you don't know anything about regular expressions just leave the fields blank and all the files will be accepted.	None
fmpeg path	Path to the location of the ffmpeg binary	/usr/bin/ffmpeg
fprobe path	Path to the location of the ffprobe binary	/usr/bin/ffprobe
unoconv path	Path to the location of the unoconv binary.	/usr/bin/unoconv
unoconv timeout	The maximum amount of time for unoconv to execute.	60 seconds
unoconv port	unoconv running port.	2002
ghostscript path	Path to the location of the ghostscript binary.	/usr/bin/gs
Alchemy Image ibrary	Select either Image Magick or GD Graphics Library. □ Imagemagick   GD	Imagemagick
Export diagram mage on save	If enabled, diagrams will be cached in PNG format when saved or edited.	Enabled

export images			
Jse draw.io oublic services to export images		if this setting is enabled, diagram images will be fetched using Drawio's Disa . This basically works like a fallback.	bled
Draw.io service endpoint	Configure the draw.io s	service endpoint to export the diagram images. http	s://convert.diagrams.ne
Jse diagram compression by default	if this setting is enabled	d, diagram will use compression by default. Ena	oled
Jse RecordRTC to screen record	if this setting is enabled	d, will use RecordRTC to record the screen activity. 🚣 Disa	bled
Gallery default for RecordRTC recordings	≅ File Galleries   Branding geoJSON boun   Example E structures-francais,c   Fond	ed as the default target for RecordRTC recordings  Graphics   colorbox   Documentation temporarily in P   Drawings   Example EPSG:4326 EPSG:4326 geoJSON path   Example map object images   Example POI icons   exportet- ctionnalité Articles   Gérer les Utilisateurs   H5P Content   Images for plugin Diagram   lages for the Documentation p   Images	e
	Fi	le galleries - Listings	
Option		Description	Default
Default view		∷ List   Browse   Page   Finder view	Finder view
Default sort field		☵ Creation Date   Name   Last modification date   Hits   Owner   Description   ID	Name
Default sort direction	on	□ Descending   Ascending	Ascending
Show quota bar in t	the list page	≔ Never   Yes, display bar and detail text   Yes, display only bar   Yes, display only text	
nclude a search fo			Yes, display only bar
Searchable file gallery content			Yes, display only bai Enabled
	_	Include the search form on the current gallery page just after "Find"	
Show thumbnail ac	lery content	Include the search form on the current gallery page just after "Find"  Show the checkbox and wrench icon for file actions menu when not displaying deta	Enabled Disabled

**Default** 

Disabled

Option

Jse locally CasperJS to Description

If enabled, diagrams can be exported using CasperJS.

Option	Description	Default
Maximum name length	Length to which to truncate file names in browse view.	40 characters
Maximum width of images	Default maximum width of images in galleries.  • 0 for unlimited	0 pixels
Maximum height of images	Default maximum height of images in galleries.  • 0 for unlimited	0 pixels
Maximum rows per page		10 rows
Display hits ratio to maximum	Display hits with a ratio of hits to maximum hits	Disabled
Display properties in the context menu		Enabled
Display "Replace" in the context menu		Enabled
Allow action on multiple files or galleries	Include "Remove" as an option for the checkbox action in file galleries	Enabled
Gallery icon	Enter the ID of any file in any gallery to be used as the icon for this gallery in browse view	None
Show explorer		Enabled
Show path		Enabled
Show slideshow		Disabled
Show OCR Status	≒ Hide   Show as a column   Show in popup box   Both	Hide
D	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
Гуре	≒ Hide   Show as a column   Show in popup box   Both	Show as a column
Name	□ Name-filename   Name only   Filename only	Name only
bize	≒ Hide   Show as a column   Show in popup box   Both	Show as a column
Created / Uploaded	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
_ast modified	≒ Hide   Show as a column   Show in popup box   Both	Show as a column
Jploaded by		Show in popup box
Creator	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
ast modified by	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
Comment	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
Files	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
Hits	≒ Hide   Show as a column   Show in popup box   Both	Show in popup box
_ast download	⊟ Hide   Show as a column   Show in popup box   Both	Hide

Option	Description	Default	
Locked by	⊞ Hide   Show as a column   Show in popup box   Both   Show icon in column	Both	
Backlinks	Present a list of pages that link to the current page.	Hide	
Delete after		Hide	
Share	⊞ Hide   Show as a column   Show in popup box   Both	Hide	
Source	⊞ Hide   Show as a column   Show in popup box   Both	Hide	

# File galleries - Plugins

Option	Description	Default
Plugin Files	List files by ID, gallery or category, or show a slideshow of image files	Enabled
Plugin File	Link to a file that's attached or in a gallery or archive	Enabled
Plugin Image	Display one or more custom-formatted images	Enabled
Plugin Colorbox	Display a gallery of images in a popup slideshow	Disabled
Plugin Draw	Embed a drawing in a page	Enabled
Plugin Image Annotation	Annotate an image	Disabled

### File galleries - Search indexing

Option	Description	Default
Automatic indexing of file content	Uses command line tools to extract the information from the files based on their MIME types.	Disabled
Automatic indexing of emails stored as files	Parses message/rfc822 types of files (aka eml files) and stores individual email headers and content in search index.	Disabled
Asynchronous indexing		Enabled
OCR Files	Extract and index text from supported file types.	Disabled
DCR Every File	Attempt to OCR every supported file.	Disabled
Allow file level OCR languages	Allow users to change the default languages that will be used to OCR a file.	Enabled
DCR limit languages	Limit the number of languages one can select from this list.   = Auto detect languages   Afrikaans (Afrikaans)   Albanian (Shqip)   Amharic (አলেই)   Arabic   Arabic (العربية)   Armenian   Armenian (Հայերեն)   Assamese (অসমীয়া)   Azerbaijani (аzərbaycan dili)   Azerbaijani (аzərbaycan dili) (cyrl)   Basque (euskara, euskera)   Belarusian (беларуская мова)   Bengali   Bengali (বাংলা)   Bosnian (bos	None
tesseract path	Path to the location of the binary. Defaults to the \$PATH location. If blank, the \$PATH will be used, but will likely fail with scheduler.	/usr/bin/tesseract
odfimages path	Path to the location of the binary. Defaults to the \$PATH location.	/usr/bin/pdfimages

♦ If blank, the \$PATH will be used, but will likely fail with scheduler.