Semantic links

Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.

Default

Disabled Disabled

Default

Enabled

Disabled

Option

Backlinks

Option

Semantic links

Display name and email

Number of times accessed

Description

Description

Present a list of pages that link to the current page.

Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	Going beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Option	Description	Default
Semantic links	oing beyond Backlinks functionality, this allows some semantic relationships to be defined between wiki pages.	
Backlinks	Present a list of pages that link to the current page.	Disabled
	Share	Dofoult
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on	n the share page	Enabled
Foken notificati	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled

If the user is connected, the name and email will display in the page.

User can choose how many times the share page can be consulted.

Option	Description	Default
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums • Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums • Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits
Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums • Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Token notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	Maximum number of times that the shared page can be consulted	-1 page hits

Option	Description	Default
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums A Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Display links on the share page		Enabled
Foken notification	Users can subscribe to the notifications of consultation of the token.	Enabled
Add contact	If not already in the list, recipients are added to the list of contacts.	Disabled
Display name and email	If the user is connected, the name and email will display in the page.	Enabled
Number of times accessed	User can choose how many times the share page can be consulted.	Disabled
Maximum number of times accessed	d Maximum number of times that the shared page can be consulted	-1 page hits
	Social networks -Â Bit.ly Description	Default
	ite-wide log-in name (username) for bit.ly	None
pit.ly key S	ite-wide API key for bit.ly	None
Jse site-wide account V	When set to "yes", only the site-wide account will be used for all users.	Disabled
Option	Description	Default
	Description ite-wide log-in name (username) for bit.ly	Default None
pit.ly login S	•	
pit.ly login S pit.ly key S	ite-wide log-in name (username) for bit.ly	None
pit.ly login S pit.ly key S Use site-wide account V	ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly	None None
pit.ly login S pit.ly key S Use site-wide account V Option	ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly Vhen set to "yes", only the site-wide account will be used for all users.	None None Disabled
pit.ly login S pit.ly key S Use site-wide account V Dption C pit.ly login S	ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description	None None Disabled Default
pit.ly login pit.ly key S Jse site-wide account Option pit.ly login pit.ly key S	ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description ite-wide log-in name (username) for bit.ly	None None Disabled Default None
pit.ly login pit.ly key Solution Solution pit.ly login pit.ly login pit.ly key Solution Solution	ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly	None None Disabled Default None None
pit.ly login pit.ly key Jse site-wide account Option pit.ly login pit.ly key Jse site-wide account V Option Dit.ly key Jse site-wide account Option Dit.ly key Jse site-wide account Option	ite-wide log-in name (username) for bit.ly lite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description lite-wide log-in name (username) for bit.ly lite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users.	None None Disabled Default None None Disabled
pit.ly login pit.ly key Jse site-wide account Option pit.ly login pit.ly key Jse site-wide account V Option pit.ly key Jse site-wide account Option pit.ly login pit.ly key S Jse site-wide account Option pit.ly login	ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description ite-wide log-in name (username) for bit.ly ite-wide API key for bit.ly When set to "yes", only the site-wide account will be used for all users. Description	None None Disabled Default None None Disabled Default

oit.ly key	Site-wide API key for bit.ly	None
Jse site-wide account	When set to "yes", only the site-wide account will be used for all users.	Disabled
S	Social networks -Â Facebook	
Option	Description	Default
Facebook site name	The default website name that will be used by Facebook (og:site_name) for every webpage. This parameter will be used instead of the browser title.	None
Facebook site image	The default image (logo, picture, etc.) that will be used by Facebook (og:image) for every webpage must be specified as a URL. The minimum valid image size is 200x200px. However, Facebook recommends 1200x630px or larger for the best display on high resolution devices.	je. It None
Application ID	Application ID generated by registering this Tiki site as an application at Facebook	None
Application secret	Application secret generated by registering this Tiki site as an application at Facebook	None
ogin using Facebook	Allow users to log in using Facebook	Disable
Auto-create Tiki user	Automatically create a Tiki user by the username of fb_xxxxxxxxx for users logging in using Facebook if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account	ook Disable
Danisha Faraharik wasan ka	anton local . Descring Feedback conserts outsulocal accountinfo considerable considerable in more	Diaghte.

Option

oit.ly login

Description

Site-wide log-in name (username) for bit.ly

Default

Disabled

None

Require Facebook users to enter local Require Facebook users to enter local account info, specifically email and local log-in name Disabled account info on creation Tiki will set the user's email from Facebook on creation. Set user email from Facebook on Disabled creation. Create a user tracker item on Sets whether a tracker item should be created for the user upon registration Disabled registration First and last name tracker field IDs to Comma-separated, with first name field followed by last name field; for example, '2,3' Disabled set on creation Γiki can post to the Facebook wall Tiki may post status messages, notes, photos, and videos to the Facebook Wall. Disabled Γiki can manage events Tiki may create and RSVP to Facebook events. Disabled Γiki can manage pages Tiki can manage user pages. Disabled Γiki can SMS Tiki can use SMS functions via Facebook.

Social networks -Â General

Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Option	Description	Default
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled

Social networks -Â LinkedIn

		Į.
Option	Description	Default
Client ID	Client ID generated by registering this site as an application at LinkedIn	None
Client secret	Client Secret generated by registering this site as an application at LinkedIn	None
og in using LinkedIn	Allow users to log in using LinkedIn.	Disabled
Auto-create Tiki user from LinkedIn	Automatically create a Tiki user by the username of li_xxxxxxxxx for users logging in using LinkedIn if they do not yet have a Tiki account. If not, they will be asked to link or register a Tiki account	Disabled
Set user email from LinkedIn on creation.	Tiki will set the user's email from LinkedIn on creation.	Disabled
Create a user tracker item on registration	Sets whether a tracker item should be created for the user upon registration	Disabled
irst and last name tracker field IDs to set	Comma-separated, with first name field followed by last name field; for example, '2,3'	None

Social networks -Â ShareThis

Description	
	Default
Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disable
Set to define your ShareThis publisher identifier	None
Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a dropdown list that requires a click to view).	Disable
Description	Default
Enable sharing site content via ShareThis http://www.sharethis.com .	Disabled
Set to define your ShareThis publisher identifier	None
Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
Description	Default
Enable sharing site content via ShareThis http://www.sharethis.com .	Disabled
Set to define your ShareThis publisher identifier	None
Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
Description	Default
Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com.	Disabled
Set to define your ShareThis publisher identifier	None
Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	Disabled
	Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view). Description Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com. Set to define your ShareThis publisher identifier Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view). Description Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com. Set to define your ShareThis publisher identifier Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view). Description Enable sharing site content via ShareThis Insert a ShareThis button from http://www.sharethis.com. Set to define your ShareThis button from http://www.sharethis.com. Set to define your ShareThis publisher identifier Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list shareThis button from http://www.sharethis.com.

Display ShareThis icon prominently		Encourage sharing by displaying the ShareThis icon (the default is placing the icon in a drop-down list that requires a click to view).	
	Socia	al networks -Â Twitter	
Option	Description		Default
Twitter site name	The default website name	that will be used by Twitter (twitter:site) for every web page. This parameter will be used	None

Twitter site image The default image (logo, picture, etc) that will be used by Twitter (twitter:image) for every web page. The image must be

Consumer key generated by registering this Tiki site as an application at Twitter

Consumer secret generated by registering this Tiki site as an application at Twitter.

♠ Insert a ShareThis button from http://www.sharethis.com.

Enable sharing site content via ShareThis

Set to define your ShareThis publisher identifier

Default

Disabled

None

None

None

None

Description

Option

optional)

Consumer key

Consumer secret

ShareThis buttons

Your ShareThis publisher identifier

instead of the browser title.

specified as a URL.

Stats - Google Analytics

	<u> </u>	
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXXY-YY or G-XXXXXXXXXXX.	None
	hater the account number with prefix (prefix eg: "G-" or "UA-")	
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. <u>A Must be kept private and not accessible on the internet directly</u>	None
Google Analytics Groups Option	Define option for Google Analytics groups	None
Google Analytics Available Groups	User groups for which Google Analytics will be available ☐ All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY or G-XXXXXXXXXX. Let the account number with prefix (prefix eg: "G-" or "UA-")	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. • Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups iii None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXXYYY or G-XXXXXXXXXXX.	None
	♣ Enter the account number with prefix (prefix eg: "G-" or "UA-")	
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file.	None

⚠ Must be kept private and not accessible on the internet directly

	≅ None Included Excluded	
Google Analytics Available Groups	User groups for which Google Analytics will be available I All Admins DocContributors DocTwoAdmins DocTwoEditors Registered Team Developers	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. Enter only XXXXXXX-YY (without the UA)	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. • Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups ■ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available	None
Option	Description	Default
Google Analytics account number	The account number for the site. The account number from Google is something like UA-XXXXXXX-YY. Enter only XXXXXXX-YY (without the UA)	None
Google Global Site Tag Mode	Use the newer Google Global Site Tag (gtag.js) as opposed to the previous ga.js.	Enabled
Google authentication credentials file	Path to the Google Service Account credentials JSON file. • Must be kept private and not accessible on the internet directly	None
Google Analytics Groups Option	Define option for Google Analytics groups ■ None Included Excluded	None
Google Analytics Available Groups	User groups for which Google Analytics will be available	None

Default

None

Description

Define option for Google Analytics groups

Option

Google Analytics Groups Option

Stats - Piwik Analytics

Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript cracking code	Code to be placed on every page of this website just before the	
	tag	
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups ∷ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available	None
Option	Description	Default
Piwik server URL	The URL to the Piwik server of this site In Piwik, the selected site (Site Id) must have view permission set for anonymous, or a token authentication parameter can be inserted in the Piwik server URL. http(s)://yourpiwik.tld/index.php(?token_auth=yourtokencode)	None
Site Id	The ID of this website in Piwik	None
Piwik JavaScript tracking code	Code to be placed on every page of this website just before the tag	None
Piwik Groups Option	Define option for Piwik groups ∷ None Included Excluded	None
Piwik Available Groups	User groups for which piwik will be available	None

None ntication None
None
None
None
None
Default
None itication
None
None
None
None
Default
Disable
Disable
Disabled
1

•		•			
Stats		Record basic st	atistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disabled
Referrer stats		Record domain name of sites that send visitors to this Tiki.			Disabled
Count admin pageviews		Include pageviews by Admin when reporting stats.			Disabled
Option		Description			Default
Stats		Record basic st	atistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disabled
Referrer stats		Record domain name of sites that send visitors to this Tiki.			Disabled
Count admin pageviews		Include pageviews by Admin when reporting stats.			Disabled
Option		Description			Default
Stats		Record basic st	atistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disabled
Referrer stats		Record domain	name of sites that send visitors to this Tiki.		Disabled
Count admin pageviews		Include pageviews by Admin when reporting stats.			Disabled
Option		Description			Default
Stats		Record basic st	atistics about major Tiki features (number of wiki pages, size of file galleries, etc.)		Disabled
Referrer stats		Record domain	name of sites that send visitors to this Tiki.		Disabled
Count admin pageviews		Include pageviews by Admin when reporting stats.			Disabled
	None				
	Piwik Gr	oups Option	Define option for Piwik groups ■ None Included Excluded	None	
	Piwik Available Groups		User groups for which piwik will be available	None	
					l
					l

Default

Option

Description