## Programmer

## **Overview**

Enables features that are useful to programmers and Tiki developers

## **To Access**

From the Features page, click the **Programmer** tab.

Option	Description	Default	
nternet of things	Enable usage of Tiki Internet of Things apps log You can use this feature to connect your physical objects with your Tiki instance and collect/monitor your data in real time	Disabled	
ntegrator	<u>д</u>	Disabled	
Edit Blogs with KMLRPC API	Tiki implements the XML-RPC API of wBlogger. This API is used by several Windows applications that can be used to manage weblogs. Any application implementing the wBlogger XML-RPC API can be used to edit Tiki blogs. <i>S</i>	Disabled	
Debugger console	A popup console with a list of all PHP and Smarty variables used to render the current webpage. It can be viewed by clicking 'Quick Administration->Smarty debug window' or by appending ?show_smarty_debug=1 or &show_smarty_debug=1 to the page URL. You may also execute SQL, watch vars and perform a number of other functions. Only viewable by admins     Not suitable for production use.	Disabled	
<b>FikiTests</b>	Permits recording and playback of functional tests	Disabled	
Smarty compilation	Indicates when the template cache should be refreshed. ☷ Modified   Never check (performance)   Always (development, slow)	Modified	
Neb services	Can receive web services via JSON or YAML.	Disabled	

Related Topics

Features
Tiki

Developme

nt

Option	Description	Default
Dummy preference	<ul> <li>This is useful for developers to learn how to create a new preference. HTML may be used.</li> <li>★ This is the detail.</li> <li>♦ This is the hint. Wiki syntax may be used.</li> <li>♦ This is the shorthint. Wiki syntax may be used.</li> <li>▲ This is the warning. ▲</li> </ul>	This is the default value o
PHP Error reporting evel	Level of errors to be reported. Errors can be seen in a collapsible box at the bottom of the page, if any exist. ⋮ No error reporting   Report all PHP errors except strict   Report all PHP errors   Report all PHP errors except notices   According to the PHP configuration	Report all PHP errors excep
PHP errors visible to admin only	PHP Errors will be shown to only the Admin user. During site development, it's better to display errors to all users. However, in production settings, errors should only be displayed to administrators.	Enabled
nclude Smarty notices in the PHP error report	Tiki will display Smarty notices with the PHP error messages. In most cases, Smarty notices can be safely ignored. However, they may be useful in the development process when unexpected issues occur.	Disabled
₋og mail in Tiki logs	A line of type mail will be included in the System Log with the destination address and subject of each email sent. A May impact performance	Disabled
₋og SQL	<ul> <li>All SQL queries will be registered in the database in the tiki_sql_query_logs table.</li> <li> Do not enable this feature all the time. It can be very resource intensive and will impact performance.</li> </ul>	Disabled
og queries using nore than	Use to log only queries that exceed a specific amount of time. <b>A</b> May impact performance	0.05 seconds
Smarty template usage indicator	<ul> <li>Add HTML comment at start and end of each Smarty template (.tpl file)</li> <li>★ Clear the Tiki system cache for this change to take effect.</li> <li>▲ Use only for development, not in production at a live site, because these warnings are added to emails as well, and are visible to users in the page source.</li> <li>▲ May impact performance</li> </ul>	Disabled

Option	Description	Default
Custom JavaScript	Includes a block of inline JavaScript after the inclusion of jQuery and other JavaScript libs in all pages. Use PluginJS to include Javascript on a single wiki page. Do not include the < script > tags.	None
Smarty security	Enable/Disable Smarty security. If checked, you can then define allowed and disabled modifiers and tags(functions, blocks and filters) that should be or not accesible to the template. A You should leave this on unless you know what you are doing.	Enabled