

# Raw page display

Tiki allows to display wiki page in "raw" format by means of calling a wiki page through `tiki-index_raw_raw.php` with some extra parameters in the url. This is useful for highly customized content presentation of that wiki page, such as in the case of JQS5 slideshow presentations or exporting file with data from pretty trackers for R scripts (see PluginR to cite just two examples).

## Usage and Parameters

To show the content of a wiki page in "raw format", you can use a combination of the following parameters in the URL

Parameter	Accepted values	Default	Effect	Required?	Since
<i>page</i>	text (wiki page names)	default homepage	show that wiki page in raw mode	y	
<i>clean</i>			will show the page without the author & contributor information nor the labels for the buttons at the page bar (edit, source, etc)	n	6.1
<i>download</i>			will show the user a dialog to allow downloading a file on disk with the raw contents of that page instead of displaying it in the browser. Useful to be used in conjunction with the params <code>clean</code> , <code>textonly</code> and <code>filename</code>	n	6.1
<i>full</i>			will show most of the page with the javascript and css effects associated to it	n	5.0
<i>format</i>	jqs5		will show the page with the required javascript to display the contents as an S5 slideshow presentation	n	5.0 (broken in 16.x?)
<i>textonly</i>			will show contents of the page without any html tags, but only the text. Useful to be used in conjunction with the params <code>clean</code> , <code>download</code> and <code>filename</code>	n	6.1
<i>filename</i>	my_custom_script.r	(wiki page name)	will provide a default filename (and extension, if added) to the user in the download dialogue. Useful to be used in conjunction with the params <code>download</code>	n	6.1
<i>css</i>			will serve the page as <code>text/css</code> file type instead of <code>text/plain</code> in the download dialogue. Useful to be used in conjunction with the params <code>download</code> , <code>clean</code> and <code>textonly</code>	n	16.3/17.0

# Example 1

*This code,*

**Syntax for the S5 slideshow presentation**

[http://doc.tiki.org/tiki-index\\_raw\\_raw.php?page=ExampleSlideShow&full&format=jq5](http://doc.tiki.org/tiki-index_raw_raw.php?page=ExampleSlideShow&full&format=jq5)

*Would produce on this site:* (click in the url to see it)

[http://doc.tiki.org/tiki-index\\_raw\\_raw.php?page=ExampleSlideShow&full&format=jq5](http://doc.tiki.org/tiki-index_raw_raw.php?page=ExampleSlideShow&full&format=jq5)

# Example 2

*This code,*

**Syntax to allow downloading the contents of a page as clean text (no buttons) and in text only mode**

```
http://example.org/tiki-index_raw_raw.php?page=Foo&itemId=33&clean&textonly&download&filename=bar.r
```

*Would produce on this site:* (click in the url to see it)

```
http://example.org/tiki-index_raw_raw.php?page=Foo&itemId=33&clean&textonly&download&filename=bar.r
```

alias

Raw display | Raw