Internationalization (i18n)

Overview

Use this page to configure your site's base language and multilingual/internationalization settings.

To access

Click the **i18n** icon on the Admin Panel

or Access http://example.org/tiki-admin.php?page=i18n

Option	Description	Default
Default language	The site language is used when no other language is specified by the user. $ \begin{tabular}{l} \equiv Albanian (Shqip, sq) Arabic ($\emptyset\S\r)_,$$\emptyset^1$ر$Ø"\r)ŠØ©, ar) Brazilian Portuguese (Portugu\~A²³s Brasileiro, pt-br) Bulgarian ($\D\text{E}N\~SD\D³D°\~N\END^0\D_, $\D\D\D_\D^0\D_, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (\\r)UØ\SØ\pmس\r)Š, fa) Fijian (fj) Finnish (Suomi, fi) French ($	English (en)
Default admin language	The site language is used in admin section when no other language is specified by the user. \equiv Default language Albanian (Shqip, sq) Arabic (اÙ,عربية, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐ⁰Đ, ĐμĐ·Đ,Đ⁰, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Su	None
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî ★ "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". □ Complete Relaxed Strict	Complete

Related Topics

- MultilingualWiki
- Best language
- Bugs and Wishes

Option	Description	Default
Default character set for sending mail	Specify the character encoding used by Tiki when sending mail notifications.	utf-8
Multilingual	Enables internationalization features and multilingual support at the site.	Disabled
Detect browser language	Look up the user's preferred language through browser preferences.	Disabled
Show pages in user's preferred anguage	When accessing a page which has an equivalent in the user's preferred language, favor the translated page. Based on the user's Tiki preferences.	Disabled
Jsers can choose the anguage of their interface	Allow users to change the language of the menus and labels.	Enabled
Restrict supported languages	Limit the languages made available on the site. b Use Ctrl+Click to select multiple languages.	Disabled
Available languages	By default, all languages supported by Tiki are available on multilingual sites. This option allows limiting the languages to a subset. ☐ Albanian (Shqip, sq) Arabic (العربية, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐ⁰и ĐμзиĐ⁰, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Suomi, fi) French (None
Language inclusion threshold	When the number of languages is restricted on the site, and is below this number, all languages will be added to the preferred language list, even if unspecified by the user. However, priority will be given to the specified languages.	3 languages
Display available translations	Display list of available languages and offer to switch languages or translate. This appears on wiki pages and articles action buttons.	Enabled
Display available translations as dropdown	Instead of a simple icon to list available languages or translation options, show a more visible drop-down list.	Disabled
Synchronize page and site anguage	Changing the page language also changes the site language	Disabled
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Franslation assistant	Track translation operations between pages.	Disabled

Option	Description	Default
Jrgent translation notifications	Enable changes to be flagged as urgent, so translations are marked with a notice visible to all users.	Disabled
ncomplete translation notice	When a page is translated to a new language, a notice will automatically be inserted into the page to indicate that the translation is not yet complete.	Enabled
Display all languages in a single page	List all languages as options in the page-language dropdown list, to see them all at once.	Disabled
Quantify change size	In addition to tracking the changes, track the change size and display approximately how up-to-date the page is.	Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Jser watches translations		Disabled
Multilingual structures	Structures search for equivalent pages in other languages. A May cause performance problems with larger structures.	Disabled
Multilingual tags	Permits translation management of tags	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. □ None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Plugin Translate	Translate text to the user language	Disabled
Plugin Language	Show alternative content based on the page language	Enabled
Plugin Translated	Create multilingual links	Enabled
Jse database for translation	Use the database to store the translated strings and allow using interactive translation b Edit, export and import languages	Disabled
Manage contribution of translated strings	Offers to set whether each translated string should be contributed to the Tiki community or kept locally	Disabled

Option	Description	Default		
Record untranslated strings	Keep track of the unsuccessful attemps to translate strings.	Disabled		
Machine translation	Uses machine translation to translate the content of the site to other languages. Note that this feature relies on external services thay may not be free. Google Translate is a paid service.	Disabled		
Machine translation mplementation	Select between alternate impementations for machine translation. Depending on the implementation, different API keys may be required. ⊞ Google Translate Bing Translate	None		
Google Translate API Key	The key must be generated from the Google console. Choose to create a server key.	None		
Bing Translate Client ID	The application must be registered.	None		
Bing Translate Client Secret	The application must be registered.	None		
Enable machine translation of wiki pages	Makes additional languages available to the list of languages on the page.	Disabled		
Certain pages redirect to nomepage when language is changed		Disabled		
List of pages that redirect	List of names of pages that always redirect to the homepage when the language is switched \$\int Separate page names by commas\$	Disabled		
Option	Description		4	Default
Default language	The site language is used when no other language is specified by the Ξ Albanian (Shqip, sq) Arabic (العربية, ar) Brazilian Portuguese Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐºĐ¸ ĐµĐ·Đ¸Đº, bg) Catalan (CatalÃ, ca) Croat (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) Engl Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Suomi, fi) French (e (Português Bra atian (Hrvatski, hr	r) Czech	English (en)
Default admin language	The site language is used in admin section when no other language is \Box Default language Albanian (Shqip, sq) Arabic (اÙ,,عربية, ar) B Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐºĐ¸ ĐμĐ·Đ¸Đº, bg) Catalan (hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Su	Brazilian Portugue (Català , ca) Cro	ese (Português patian (Hrvatski,	None

Option	Description	Default
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". □ Complete Relaxed Strict	Complete
Default character set for sending mail	Specify the character encoding used by Tiki when sending mail notifications. iii utf-8 iso-8859-1	utf-8
Multilingual	Enables internationalization features and multilingual support at the site.	Disabled
Detect browser language	Look up the user's preferred language through browser preferences.	Disabled
Show pages in user's preferred anguage	When accessing a page which has an equivalent in the user's preferred language, favor the translated page. Based on the user $\hat{a} \in \mathbb{T}$ s Tiki preferences.	Disabled
Jsers can choose the language of their interface	Allow users to change the language of the menus and labels.	Enabled
Restrict supported languages	Limit the languages made available on the site. • Use Ctrl+Click to select multiple languages.	Disabled
Available languages	By default, all languages supported by Tiki are available on multilingual sites. This option allows limiting the languages to a subset. $ \begin{tabular}{l} \hline \blacksquare Albanian (Shqip, sq) Arabic (Ø\S\grave{U},Ø^1رØ^"\grave{U}ŠØ@, ar) Brazilian Portuguese (Português Brasileiro, pt-br) Bulgarian (бNŠĐ»Đ³Đ°N€NĐºĐ, Đ\muĐ·Đ, Đ^9, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (\grave{U}Ø\$رس\grave{U}Š, fa) Fijian (fj) Finnish (Suomi, fi) French (\end{tabular} $	None
Language inclusion threshold	When the number of languages is restricted on the site, and is below this number, all languages will be added to the preferred language list, even if unspecified by the user. However, priority will be given to the specified languages.	3 languages
Display available translations	Display list of available languages and offer to switch languages or translate. This appears on wiki pages and articles action buttons.	Enabled
Display available translations as dropdown	Instead of a simple icon to list available languages or translation options, show a more visible drop-down list.	Disabled
Synchronize page and site language	Changing the page language also changes the site language	Disabled
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Franslation assistant	Track translation operations between pages.	Disabled
Jrgent translation notifications	Enable changes to be flagged as urgent, so translations are marked with a notice visible to all users.	Disabled

Option	Description	Default
ncomplete translation notice	When a page is translated to a new language, a notice will automatically be inserted into the page to indicate that the translation is not yet complete.	Enabled
Display all languages in a single page	List all languages as options in the page-language dropdown list, to see them all at once.	Disabled
Quantify change size	In addition to tracking the changes, track the change size and display approximately how up-to- date the page is.	Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Jser watches translations		Disabled
Multilingual structures	Structures search for equivalent pages in other languages. A May cause performance problems with larger structures.	Disabled
Multilingual tags	Permits translation management of tags	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ■ None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Plugin Translate	Translate text to the user language	Disabled
Plugin Language	Show alternative content based on the page language	Enabled
Plugin Translated	Create multilingual links	Enabled
Jse database for translation	Use the database to store the translated strings and allow using interactive translation b Edit, export and import languages	Disabled
Manage contribution of translated strings	Offers to set whether each translated string should be contributed to the Tiki community or kept locally	Disabled
Record untranslated strings	Keep track of the unsuccessful attemps to translate strings.	Disabled
Machine translation	Uses machine translation to translate the content of the site to other languages. Note that this feature relies on external services thay may not be free. Google Translate is a paid service.	Disabled
Machine translation implementation	Select between alternate impementations for machine translation. Depending on the implementation, different API keys may be required. ☐ Google Translate Bing Translate	None
Google Translate API Key	The key must be generated from the Google console. Choose to create a server key.	None

Option	Description	Default
Bing Translate Client ID	The application must be registered.	None
Bing Translate Client Secret	The application must be registered.	None
Enable machine translation of wiki pages	Makes additional languages available to the list of languages on the page.	Disabled
Certain pages redirect to homepage when language is changed		Disabled
list of pages that redirect	List of names of pages that always redirect to the homepage when the language is switched \$\frac{1}{2}\$ Separate page names by commas	Disabled
Option	Description	Default
Default language	The site language is used when no other language is specified by the user. Ξ Albanian (Shqip, sq) Arabic (\emptyset §Ù, \emptyset ¹Ø±Ø¨ÙŠØ©, ar) Brazilian Portuguese (Português Brasileiro, pt-br) Bulgarian (D ±ÑŠĐ» D ³D°Ñ€Ñ D ⁰D¸ D µ D ∙D¸ D 0, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Suomi, fi) French (English (en)
Default admin language	The site language is used in admin section when no other language is specified by the user. \blacksquare Default language Albanian (Shqip, sq) Arabic (اÙ,,عربية, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐ⁰и ĐμзиĐ⁰, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Su	None
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". □ Complete Relaxed Strict	Complete
Default character set for sending mail	Specify the character encoding used by Tiki when sending mail notifications. iii utf-8 iso-8859-1	utf-8
Multilingual	Enables internationalization features and multilingual support at the site.	Disabled
Detect browser language	Look up the user's preferred language through browser preferences.	Disabled
Show pages in user's preferred anguage	When accessing a page which has an equivalent in the user's preferred language, favor the translated page. Based on the user $\hat{a} \in \mathbb{R}^m$ s Tiki preferences.	Disabled
Jsers can choose the language of their interface	Allow users to change the language of the menus and labels.	Enabled
Restrict supported languages	Limit the languages made available on the site. Use Ctrl+Click to select multiple languages.	Disabled

Option	Description	Default
Available languages	By default, all languages supported by Tiki are available on multilingual sites. This option allows limiting the languages to a subset. $ \blacksquare \text{ Albanian (Shqip, sq)} \mid \text{Arabic ($\emptyset\$\grave{U},\emptyset^1\emptyset\pm\emptyset^"\grave{U}Š\&@, ar)} \mid \text{Brazilian Portuguese (Portugu$\^{A}^2$s Brasileiro, pt-br)} \mid \text{Bulgarian } (\textcircled{D}\pm\~NŠ\textcircled{D}»\textcircled{D}^3\textcircled{D}°\~N\~E\~N\textcircled{D}^2\textcircled{D}_, \textcircled{D}\mu\textcircled{D}\cdot\textcircled{D}_,\textcircled{D}^0_, bg)} \mid \text{Catalan (Catal$\^{A}$, ca)} \mid \text{Croatian (Hrvatski, hr)} \mid \text{Czech (\ddot{A}Eesky, cs)} \mid \text{Danish (Dansk, da)} \mid \text{Dutch (Nederlands, nl)} \mid \text{English (en)} \mid \text{English British (British English, en-uk)} \mid \text{Farsi (\dot{V}\&$$} \textcircled{B} \not= \textcircled{O}^3 \r{U} \British (f)} \mid \text{Finnish (Suomi, fi)} \mid \text{French (} $	None
_anguage inclusion threshold	When the number of languages is restricted on the site, and is below this number, all languages will be added to the preferred language list, even if unspecified by the user. However, priority will be given to the specified languages.	3 languages
Display available translations	Display list of available languages and offer to switch languages or translate. This appears on wiki pages and articles action buttons.	Enabled
Display available translations as dropdown	Instead of a simple icon to list available languages or translation options, show a more visible drop-down list.	Disabled
Synchronize page and site language	Changing the page language also changes the site language	Disabled
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Franslation assistant	Track translation operations between pages.	Disabled
Jrgent translation notifications	Enable changes to be flagged as urgent, so translations are marked with a notice visible to all users.	Disabled
ncomplete translation notice	When a page is translated to a new language, a notice will automatically be inserted into the page to indicate that the translation is not yet complete.	Enabled
Display all languages in a single page	List all languages as options in the page-language dropdown list, to see them all at once.	Disabled
Quantify change size	In addition to tracking the changes, track the change size and display approximately how up-to- date the page is.	Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Jser watches translations		Disabled
Multilingual structures	Structures search for equivalent pages in other languages. A May cause performance problems with larger structures.	Disabled
Multilingual tags	Permits translation management of tags	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ■ None Only those specified All but those specified	None

Option	Description	Default
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Plugin Translate	Translate text to the user language	Disabled
Plugin Language	Show alternative content based on the page language	Enabled
Plugin Translated	Create multilingual links	Enabled
Jse database for translation	Use the database to store the translated strings and allow using interactive translation b Edit, export and import languages	Disabled
Manage contribution of translated strings	Offers to set whether each translated string should be contributed to the Tiki community or kept locally	Disabled
Record untranslated strings	Keep track of the unsuccessful attemps to translate strings.	Disabled
Machine translation	Uses machine translation to translate the content of the site to other languages. Note that this feature relies on external services thay may not be free. Google Translate is a paid service.	Disabled
Machine translation implementation	Select between alternate impementations for machine translation. Depending on the implementation, different API keys may be required. ☐ Google Translate Bing Translate	None
Google Translate API Key	The key must be generated from the Google console. Choose to create a server key.	None
Bing Translate Client ID	The application must be registered.	None
Bing Translate Client Secret	The application must be registered.	None
Enable machine translation of wiki pages	Makes additional languages available to the list of languages on the page.	Disabled
Certain pages redirect to homepage when language is changed		Disabled
list of pages that redirect	List of names of pages that always redirect to the homepage when the language is switched Separate page names by commas	Disabled

Option	Description	Default
Default language	The site language is used when no other language is specified by the user. Ξ Albanian (Shqip, sq) Arabic (\emptyset §Ù, \emptyset ¹Ø±Ø"ية, ar) Brazilian Portuguese (Português Brasileiro, pt-br) Bulgarian (D ±ÑŠ D » D ³ D °Ñ E Ñ D 9 D , D 4 D 0, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒsky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Suomi, fi) French (English (en)
Default admin language	The site language is used in admin section when no other language is specified by the user. \boxminus Default language Albanian (Shqip, sq) Arabic (اÙ,,عربية, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐ⁰и ĐμзиĐ⁰, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Su	None
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî ★ "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". E Complete Relaxed Strict	Complete
Default character set for sending mail	Specify the character encoding used by Tiki when sending mail notifications. iii utf-8 iso-8859-1	utf-8
Multilingual	Enables internationalization features and multilingual support at the site.	Disabled
Detect browser language	Look up the user's preferred language through browser preferences.	Disabled
Show pages in user's preferred anguage	When accessing a page which has an equivalent in the user's preferred language, favor the translated page. Based on the user's Tiki preferences.	Disabled
Jsers can choose the language of their interface	Allow users to change the language of the menus and labels.	Enabled
Restrict supported languages	Limit the languages made available on the site. Use Ctrl+Click to select multiple languages.	Disabled
Available languages	By default, all languages supported by Tiki are available on multilingual sites. This option allows limiting the languages to a subset. $ \begin{tabular}{l} \hline \blacksquare Albanian (Shqip, sq) Arabic (Ø\S\r)_, Ø^1رØ"\r)SØ@, ar) Brazilian Portuguese (Portugu\~Aªs Brasileiro, pt-br) Bulgarian (б\~NŠĐ»Đ³Đ°N\~E\~NĐºĐ_, езĐ_,а, bg) Catalan (Català , ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (\r) Ø\Sرس\r)S, fa) Fijian (fj) Finnish (Suomi, fi) French () $	None
_anguage inclusion threshold	When the number of languages is restricted on the site, and is below this number, all languages will be added to the preferred language list, even if unspecified by the user. However, priority will be given to the specified languages.	3 languages

Option	Description	Default
Display available translations	Display list of available languages and offer to switch languages or translate. This appears on wiki pages and articles action buttons.	Enabled
Display available translations as dropdown	Instead of a simple icon to list available languages or translation options, show a more visible drop-down list.	Disabled
Synchronize page and site language	Changing the page language also changes the site language	Disabled
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Franslation assistant	Track translation operations between pages.	Disabled
Jrgent translation notifications	Enable changes to be flagged as urgent, so translations are marked with a notice visible to all users.	Disabled
ncomplete translation notice	When a page is translated to a new language, a notice will automatically be inserted into the page to indicate that the translation is not yet complete.	Enabled
Display all languages in a single page	List all languages as options in the page-language dropdown list, to see them all at once.	Disabled
Quantify change size	In addition to tracking the changes, track the change size and display approximately how up-to- date the page is.	Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Jser watches translations		Disabled
Multilingual structures	Structures search for equivalent pages in other languages. • May cause performance problems with larger structures.	Disabled
Multilingual tags	Permits translation management of tags	Disabled
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ■ None Only those specified All but those specified	None
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).	None
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled
Plugin Translate	Translate text to the user language	Disabled
Plugin Language	Show alternative content based on the page language.	Enabled
	Create multilingual links	Enabled

Option	Description	Default
Jse database for translation	Use the database to store the translated strings and allow using interactive translation begin{bmatrix} begin{bmatrix} begin	Disabled
Manage contribution of translated strings	Offers to set whether each translated string should be contributed to the Tiki community or kept locally	Disabled
Record untranslated strings	Keep track of the unsuccessful attemps to translate strings.	Disabled
Machine translation	Uses machine translation to translate the content of the site to other languages. Note that this feature relies on external services thay may not be free. Google Translate is a paid service. \blacksquare	Disabled
Machine translation implementation	Select between alternate impementations for machine translation. Depending on the implementation, different API keys may be required. ☐ Google Translate Bing Translate	None
Google Translate API Key	The key must be generated from the Google console. Choose to create a server key.	None
Bing Translate Client ID	The application must be registered.	None
Bing Translate Client Secret	The application must be registered.	None
Enable machine translation of wiki pages	Makes additional languages available to the list of languages on the page.	Disabled
Certain pages redirect to homepage when language is changed		Disabled
List of pages that redirect	List of names of pages that always redirect to the homepage when the language is switched Separate page names by commas	Disabled
Option	Description	Default
Default language	The site language is used when no other language is specified by the user. Ξ Albanian (Shqip, sq) Arabic (\emptyset §Ù,, \emptyset ¹ \emptyset ± \emptyset ¨ÙŠ \emptyset ©, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Θ ± \widetilde{N} Š Θ » Θ ³ Θ ° \widetilde{N} € \widetilde{N} Θ ° Θ , Θ Θ , bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (Ù \emptyset § \emptyset ± \emptyset ³ U Š, fa) Fijian (fj) Finnish (Suomi, fi) French (English (en)
Default admin language	The site language is used in admin section when no other language is specified by the user. \blacksquare Default language Albanian (Shqip, sq) Arabic (العربية, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐ⁰иĐμзиĐ⁰, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British	None

Option	Description	Default	
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". □ Complete Relaxed Strict		
Default character set for sending mail	Specify the character encoding used by Tiki when sending mail notifications. i≡ utf-8 iso-8859-1		
Multilingual	Enables internationalization features and multilingual support at the site.		
Detect browser language	Look up the user's preferred language through browser preferences.		
Show pages in user's preferred anguage	When accessing a page which has an equivalent in the user's preferred language, favor the translated page. Based on the user's Tiki preferences.		
Jsers can choose the language of their interface	Allow users to change the language of the menus and labels.		
Restrict supported languages	Limit the languages made available on the site. \$\frac{1}{2}\$ Use Ctrl+Click to select multiple languages.		
Available languages	By default, all languages supported by Tiki are available on multilingual sites. This option allows limiting the languages to a subset. \blacksquare Albanian (Shqip, sq) Arabic (اÙ,عربية, ar) Brazilian Portuguese (Portuguós Brasileiro, pt-br) Bulgarian (Đ±ÑŠĐ»Đ³Đ°Ñ€ÑĐ⁰и ĐμзиĐ⁰, bg) Catalan (CatalÃ, ca) Croatian (Hrvatski, hr) Czech (ÄŒesky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (ÙØ§Ø±Ø³ÙŠ, fa) Fijian (fj) Finnish (Suomi, fi) French (
anguage inclusion threshold	When the number of languages is restricted on the site, and is below this number, all languages will be added to the preferred language list, even if unspecified by the user. However, priority will be given to the specified languages.		
Display available translations	Display list of available languages and offer to switch languages or translate. This appears on wiki pages and articles action buttons.		
Display available translations as dropdown	Instead of a simple icon to list available languages or translation options, show a more visible drop-down list.		
Synchronize page and site language	Changing the page language also changes the site language		
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.		
Franslation assistant	Track translation operations between pages.	Disabled	
gent translation notifications Enable changes to be flagged as urgent, so translations are marked with a notice visible to all users.			

Option	Description	Default	
ncomplete translation notice	When a page is translated to a new language, a notice will automatically be inserted into the page to indicate that the translation is not yet complete.		
Display all languages in a single page	List all languages as options in the page-language dropdown list, to see them all at once.	Disabled	
Quantify change size	In addition to tracking the changes, track the change size and display approximately how up-to- date the page is.		
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).		
Jser watches translations		Disabled	
Multilingual structures	Structures search for equivalent pages in other languages. A May cause performance problems with larger structures.		
Multilingual tags	Permits translation management of tags		
Synchronize multilingual categories	Make sure that the categories of the translations are synchronized when modified on any version. ■ None Only those specified All but those specified		
Synchronized categories	List of categories affected by the multilingual synchronization. Depending on the parent feature, this list will be used as a white list (the only categories allowed) or as a black list (all categories allowed except those specified).		
Multilingual dynamic variables	Make dynamic variable content language-specific.	Disabled	
Plugin Translate	Translate text to the user language		
Plugin Language	Show alternative content based on the page language.		
Plugin Translated	Create multilingual links		
Jse database for translation	Use the database to store the translated strings and allow using interactive translation b Edit, export and import languages		
Manage contribution of translated strings	Offers to set whether each translated string should be contributed to the Tiki community or kept locally		
Record untranslated strings	Keep track of the unsuccessful attemps to translate strings.		
Machine translation	Uses machine translation to translate the content of the site to other languages. Note that this feature relies on external services thay may not be free. Google Translate is a paid service. \blacksquare		
Machine translation implementation	Select between alternate impementations for machine translation. Depending on the implementation, different API keys may be required. □ Google Translate Bing Translate		
Google Translate API Key	The key must be generated from the Google console. Choose to create a server key.	None	

prion	Beschiption	Delaule
Bing Translate Client ID	The application must be registered.	
Bing Translate Client Secret	The application must be registered.	None
Enable machine translation of wiki pages	Makes additional languages available to the list of languages on the page.	Disabled
Certain pages redirect to homepage when language is changed		Disabled
ist of pages that redirect	List of names of pages that always redirect to the homepage when the language is switched • Separate page names by commas	Disabled

Default

Description

Option

Internationalization (i18n)

Internationalization in computer science means the process of making a computer program ready to support many languages (have the interface translated in to different languages which the user can select according to his/her preferences, showing content or menus for some languages but not others, etc.).

TIP:

It is often also known as "i18n" (since the word internationalization is quite long, but is the most common word starting with an I, followed by 18 more characters, and ending with an n: i+18+n = "i18n").

A similar approach was followed with the word localization (the process of making a new translation for a local language in an internationalized software) as "I10n" (= I+10+n).

Overview

Tiki was designed to be multilingual since the beginning and is nowadays translated to over 35 languages. The standard out-of-the-box Tiki installation is designed to work in a multilingual environment. If ever you encounter any problems, please consult with your ISP or server administrator to make sure your database is configured to supports UTF-8 character encoding (which almost certainly the case).

The list and the status of the strings translations for the Tiki interface are updated on: http://tiki.org/i18n. The strings are the messages and the menu labels.

As an administrator, you can build a monolingual site other than an English one or a multilingual site.

As a user, you can view a multilingual site in you favorite language, and have pages translated into other languages.

Starting in Tiki2, it is MUCH easier for your community to keep wiki pages updated and synchronized among all translations. Please see: http://wiki-translation.com/Cross+Lingual+Wiki+Engine+Project

More documentation

- Interface translation (old)
- i18n Admin
- Multilingual Article
- Multilingual categories
- Multilingual Module
- Multilingual Menu
- Multilingual Structures
- Multilingual tags
- Multilingual Trackers
- Multilingual Wiki
- Machine Translation

- Interface translation
 - Interactive Translation
- Best language
- UTF-8
- Character Encoding
- PluginLang
- PluginTr
- PluginTranslated
- Module switch_lang
- Module switch_lang2
- Module translation
- · i18n terminology
- http://profiles.tiki.org/Collaborative_Multilingual_Terminology
- http://profiles.tiki.org/Multilingual_Wiki

Alias

- Internationalization
- ·æ~¾ç¤ºä¸æ-‡
- ·110n
- Translation
- Language
- Languages