

Test Page

PluginTabs

This code:

```
{TABS(name="user_tabset_01" tabs="Title 1|Title 2|Title3")}This is the content of the first tab ///// This is the content of the second tab ///// This is the content of the third tab {TABS}
```

Would produce:

This is the content of the first tab

This is the content of the second tab

This is the content of the third tab

When clicking on a tab name, the content of each tab is loaded and shown without refreshing the browser window. And when clicking on the "**No Tabs**" option, the display would change into:



Related pages

- [PluginPageTabs](#)

Aliases

Plugintabs | Plugintab | PluginTab | Plugin Tabs | Plugin tabs

Bernard test for video

HTML for bootstrap 5.3

It is not possible to add a class in the Wikiplugin (which is another consistency issue between wiki plugins) so it have to be added in the parent div.


Ignore this, just a page for testing.

Test Friday 17 January, 2025 22:03:22 UTC

I don't ignore pages

Just another testing line...

This will break this page:



The screenshot shows a web application interface for a 'Report Builder'. The interface includes a 'Report Type' dropdown set to 'Tracker', a 'Tracker' dropdown set to 'Time sheet - 4', and a 'Join Tracker' button. Below these are input fields for 'Start', 'End', and 'Item Id'. A 'Search' section shows 'Summary - 12' selected. A 'Status' section has checkboxes for 'o', 'p', and 'c', all of which are checked. A 'Fields' section has checkboxes for 'Summary - 12', 'Associated project - 13', 'Description - 14', 'Amount of time spent - 15', and 'Done by - 16', all of which are checked. A 'Limit' input field is present. At the bottom, there are buttons for 'Preview', 'Wiki Data', and 'Export As CSV'. A dialog box titled 'Wiki Data Output For REPORT Plugin' is open, displaying a code editor with the following content:

```
{REPORT()};  
: type : Tracker  
: tracker_value : 4  
: tracker_search_0_value : 12  
: tracker_status_0_value : o  
: tracker_status_1_value : p  
: tracker_status_2_value : c  
: tracker_fields_0_value : 12  
: tracker_fields_1_value : 13  
: tracker_fields_2_value : 14  
: tracker_fields_3_value : 15  
: tracker_fields_4_value : 16  
{REPORT}
```

Below the dialog box, a table is visible with columns A, B, C, D, and E. The first row contains the text '1 Summary - 12 Associated project ... Description - 14 Amount of time sp... Done by - 16'. The second row contains '2 Watch TV' in column A and 'Taking it easy
 5' in column D. The third row contains '3' in column A.

Click to expand

16 : 9 ratio

b. 16 : 9 ratio iframe

"This code ..."

```
{HTML()}  
{HTML}
```

... will show this video

d. 4 : 3 ratioÂ iframe

"This code ..."

```
{HTML()}
```

```
{HTML}
```

... will show this video

For TikiÂ 7

- 28 may - jb here testing saving ajax errors
- Maybe try without having done a preview...
- what else could it be? 3 saves and no error (in Firefox 4.0.1)
- trying the click on save directly thing... seemed fine
- maybe if you edit for ages?
 - I bet it only happens when you really don't want it to...
 - trying with pop-up preview...
 - Seems the auto save timer is broken ðŸ˜‘
- Wonder if that magnify icon to open/close the preview pane is the right icon?
 - Probably not...
- I also wonder if there are any docs about this *new* preview thing?

Have to go out now, will try more later.

Previously on TikiÂ 6

- In Safari if you make a change and then click directly on the save button you sometimes get an alert about an undefined and irrelevant AJAX error.
 - Fixed (as far as i can tell)