

General Settings tab

Overview

Use this tab to configure the general settings for most textarea and text entry fields.

Related Topics

- [Wiki](#)
- [WYSIWYG](#)

To Access

From the [General Admin](#) page, click the **General Preferences** tab.

Option	Description	Default
Full screen	Allow users to activate full-screen mode.	
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	
Dynamic content system	Block of content which can be reused and programmed (timed)	
Search and replace	Enables finding and replacing of content in the edit box	
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing)	
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	
Preview Edits	Add a preview tab to text areas.	
Smileys	Also known as emoticons	
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	

Option	Description	Default
Tables syntax	<p>for rows <return> for rows Wiki argument variables Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings Dynamic variables Global snippets of text that can be included in wiki pages and edited in place. Single () Double (%No value assigned%) Multilingual dynamic variables Make dynamic variable content language-specific. Multilevel style numbering for ordered lists Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc. Convert from absolute to relative link Process wiki text and convert internal links from absolute to relative links Markdown Support markdown syntax. Github-flavored markdown Enable Github-flavored markdown. Default syntax Which syntax to use as the default wiki syntax when a new content block is created. Markdown Enable Typography Features Features to replace normal characters with typographic equivalents Smart "curly" quotes Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes Convert approximative ASCII quotes Convert plain-ASCII quote substitutes `` ,, << >> to their typographic equivalent " " „ « » Smart em-dash and ellipsis Convert double hyphen — to em-dash — and three consecutive dots . (cont.)</p>	

Option	Description	Default
	<p>(cont'd).. to typographic ellipsis character... Smart no-break space Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it. Plugin Add Bibliography Add bibliography listing in the footer of a wiki page Plugin Add Reference Add a bibliography reference. Plugin Anchor Link Create a link to an anchor Plugin Anchor Name Create an anchor that can be linked to Plugin Box Create a formatted box with a title bar Plugin Button Add a link formatted as a button Plugin Center Center text Plugin Code Display code with syntax highlighting and line numbering. Plugin Countdown Display the time until or after a date and time Plugin Div Define and format sections of a page or text Plugin Definition List Create a definition list Plugin Fade Create a link that shows/hides initially hidden content Plugin Fancy List Create a formatted numbered list Plugin Fancy Table Create a formatted table that can be filtered and sorted Plugin Font Format the font type and size of text Plugin Footnote Create automatically numbered footnotes (together with PluginFootnoteArea) Plugin Footnote Area Create automatically numbered footnotes (together with PluginFootnote) Plugin Gauge Display a horizontal bar gauge Plugin HTML Add HTML to a page Plugin Iframe Include the body of another web page in a scrollable frame within a page Plugin Include Include a portion of another wiki page Plugin Monospace Display text in a monospace font Plugin Mouseover Display hidden content by mousing over text Plugin MediaWiki Table Display a table using MediaWiki syntax Plugin Now Show the current date and time Plugin Quote Format text as a quote Plugin Remarks Box Display a comment, tip, note or warning box Plugin Scroll Show animated text that scrolls up or down Plugin Sort Sort lines of text Plugin Split Arrange content on a page into rows and columns Plugin Superscript Apply superscript font to text Plugin Subscript Apply subscript font to text Plugin Tabs Arrange content in tabs Plugin Tag Apply an HTML tag to content Plugin Table of Contents (Structure) Display a table of contents of pages in a structure Plugin Versions Create tabs for showing alternate versions of content Plugin Show Preference Display the value of public global preferences Plugin CasperJS Enable running CasperJS scripts from this Tiki site.</p>	

Option	Description	Default
	<p>(cont'd) Plugin Countdown Display the time until or after a date and time Plugin Div Define and format sections of a page or text Plugin Definition List Create a definition list Plugin Fade Create a link that shows/hides initially hidden content Plugin Fancy List Create a formatted numbered list Plugin Fancy Table Create a formatted table that can be filtered and sorted Plugin Font Format the font type and size of text Plugin Footnote Create automatically numbered footnotes (together with PluginFootnoteArea) Plugin Footnote Area Create automatically numbered footnotes (together with PluginFootnote) Plugin Gauge Display a horizontal bar gauge Plugin HTML Add HTML to a page Plugin Iframe Include the body of another web page in a scrollable frame within a page Plugin Include Include a portion of another wiki page Plugin Monospace Display text in a monospace font Plugin Mouseover Display hidden content by mousing over text Plugin MediaWiki Table Display a table using MediaWiki syntax Plugin Now Show the current date and time Plugin Quote Format text as a quote Plugin Remarks Box Display a comment, tip, note or warning box Plugin Scroll Show animated text that scrolls up or down Plugin Sort Sort lines of text Plugin Split Arrange content on a page into rows and columns Plugin Superscript Apply superscript font to text Plugin Subscript Apply subscript font to text Plugin Tabs Arrange content in tabs Plugin Tag Apply an HTML tag to content Plugin Table of Contents (Structure) Display a table of contents of pages in a structure Plugin Versions Create tabs for showing alternate versions of content Plugin Show Preference Display the value of public global preferences Plugin CasperJS Enable running CasperJS scripts from this Tiki site.</p>	

Option	Description	Default
	<p>(cont'd) HTML purifier HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than ">" for quoting Center text using : instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.</p>	
	<p>(cont'd) HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than ">" for quoting Center text using : instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.</p>	
	<p>(cont'd) Forum Forum reply Cache external pages Cache external images External link icon External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set. Add "rel=nofollow" to external links Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index. Open external links in new window Open links to external sites in a new browser tab or window. Allow image lazy loading Allow that images are loaded in a lazy way</p>	

Option	Description	Default
<p>Option Description Default Full screen Allow users to activate full-screen mode. Use file galleries to store images If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead. Dynamic content system Block of content which can be reused and programmed (timed) Search and replace Enables finding and replacing of content in the edit box Code editor (CodeMirror) CodeMirror code editor, which provides syntax highlighting Syntax highlighter (CodeMirror) Theme CodeMirror themes (clear cache after changing) Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light Full WYSIWYG editor WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. (cont.)</p>		
<p>(cont'd) Ajax auto-save Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing. Preview Edits Add a preview tab to text areas. Enable Vue.js Toolbar Dialogs Smileys Also known as emoticons Wiki paragraph formatting When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. Create line breaks within paragraphs When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs. Parse wiki syntax in comments Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page Automonospaced text Lines indented with spaces will automatically be converted to monospace font.</p>		
<p>(cont'd) Tables syntax for rows <return> for rows</p>		
<p>Wiki argument variables</p>	<p>Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings</p>	
<p>Dynamic variables</p>	<p>Global snippets of text that can be included in wiki pages and edited in place.</p>	
<p>Multilingual dynamic variables</p>	<p>Make dynamic variable content language-specific.</p>	
<p>Multilevel style numbering for ordered lists</p>	<p>Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.</p>	
<p>Convert from absolute to relative link</p>	<p>Process wiki text and convert internal links from absolute to relative links</p>	

Option	Description	Default
Markdown	Support markdown syntax.	
Github-flavored markdown	Enable Github-flavored markdown.	
Default syntax	Which syntax to use as the default wiki syntax when a new content block is created.	
Enable Typography Features	Features to replace normal characters with typographic equivalents	
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` ,, << >> to their typographic equivalent " " „ « »	
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	
Plugin Add Reference	Add a bibliography reference.	
Plugin Anchor Link	Create a link to an anchor	
Plugin Anchor Name	Create an anchor that can be linked to	
Plugin Box	Create a formatted box with a title bar	
Plugin Button	Add a link formatted as a button	
Plugin Center	Center text	
Plugin Code	Display code with syntax highlighting and line numbering.	
Plugin Countdown	Display the time until or after a date and time	
Plugin Div	Define and format sections of a page or text	
Plugin Definition List	Create a definition list	
Plugin Fade	Create a link that shows/hides initially hidden content	
Plugin Fancy List	Create a formatted numbered list	
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	
Plugin Font	Format the font type and size of text	
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	
Plugin Gauge	Display a horizontal bar gauge	
Plugin HTML	Add HTML to a page	
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	
Plugin Include	Include a portion of another wiki page	
Plugin Monospace	Display text in a monospace font	
Plugin Mouseover	Display hidden content by mousing over text	
Plugin MediaWiki Table	Display a table using MediaWiki syntax	

Option	Description	Default
Plugin Now	Show the current date and time	
Plugin Quote	Format text as a quote	
Plugin Remarks Box	Display a comment, tip, note or warning box	
Plugin Scroll	Show animated text that scrolls up or down	
Plugin Sort	Sort lines of text	
Plugin Split	Arrange content on a page into rows and columns	
Plugin Superscript	Apply superscript font to text	
Plugin Subscript	Apply subscript font to text	
Plugin Tabs	Arrange content in tabs	
Plugin Tag	Apply an HTML tag to content	
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	
Plugin Versions	Create tabs for showing alternate versions of content	
Plugin Show Preference	Display the value of public global preferences	
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	
Hotwords		
Open hotwords in new window		
Characters that limit a hotword		
Use Quote plugin rather than ">" for quoting		
Center text using : instead of	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	
String to use to delimit simplebox		
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	
Wiki		
Comment box	Size (height) of the comment text area.	
Forum		
Forum reply		
Cache external pages		
Cache external images		
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	

Option	Description	Default
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	
Open external links in new window	Open links to external sites in a new browser tab or window.	
Allow image lazy loading	Allow that images are loaded in a lazy way	

Option	Description	Default
Full screen	Allow users to activate full-screen mode.	
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	
Dynamic content system	Block of content which can be reused and programmed (timed)	
Search and replace	Enables finding and replacing of content in the edit box	
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing)	
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	
Preview Edits	Add a preview tab to text areas.	
Enable Vue.js Toolbar Dialogs		
Smileys	Also known as emoticons	
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	

Option	Description	Default
Tables syntax	<p>for rows <return> for rows Wiki argument variables Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings Dynamic variables Global snippets of text that can be included in wiki pages and edited in place. Single (No value assigned) Double (%No value assigned%) Multilingual dynamic variables Make dynamic variable content language-specific. Multilevel style numbering for ordered lists Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc. Convert from absolute to relative link Process wiki text and convert internal links from absolute to relative links Markdown Support markdown syntax. Github-flavored markdown Enable Github-flavored markdown. Default syntax Which syntax to use as the default wiki syntax when a new content block is created. Markdown Enable Typography Features Features to replace normal characters with typographic equivalents Smart "curly" quotes Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes Convert approximative ASCII quotes Convert plain-ASCII quote substitutes `` ,, << >> to their typographic equivalent " " „ « » Smart em-dash and ellipsis Convert double hyphen — to em-dash — and three consecutive dots . (cont.)</p>	

Option	Description	Default
	<p>(cont'd).. to typographic ellipsis character... Smart no-break space Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it. Plugin Add Bibliography Add bibliography listing in the footer of a wiki page Plugin Add Reference Add a bibliography reference. Plugin Anchor Link Create a link to an anchor Plugin Anchor Name Create an anchor that can be linked to Plugin Box Create a formatted box with a title bar Plugin Button Add a link formatted as a button Plugin Center Center text Plugin Code Display code with syntax highlighting and line numbering. Plugin Countdown Display the time until or after a date and time Plugin Div Define and format sections of a page or text Plugin Definition List Create a definition list Plugin Fade Create a link that shows/hides initially hidden content Plugin Fancy List Create a formatted numbered list Plugin Fancy Table Create a formatted table that can be filtered and sorted Plugin Font Format the font type and size of text Plugin Footnote Create automatically numbered footnotes (together with PluginFootnoteArea) Plugin Footnote Area Create automatically numbered footnotes (together with PluginFootnote) Plugin Gauge Display a horizontal bar gauge Plugin HTML Add HTML to a page Plugin Iframe Include the body of another web page in a scrollable frame within a page Plugin Include Include a portion of another wiki page Plugin Monospace Display text in a monospace font Plugin Mouseover Display hidden content by mousing over text Plugin MediaWiki Table Display a table using MediaWiki syntax Plugin Now Show the current date and time Plugin Quote Format text as a quote Plugin Remarks Box Display a comment, tip, note or warning box Plugin Scroll Show animated text that scrolls up or down Plugin Sort Sort lines of text Plugin Split Arrange content on a page into rows and columns Plugin Superscript Apply superscript font to text Plugin Subscript Apply subscript font to text Plugin Tabs Arrange content in tabs Plugin Tag Apply an HTML tag to content Plugin Table of Contents (Structure) Display a table of contents of pages in a structure Plugin Versions Create tabs for showing alternate versions of content Plugin Show Preference Display the value of public global preferences Plugin CasperJS Enable running CasperJS scripts from this Tiki site.</p>	

Option	Description	Default
	<p>(cont'd) Plugin Countdown Display the time until or after a date and time Plugin Div Define and format sections of a page or text Plugin Definition List Create a definition list Plugin Fade Create a link that shows/hides initially hidden content Plugin Fancy List Create a formatted numbered list Plugin Fancy Table Create a formatted table that can be filtered and sorted Plugin Font Format the font type and size of text Plugin Footnote Create automatically numbered footnotes (together with PluginFootnoteArea) Plugin Footnote Area Create automatically numbered footnotes (together with PluginFootnote) Plugin Gauge Display a horizontal bar gauge Plugin HTML Add HTML to a page Plugin Iframe Include the body of another web page in a scrollable frame within a page Plugin Include Include a portion of another wiki page Plugin Monospace Display text in a monospace font Plugin Mouseover Display hidden content by mousing over text Plugin MediaWiki Table Display a table using MediaWiki syntax Plugin Now Show the current date and time Plugin Quote Format text as a quote Plugin Remarks Box Display a comment, tip, note or warning box Plugin Scroll Show animated text that scrolls up or down Plugin Sort Sort lines of text Plugin Split Arrange content on a page into rows and columns Plugin Superscript Apply superscript font to text Plugin Subscript Apply subscript font to text Plugin Tabs Arrange content in tabs Plugin Tag Apply an HTML tag to content Plugin Table of Contents (Structure) Display a table of contents of pages in a structure Plugin Versions Create tabs for showing alternate versions of content Plugin Show Preference Display the value of public global preferences Plugin CasperJS Enable running CasperJS scripts from this Tiki site.</p>	

Option	Description	Default
	<p>(cont'd) HTML purifier HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than ">" for quoting Center text using : instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.</p>	
	<p>(cont'd) HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results. AutoLinks Web (http://) and email addresses will automatically be converted to links. Hotwords Open hotwords in new window Characters that limit a hotword Use Quote plugin rather than ">" for quoting Center text using : instead of Useful to avoid conflicts with C++ scope operators or default namespace separator String to use to delimit simplebox Text string used to customise mail templates Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files Wiki Comment box Size (height) of the comment text area.</p>	
	<p>(cont'd) Forum Forum reply Cache external pages Cache external images External link icon External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set. Add "rel=nofollow" to external links Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index. Open external links in new window Open links to external sites in a new browser tab or window. Allow image lazy loading Allow that images are loaded in a lazy way</p>	

Option	Description	Default
<p>Option Description Default Full screen Allow users to activate full-screen mode. Use file galleries to store images If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead. Dynamic content system Block of content which can be reused and programmed (timed) Search and replace Enables finding and replacing of content in the edit box Code editor (CodeMirror) CodeMirror code editor, which provides syntax highlighting Syntax highlighter (CodeMirror) Theme CodeMirror themes (clear cache after changing) Off (but switchable) 3024-day 3024-night ambiance ambiance-mobile base16-dark base16-light blackboard cobalt eclipse elegant erlang-dark lesser-dark mbo midnight monokai neat night paraiso-dark paraiso-light rubyblue solarized the-matrix tomorrow-night-eighties twilight vibrant-ink xq-dark xq-light Full WYSIWYG editor WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. (cont.)</p>		
<p>(cont'd) Ajax auto-save Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing. Preview Edits Add a preview tab to text areas. Smileys Also known as emoticons Wiki paragraph formatting When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line. Create line breaks within paragraphs When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs. Parse wiki syntax in comments Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page Automonospaced text Lines indented with spaces will automatically be converted to monospace font.</p>		
<p>(cont'd) Tables syntax for rows <return> for rows</p>		
<p>Wiki argument variables</p>	<p>Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings</p>	
<p>Dynamic variables</p>	<p>Global snippets of text that can be included in wiki pages and edited in place.</p>	
<p>Multilingual dynamic variables</p>	<p>Make dynamic variable content language-specific.</p>	
<p>Multilevel style numbering for ordered lists</p>	<p>Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.</p>	
<p>Convert from absolute to relative link</p>	<p>Process wiki text and convert internal links from absolute to relative links</p>	

Option	Description	Default
Enable Typography Features	Features to replace normal characters with typographic equivalents	
Smart "curly" quotes	Convert "straight" quotes to "curly" ones, also convert ' apostrophe and 'single' quotes	
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` ,, << >> to their typographic equivalent " " „ « »	
Smart em-dash and ellipsis	Convert double hyphen — to em-dash — and three consecutive dots ... to typographic ellipsis character...	
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	
Plugin Add Reference	Add a bibliography reference.	
Plugin Anchor Link	Create a link to an anchor	
Plugin Anchor Name	Create an anchor that can be linked to	
Plugin Box	Create a formatted box with a title bar	
Plugin Button	Add a link formatted as a button	
Plugin Center	Center text	
Plugin Code	Display code with syntax highlighting and line numbering.	
Plugin Countdown	Display the time until or after a date and time	
Plugin Div	Define and format sections of a page or text	
Plugin Definition List	Create a definition list	
Plugin Fade	Create a link that shows/hides initially hidden content	
Plugin Fancy List	Create a formatted numbered list	
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	
Plugin Font	Format the font type and size of text	
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	
Plugin Gauge	Display a horizontal bar gauge	
Plugin HTML	Add HTML to a page	
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	
Plugin Include	Include a portion of another wiki page	
Plugin Monospace	Display text in a monospace font	
Plugin Mouseover	Display hidden content by mousing over text	
Plugin MediaWiki Table	Display a table using MediaWiki syntax	
Plugin Now	Show the current date and time.	
Plugin Quote	Format text as a quote	
Plugin Remarks Box	Display a comment, tip, note or warning box	

Option	Description	Default
Plugin Scroll	Show animated text that scrolls up or down	
Plugin Slider	Embed a mini-slideshow of content on a page	
Plugin Sort	Sort lines of text	
Plugin Split	Arrange content on a page into rows and columns	
Plugin Superscript	Apply superscript font to text	
Plugin Subscript	Apply subscript font to text	
Plugin Tabs	Arrange content in tabs	
Plugin Tag	Apply an HTML tag to content	
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	
Plugin Versions	Create tabs for showing alternate versions of content	
Plugin Show Preference	Display the value of public global preferences	
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or de-activate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	
Hotwords		
Open hotwords in new window		
Characters that limit a hotword		
Use Quote plugin rather than ">" for quoting		
Center text using : instead of	<i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	
String to use to delimit simplebox		
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	
Wiki		
Comment box	Size (height) of the comment text area.	
Forum		
Forum reply		
Cache external pages		
Cache external images		
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	

Option	Description	Default
Open external links in new window	Open links to external sites in a new browser tab or window.	
Allow image lazy loading	Allow that images are loaded in a lazy way	

Option	Description	Default
Full screen	Allow users to activate full-screen mode.	
Use file galleries to store images	If not enabled, images will be stored in the file system, in the /img/wiki_up directory, instead.	
Dynamic content system	Block of content which can be reused and programmed (timed)	
Search and replace	Enables finding and replacing of content in the edit box	
Code editor (CodeMirror)	CodeMirror code editor, which provides syntax highlighting	
Syntax highlighter (CodeMirror) Theme	CodeMirror themes (clear cache after changing)	
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience.	
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	
Smileys	Also known as emoticons	
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	
Parse wiki syntax in comments	Parse wiki syntax in comments in all sections apart from Forums Use "Accept wiki syntax" for forums in admin forums page	

Option	Description	Default
Automonospaced text	Lines indented with spaces will automatically be converted to monospace font.	
Tables syntax		
Wiki argument variables	Allow writing request variables in wiki content using or - special case Editing and Plugins General Settings	
Dynamic variables	Global snippets of text that can be included in wiki pages and edited in place.	
Multilingual dynamic variables	Make dynamic variable content language-specific.	
Multilevel style numbering for ordered lists	Make ordered list items display unique numbers for all levels of their sub-items; for example: 1.1, 1.2, 1.2.1, 1.2.2, etc.	
Convert from absolute to relative link	Process wiki text and convert internal links from absolute to relative links	
Enable Typography Features	Features to replace normal characters with typographic equivalents	
Smart “curly” quotes	Convert \"straight\" quotes to “curly” ones, also convert ' apostrophe and ‘single’ quotes	
Convert approximative ASCII quotes	Convert plain-ASCII quote substitutes `` " ,, << >> to their typographic equivalent “ ” „ « »	
Smart em-dash and ellipsis	Convert double hyphen \-- to em-dash — and three consecutive dots\... to typographic ellipsis character...	
Smart no-break space	Prevents line breaks from occurring at unfortunate places in the text by replacing regular space character with no-break spaces where appropriate: around some punctuation, when used as thousand separator, and between a unit abbreviation and the number preceding it.	
Plugin Add Bibliography	Add bibliography listing in the footer of a wiki page	
Plugin Add Reference	Add a bibliography reference.	
Plugin Anchor Link	Create a link to an anchor	
Plugin Anchor Name	Create an anchor that can be linked to	
Plugin Box	Create a formatted box with a title bar	

Option	Description	Default
Plugin Button	Add a link formatted as a button	
Plugin Center	Center text	
Plugin Code	Display code with syntax highlighting and line numbering.	
Plugin Countdown	Display the time until or after a date and time	
Plugin Div	Define and format sections of a page or text	
Plugin Definition List	Create a definition list	
Plugin Fade	Create a link that shows/hides initially hidden content	
Plugin Fancy List	Create a formatted numbered list	
Plugin Fancy Table	Create a formatted table that can be filtered and sorted	
Plugin Font	Format the font type and size of text	
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	
Plugin Gauge	Display a horizontal bar gauge	
Plugin HTML	Add HTML to a page	
Plugin Iframe	Include the body of another web page in a scrollable frame within a page	
Plugin Include	Include a portion of another wiki page	
Plugin Monospace	Display text in a monospace font	
Plugin Mouseover	Display hidden content by mousing over text	
Plugin MediaWiki Table	Display a table using MediaWiki syntax	
Plugin Now	Show the current date and time.	
Plugin Quote	Format text as a quote	
Plugin Remarks Box	Display a comment, tip, note or warning box	
Plugin Scroll	Show animated text that scrolls up or down	
Plugin Slider	Embed a mini-slideshow of content on a page	

Option	Description	Default
Plugin Sort	Sort lines of text	
Plugin Split	Arrange content on a page into rows and columns	
Plugin Superscript	Apply superscript font to text	
Plugin Subscript	Apply subscript font to text	
Plugin Tabs	Arrange content in tabs	
Plugin Tag	Apply an HTML tag to content	
Plugin Table of Contents (Structure)	Display a table of contents of pages in a structure	
Plugin Versions	Create tabs for showing alternate versions of content	
Plugin Show Preference	Display the value of public global preferences	
Plugin CasperJS	Enable running CasperJS scripts from this Tiki site.	
HTML purifier	<p>HTML Purifier is a standards-compliant HTML filter library written in PHP and integrated in Tiki. HTML Purifier will not only remove all malicious code (better known as XSS) with a thoroughly audited, secure yet permissive whitelist, it will also ensure that your documents are standards-compliant. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</p> <p><i>If you use HTML in your wiki page and it gets stripped out or rewritten, make sure your HTML is valid, or deactivate this feature. Keep in mind that HTML Purifier is not HTML5 compatible and may rewrite HTML5 syntax and produce unwanted results.</i></p>	
AutoLinks	Web (http://) and email addresses will automatically be converted to links.	
Hotwords		
Open hotwords in new window		
Characters that limit a hotword		
Use Quote plugin rather than ">" for quoting		

Option	Description	Default
Center text using : instead of	Useful to avoid conflicts with C++ scope operators or default namespace separator. <i>Useful to avoid conflicts with C++ scope operators or default namespace separator</i>	
String to use to delimit simplebox		
Text string used to customise mail templates	Text string used to customise mail templates and added as a pref reference in the appropriate mail tpl files	
Wiki		
Comment box	Size (height) of the comment text area.	
Forum		
Forum reply		
Cache external pages		
Cache external images		
External link icon	External links will be identified with an icon. To customize the icon, change the "link-external" icon in the icon set.	
Add "rel=nofollow" to external links	Nofollow is used to instruct some search engines that the link should not influence the ranking of the link's target in the search engine's index.	
Open external links in new window	Open links to external sites in a new browser tab or window.	
Allow image lazy loading	Allow that images are loaded in a lazy way	