

Global Features

Related Topics

Overview

Enables mature, stable end user features

- [Features](#)
- [Permissions](#)

To Access

From the [Features](#) page, click the **Global Features** tab.

Note

After enabling specific permissions, be sure to configure the necessary [permissions](#) so users can use the feature.

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Blog	Online diaries or journals.	Disabled
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Forums	Threaded or flat discussions.	Disabled
Trackers	Database and form generator	Enabled
Calendar	Events calendar with public, private and group channels.	Disabled
Unified search index	Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index.	Enabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Tags	Enables tags to be set on pages and other items for freeform categorization.	Disabled
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Quizzes	Sets of questions that can be presented, with the sessions timed and the scores recorded. 🏹	Disabled
Surveys	Create questionnaires with multiple-choice or open-ended questions	Disabled
Newsletters	Content mailed to registered users or other subscribers.	Disabled
Shoutbox	Quick comment (graffiti) box. Like a group chat, but not in real time.	Disabled
Minichat	Real-time group text chatting enabled through a module.	Disabled

Option	Description	Default
Live support system	One-on-one chatting with customer 🗨️	Disabled
Machine learning	Define machine learning models, train them and run queries against them.	Disabled
Tiki manager	Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.	Disabled
Storage path	The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root. 👉 <i>Default: storage/tiki-manager</i>	None
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Action log	Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.	Enabled
Scheduler	Provides the ability to run tasks at a scheduled time.	Enabled
Banners	Insert, track, and manage advertising banners.	Disabled
Contribution	Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.	Disabled
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
Communications (send/receive objects)	Send/receive wiki pages and articles between Tiki-powered sites 🗒️	Disabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Search engine friendly URL	If the site is using Apache, you can rename _htaccess as .htaccess to use short URLs. On IIS, rename web_config as web.config	Disabled
HTML pages	Static and dynamic HTML content ⚠️ <i>HTML can be used in wiki pages. This is a separate feature.</i> 🗨️	Disabled
Areas	Binding categories and perspectives to each other 🗨️	Disabled
Tiki suggestions	Tiki suggestions displayed once per login session based on a list of rules	Disabled
Templated Groups	Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.	Disabled
Mautic Integration	Enable the feature here but configure it elsewhere	Disabled
User watches	Receive email notification of changes. Each user can choose to be notified of changes to specific items	Disabled

Option	Description	Default
Group watches	All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group	Disabled
Daily reports for user watches	Allows you to schedule daily reports of watches to be sent (batched) at specific times.	Disabled
Enable daily reports for new users	Determines if daily reports will be automatically enabled for new users.	Disabled
User watches translations		Disabled
User watches languages	Watch language-specific changes within a category.	Disabled
Group alert	With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🗒	Disabled
Object maintainers and freshness	Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.	Disabled
Default update frequency	Default number of days for object update frequency.	90 days
Spreadsheet	Spreadsheets with calculations and charts	Disabled
Directory	User-submitted Web links	Disabled
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated. 👉 Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper" 🔧	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately 🔧	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery 🔧	Disabled
Tiki user credits		Disabled
Payment	Feature for tracking and managing payment requests	Disabled
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠ Be careful when allowing anonymous users to activate the antibot feature.	Disabled
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🔧	Disabled
Mail-in	Create and publish wiki pages and articles via email	Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files 🔧	Disabled

Option	Description	Default
Slideshow (reveal.js)	Create simple presentations via Wiki Syntax.	Disabled
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 🛠️	Disabled
FAQs	Frequently asked questions and answers ⚠️ <i>There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs.</i> 🛠️	Disabled
Progressive Web Application Mode	Allow Tiki to be used offline and be installed in a mobile device. ⚠️ <i>Experimental feature.</i> <i>Only Wiki pages and Trackers are available offline for now.</i> 🛠️	Disabled
Links to cache in PWA Mode	List of links to be cached when PWA is enabled ⚠️ <i>Experimental feature.</i>	None
Tiki connect	Connect your Tiki with the community by sending anonymised statistical data to tiki.org ⚠️ <i>This feature is still under development.</i> 🛠️	Disabled
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Zotero bibliography	Connect Tiki to the Zotero online bibliography management system. 👉 <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i>	Disabled
Zotero client key	Required identification key. Registration required.	None
Zotero client secret	Required identification key. Registration required.	None
Zotero group ID	Numeric ID of the group, can be found in the URL.	None
Zotero reference style	Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.	None
Enable Web Monetization	Enable Web Monetization showing a message in page header. 🛠️	Disabled
Default payment pointer	Payment pointer to stream the payments. 🛠️	None
Enable for all pages	Enable Web Monetization in all website pages. 🛠️	Disabled
Always use default site pointer	Always use default Web Monetization site pointer, even when users add their username. 🛠️	Disabled
Default paywall text	Default text to be used in web monetized content paywall. 🛠️	None
Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
File gallery	Storage of files of various formats to display or download, etc. With check-in and check-out (lock) capability	Enabled
Blog	Online diaries or journals.	Disabled

Option	Description	Default
Articles	Articles can be used for date-specific news and announcements. You can configure articles to automatically publish and expire at specific times or to require that submissions be approved before becoming "live."	Disabled
Forums	Threaded or flat discussions.	Disabled
Trackers	Database and form generator	Enabled
Calendar	Events calendar with public, private and group channels.	Disabled
Unified search index	Enables searching for content at the site using a Tiki-managed index. It's recommended to set a cron job to periodically rebuild the search index.	Enabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled
Tags	Enables tags to be set on pages and other items for freeform categorization.	Disabled
Polls	Presentation of a set of votable options, typically displayed in a module	Disabled
Quizzes	Sets of questions that can be presented, with the sessions timed and the scores recorded. 📖	Disabled
Surveys	Create questionnaires with multiple-choice or open-ended questions	Disabled
Newsletters	Content mailed to registered users or other subscribers.	Disabled
Shoutbox	Quick comment (graffiti) box. Like a group chat, but not in real time.	Disabled
Minichat	Real-time group text chatting enabled through a module.	Disabled
Live support system	One-on-one chatting with customer 📖	Disabled
Machine learning	Define machine learning models, train them and run queries against them.	Disabled
Tiki manager	Use local Tiki Manager to install, upgrade, clone and manage local or remote Tikies.	Disabled
Storage path	The path where Tiki Manager will store internal data, backups, logs. It is recommended to be outside document root. 📖 <i>Default: storage/tiki-manager</i>	None
Stats	Record basic statistics about major Tiki features (number of wiki pages, size of file galleries, etc.)	Disabled
Action log	Provides the ability to track the actions of users and produce reports on a per-user or per-category basis.	Enabled
Scheduler	Provides the ability to run tasks at a scheduled time.	Enabled
Banners	Insert, track, and manage advertising banners.	Disabled

Option	Description	Default
Contribution	Enables users to specify the type of contribution they are making while editing items at the site. The contributions are then displayed color-coded in history and other reports.	Disabled
Copyright	Use the Copyright Management System (or ©MS) to display the license of your content	Disabled
Communications (send/receive objects)	Send/receive wiki pages and articles between Tiki-powered sites 🗒️	Disabled
Dynamic content system	Block of content which can be reused and programmed (timed)	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Search engine friendly URL	If the site is using Apache, you can rename _htaccess as .htaccess to use short URLs. On IIS, rename web_config as web.config	Disabled
HTML pages	Static and dynamic HTML content ⚠️ <i>HTML can be used in wiki pages. This is a separate feature.</i> 🏰	Disabled
Areas	Binding categories and perspectives to each other 🏰	Disabled
Tiki suggestions	Tiki suggestions displayed once per login session based on a list of rules	Disabled
Templated Groups	Templated Groups enables Organic Groups, although strictly speaking not all Templated Groups are Organic in the sense of being created by users since they can be completely admin managed.	Disabled
Mautic Integration	Enable the feature here but configure it elsewhere	Disabled
User watches	Receive email notification of changes. Each user can choose to be notified of changes to specific items	Disabled
Group watches	All users in a group selected by a users admin (tiki_p_admin_users) will receive email notification of changes to specific items. Users cannot choose to stop receiving those notifications while they are members of that group	Disabled
Daily reports for user watches	Allows you to schedule daily reports of watches to be sent (batched) at specific times.	Disabled
Enable daily reports for new users	Determines if daily reports will be automatically enabled for new users.	Disabled
User watches translations		Disabled
User watches languages	Watch language-specific changes within a category.	Disabled
Group alert	With this feature you can choose the user in the group to be alerted about some changes in the Tiki site: Calendar items, Tracker changes, Tracker item changes, File gallery changes 🗒️	Disabled
Object maintainers and freshness	Enable tiki objects to have maintainers, update frequency and freshness. Then, console.php objects:notify-maintainers can be used.	Disabled
Default update frequency	Default number of days for object update frequency.	90 days

Option	Description	Default
Spreadsheet	Spreadsheets with calculations and charts	Disabled
Directory	User-submitted Web links	Disabled
Draw (SVG edit)	Draw enables creating and editing SVG images in all wiki text areas	Disabled
Draw (SVG edit) hide buttons	Hide buttons in Draw, HTML id, comma-separated. 👉 Example: "tool_select, tool_fhpath, tools_line_show, tools_rect_show, tools_ellipse_show, tool_path, tools_shapelib_show, tool_text, tool_image, tool_zoom, tool_eyedropper" 🔧	None
Separate base image	Leaves the initially edited image as a separate file and stores the drawing separately 🔧	Disabled
Draw in user file gallery	Users' drawings are stored in their user files gallery 🔧	Disabled
Tiki user credits		Disabled
Accounting	Double-entry accounting system 🔧	Disabled
Payment	Feature for tracking and managing payment requests	Disabled
Social networks	Integration with social applications and networks like Twitter and Facebook	Disabled
Share	Add a "Share" link in all pages to send it via email, Twitter, Facebook, message or forums ⚠ Be careful when allowing anonymous users to activate the antibiot feature.	Disabled
Webmail	Provides a webmail interface for site users' own IMAP or POP accounts. 🔧	Disabled
Mail-in	Create and publish wiki pages and articles via email	Disabled
Docs (WebODF)	Docs enables viewing and editing Open Document Format files 🔧	Disabled
Slideshow (reveal.js)	Create simple presentations via Wiki Syntax.	Disabled
Slideshow (reveal.js) PDF export	Wiki page based slideshow to pdf export 🔧	Disabled
FAQs	Frequently asked questions and answers ⚠ There has been discussion about this feature being retired, so keep in mind that normal wiki pages can be used to create and display FAQs. 🔧	Disabled
Progressive Web Application Mode	Allow Tiki to be used offline and be installed in a mobile device. ⚠ Experimental feature. Only Wiki pages and Trackers are available offline for now. 🔧	Disabled
Links to cache in PWA Mode	List of links to be cached when PWA is enabled ⚠ Experimental feature.	None
Tiki connect	Connect your Tiki with the community by sending anonymised statistical data to tiki.org ⚠ This feature is still under development. 🔧	Disabled

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Zotero bibliography	Connect Tiki to the Zotero online bibliography management system. 👉 <i>You must supply the following items: Zotero Client Key, Zotero Client Secret, Zotero Group, and Zotero Reference Style.</i>	Disabled
Zotero client key	Required identification key. Registration required.	None
Zotero client secret	Required identification key. Registration required.	None
Zotero group ID	Numeric ID of the group, can be found in the URL.	None
Zotero reference style	Use an alternate Zotero reference style when formatting the references. The reference formats must be installed on the Zotero server.	None
Enable Web Monetization	Enable Web Monetization showing a message in page header. 🛡️	Disabled
Default payment pointer	Payment pointer to stream the payments. 🛡️	None
Enable for all pages	Enable Web Monetization in all website pages. 🛡️	Disabled
Always use default site pointer	Always use default Web Monetization site pointer, even when users add their username. 🛡️	Disabled
Default paywall text	Default text to be used in web monetized content paywall. 🛡️	None