

Plugin Benchmark

Introduced in [Tiki17](#)

Use this [wiki plugin](#) to perform some benchmarking analysis of the parsing of the wiki page or tiki object where the plugin is called in.

Table of contents

- [Parameters](#)
- [Examples](#)
 - [Example 1](#)
- [Related pages](#)
- [Aliases](#)

Parameters

Performance-test wiki content (used by developers to optimize plugins).

Introduced in [Tiki 17](#).

[Go to the source code](#)

Preferences required: `wikiplugin_benchmark`

Parameters	Accepted Values	Description	Default	Since
<code>details</code>	alpha	Provides time and memory of each iteration.	true	17.0
<code>times</code>	alpha	The number of iterations to process.	1000	17.0

Examples

Example 1

This code:

```
{benchmark}
```

Would produce on this site:

Iteration

Seconds

Microseconds

Memory in Bytes

Real Memory

1 - 100

0.0004

0.0242

8224

0

Average

0

0

0

0

Iteration

Microsecs

Memory

Real Memory

1

0.0001

0

0
2
0
0
0
0
3
0
0
0
4
0
0
0
0
5
0
0
0
6
0
0
0
7
0
0
0
8
0
0
0
9
0
0
0
10
0
0
0
11
0
0
0
12
0
0
0
13
0

0
0
14
0
0
0
15
0
0
0
16
0
0
0
17
0
0
0
18
0
0
0
19
0
0
0
20
0
0
0
21
0
0
0
22
0
0
0
23
0
0
0
24
0
0
0
25



0
0
0
26
0
0
0
27
0
0
0
28
0
0
0
29
0
0
0
30
0
0
0
31
0
0
0
32
0
0
0
33
0
0
0
34
0
0
0
35
0
0
0
36
0
0
0



37
0
0
0
38
0
0
0
39
0
0
0
40
0
0
0
41
0
0
0
42
0
0
0
43
0
0
0
44
0
0
0
45
0
0
0
46
0
0
0
47
0
0
0
48
0
0



0
49
0
0
0
0
50
0
0
0
0
51
0
0
0
0
52
0
0
0
0
53
0
0
0
0
54
0
0
0
0
55
0
0
0
0
56
0
0
0
0
57
0
0
0
0
58
0
0
0
0
59
0
0
0
0
60
0



0
0
61
0
0
0
0
62
0
0
0
63
0
0
0
64
0
0
0
65
0
0
0
66
0
0
0
67
0
0
0
68
0
0
0
69
0
0
0
70
0
0
0
71
0
0
0
72



0
0
0
73
0
0
0
74
0
0
0
75
0
0
0
76
0
0
0
77
0
0
0
78
0
0
0
79
0
0
0
80
0
0
0
81
0
0
0
82
0
0
0
83
0
0
0



84
0
0
0
85
0
0
0
86
0
0
0
87
0
0
0
88
0
0
0
89
0
0
0
90
0
0
0
91
0
0
0
92
0
0
0
93
0
0
0
94
0
0
0
95
0
0



0
96
0
0
0
0
97
0
0
0
98
0
0
0
99
0
0
0
100
0
0
0

Related pages

- [Stats](#)

Aliases

[Plugin Benchmark](#) | [Benchmark](#)