

# Plugin Module

Use this [wiki plugin](#) to display **Modules** in a page, column or other module zone.

## Parameters

Display a module

Introduced in Tiki 1. Required parameters are in **bold**.

[Go to the source code](#)

Preferences required: wikipugin\_module

| Parameters         | Accepted Values                           | Description                                                                                                                                                              | Default | Since |
|--------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| <b>module</b>      | . (cont.)<br><br>(cont'd)<br><br>(cont'd) | Module name as known in Tiki                                                                                                                                             |         | 1     |
| <b>title</b>       | text                                      | Title to display at the top of the box, assuming No Title is not set to Yes ( <b>y</b> ).                                                                                |         | 1     |
| <b>contributor</b> | alpha                                     | Module only available based on the relationship of the user with the wiki page. Either only contributors (%0y%1) or only non-contributors (%0n%1) will see the module.   |         | 9.0   |
| <b>creator</b>     | alpha                                     | Module only available based on the relationship of the user with the wiki page. Either only creators ( <b>y</b> ) or only non-creators ( <b>n</b> ) will see the module. |         | 9.0   |
| <b>device</b>      | <i>separator:</i> ;                       | On which device the module must be displayed, by default it is displayed on all devices.                                                                                 |         | 24    |

|                           |                                     |                                                                                                                                                                                                     |    |     |
|---------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| <code>max</code>          | digits                              | Number of rows (default: <code>10</code> )                                                                                                                                                          | 10 | 1   |
| <code>notitle</code>      | (blank)<br>y<br>n                   | Select Yes ( <code>y</code> ) to hide the title (default is to show the title)                                                                                                                      |    | 3.0 |
| <code>bgcolor</code>      | text                                | Override the background color for the title (if the title is shown). The value can be a color name (ex: <code>bgcolor="blue"</code> ) or a hexadecimal value (ex: <code>bgcolor="#FFEB CD"</code> ) |    | 9.0 |
| <code>decoration</code>   | (blank)<br>1<br>0                   | Show module title (heading) background, etc. (default is to show them)                                                                                                                              |    | 1   |
| <code>category</code>     | alnum<br><i>separator:</i> ;        | Module displayed depending on category. Multiple category ids or names can be separated by semi-colons.                                                                                             |    | 9.0 |
| <code>class</code>        |                                     | Custom CSS class.                                                                                                                                                                                   |    | 9.0 |
| <code>topclass</code>     |                                     | Custom CSS class of div around the module.                                                                                                                                                          |    | 9.0 |
| <code>flip</code>         | (blank)<br>1<br>0                   | Add ability to show/hide the content of the module (default is the site admin setting for modules)                                                                                                  |    | 1   |
| <code>float</code>        | (blank)<br>nofloat<br>left<br>right | Align the module to the left or right on the page allowing other elements to align against it                                                                                                       |    | 1   |
| <code>lang</code>         | lang<br><i>separator:</i> ;         | Module only applicable for the specified languages. Languages are defined as two character language codes. Multiple values can be separated by semi-colons.                                         |    | 9.0 |
| <code>module_style</code> |                                     | Inline CSS for the containing div element, for example, <code>max-width:80%</code>                                                                                                                  |    | 9.0 |
| <code>nobox</code>        | (blank)<br>y<br>n                   | y n Show only the content with no title or borders, etc. around the content.                                                                                                                        |    | 9.0 |
| <code>nocategory</code>   | alnum<br><i>separator:</i> ;        | Module hidden depending on category. Multiple category ids or names can be separated by semi-colons. This takes precedence over the category parameter above.                                       |    | 9.0 |

|                          |                                   |                                                                                                                                                                                                                                                                       |   |     |
|--------------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----|
| <code>nopage</code>      | <p>pagename<br/>separator: ;</p>  | Module not applicable on the specified page names. Multiple values can be separated by semi-colons.                                                                                                                                                                   |   | 9.0 |
| <code>page</code>        | <p>pagename<br/>separator: ;</p>  | Module only applicable on the specified page names. Multiple values can be separated by semi-colons.                                                                                                                                                                  |   | 9.0 |
| <code>np</code>          | <p>(blank)<br/>0<br/>1</p>        | Parse wiki syntax. Default: No                                                                                                                                                                                                                                        | 1 | 1   |
| <code>perspective</code> | <p>digits<br/>separator: ;</p>    | Only display the module if in one of the listed perspective IDs. Semi-colon separated.                                                                                                                                                                                |   | 9.0 |
| <code>section</code>     | <p>text<br/>separator: ;</p>      | Module only applicable for the specified sections. Multiple values can be separated by semi-colons.                                                                                                                                                                   |   | 9.0 |
| <code>style</code>       |                                   | CSS styling for the module data itself.                                                                                                                                                                                                                               |   | 9.0 |
| <code>theme</code>       | <p>themename<br/>separator: ;</p> | Module enabled or disabled depending on the theme file name (e.g. <code>thenews.css</code> ). Specified themes can be either included or excluded. Theme names prefixed by <code>!</code> are in the exclusion list. Multiple values can be separated by semi-colons. |   | 9.0 |

## Examples

## Basic syntax

*This code:*

```
{module module="wiki_last_comments"}
```

*Would produce on this site:*

## Last wiki comments

1. **Sublist:** Specify multiple (from Kroky on the matrix room)
2. **Sublist:** Specify multiple (from Kroky on the matrix room)
3. **Sublist:** Specify multiple (from Kroky on the matrix room)
4. **Sublist:** Specify multiple (from Kroky on the matrix room)
5. **Inline comments:** Here is a comment about targeted comments
6. **User Preferences:** feature\_userPreferences must be enabled
7. **Mail notifications:** Setting' → Mail Notifications?
8. **Move Tiki to a new server:** Slightly different
9. **Roles:** How to activate Roles?
10. **Pretty Tracker:** This is exactly what I needed

## Displaying a module in a Template (.tpl)

You can place a module anywhere (header, footer) using the following syntax in a `.tpl` file:

```
{module module="wiki_last_comments"}
```

Older version of Tiki can revert to embedding wiki syntax:

```
{wiki}{literal}{module module="wiki_last_comments"}{/literal}{/wiki}
```