Scheduler

Scheduler for Tiki (cron jobs)

An internal scheduler was added in Tiki17, so that only one cron job needs to be defined in the system crontab, and all actions to be run a scheduled times can then be defined within Tiki UI.

1.1. How to find it

In the quick admin module, and in the main application menu under "Settings" section ("https://example.org/tiki-admin_schedulers.php").

1.2. Overview

You can list scheduled tasks

Add a new Scheduler										
Schedulers Edit Scl	eduler S	cheduler logs					No Tab			
Schedulers		Description	Task	Run Time	Status	Re- Run				
Notification digests		Daily Notification digests	ConsoleCommandTask		active		p			
Index rebuilt		Rebuild the site search index	ConsoleCommandTask	*/5 * * * *	active Activ	ons	1			
TestNotificationEmailSend (ListExecute)	ling	ListExecute in page	ConsoleCommandTask	*/1 * * * *		Edit Logs	r.			

Click to expand

You can edit one scheduled task

Schedulers Ed	it Scheduler	Scheduler logs			
dit Scheo	duler Te	estNotificationEma	ailSendir	ng (ListExecute))
	Minute, Ho	mation V format to enter the values in "Run T bur, Day of Month, Month, Day of Wee 5 minutes: "/5 * * * *			
Name	TestNotific	ationEmailSending (ListExecute)			
Description	ListExecut	e in page			
Task	ConsoleC	ommand	T		
Parameters	list:execute	e HomepageforStaffUsers TestNotifica	ationEmailSer		
Run Time	*/1 * * * *				
Status	Active		T		
Run if missed					

Click to expand

Syntax for the scheduled run time is similar to the syntax used in system crontabs in GNU/Linux and equivalent operating systems:

Use CRON format to enter the values in $\hat{a} \in \mathbb{C}$ Run Time $\hat{a} \in \mathbb{C}$ Minute, Hour, Day of Month, Month, Day of Week Eg. every 5 minutes: */5 * * * *

See https://en.wikipedia.org/wiki/Cron for details on Cron formats. For example:

* * * * * |||||||||||||||||||||||+---- Day of the Week (range: 1-7, 1 = Monday) ||| +----- Month of the Year (range: 1-12) || +------ Day of the Month (range: 1-31) | +------ Hour (range: 0-23) +------- Minute (range: 0-59)

To set master cron job

Manually

The master cron job must be run quite frequently to check if Tiki Scheduler must launch another operation.

Here are some examples (adjust to your server path and use case)

To run every minute

* * * * * php /var/www/html/console.php scheduler:run

To run every 30 minutes

*/30 * * * * php /var/www/html/console.php scheduler:run

Via Tiki Manager

Manager See instance:setup-scheduler-cron

Samples Rebuild the Unified-Index with log

Using the Tiki Scheduler and a Console command, once you have set your master Cron Job (see above) you can automatically rebuild your Unified Index to assure your Tiki freshness. In this sample we also generate logs so we can investigate in case there were an issue.

chedulers Edit schedule	r Rebuild index Scheduler logs				
	() Information				
	Use CRON format to enter the values in "Run Time": Minute, Hour, Day of Month, Month, Day of Week				
	Eg. every 5 minutes: */5 * * * *				
Vame *	Rebuild index				
vame *	Rebuild index				
Description	Rebuild index once a day at 6, create log				
āsk *	ConsoleCommand				
Console command *	index:rebuildlog				
Run Time *	0*/6***				
Status	Active				
Run if missed					
Run only once					
	Save				

Related

- Cron
- Cron Job to Rebuild Search Index
- PluginListExecute
- Console
- Profile: Scheduler_presets_20
- Original feature request: cron job handing via Tiki

alias

• Scheduler Management