

# Search Results tab

## Related Topics

### Overview

This tab is where the Administrator selects the appropriate results for a user search

- [Search Admin for Older Tiki Versions](#)
- [Search for Users](#)
- [Search Statistics Option](#)
- [Bugs and Wishes](#)

### To Access

From the [Search](#) page, click the **Search Results** tab.

Option	Description	Default
Use facets for default search interface	Facets are dynamic filters generated by the search engine to refine the search results. The feature may not be supported for all search engines.	Disabled
Facet result count	Default number of facet results to obtain	10 facet results
Excluded facets	List of facets (a.k.a. aggregations) to exclude from the default search results 👉 For example: <i>object_type,title_initial,title_firstword,tracker_field_userName</i>	title_initial, title_firstword
Exclude non searchable fields from facets	Only tracker fields checked as "search" to generate facets on the default search page.	Disabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Use date histogram aggregations	Use date histogram aggregations (facets) when indexing, requires Elasticsearch	Disabled
Date histogram aggregations interval	Default interval for date histogram aggregations. Use "year, quarter, month, week, day, hour, minute, second" or Elasticsearch Time units as descibed here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units</a>	Year
Date range aggregations ranges	Default ranges for date range aggregations. Comma separated ranges, one per line using Elasticsearch Time date math as descibed here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math</a>	now-2y/y,now-1y/y,Last Year...
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Default where	When object filter is not on, limit to search one type of object ☰ Entire site   Wiki pages   Blog posts   Articles   Files   Forums   Tracker items   Spreadsheets	None
Category filter		Disabled
Tag filter		Disabled

Option	Description	Default
Object filter	Enables object type filters to be displayed above the search results to further reduce search results by object type.	Disabled
Sort order		Disabled
Search box	Shows a search box above the search results to do additional searches.	Enabled
Visits	Include the number of visits in the search results.	Disabled
Relevance	Display Tiki's estimate of the relevance of search matches in the search results.	Disabled
Object type	Shows object type filters above the search results to further reduce search results by object type.	Disabled
Last-modified date	Show the last-modified date in search results.	Disabled
Parse search results	When enabled search results are parsed so content formatting is visible in the search results ⚠ <i>May impact performance</i>	Enabled
Highlight results pages	Highlight words on the result pages based on the search query.	Enabled

  

Option	Description	Default
Use facets for default search interface	Facets are dynamic filters generated by the search engine to refine the search results. The feature may not be supported for all search engines.	Disabled
Facet result count	Default number of facet results to obtain	10 facet results
Excluded facets	List of facets (a.k.a. aggregations) to exclude from the default search results 👉 <i>For example: object_type,title_initial,title_firstword,tracker_field_userName</i>	title_initial, title_firstword
Exclude non searchable fields from facets	Only tracker fields checked as "search" to generate facets on the default search page.	Disabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Use date histogram aggregations	Use date histogram aggregations (facets) when indexing, requires Elasticsearch	Disabled
Date histogram aggregations interval	Default interval for date histogram aggregations. Use "year, quarter, month, week, day, hour, minute, second" or Elasticsearch Time units as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units</a>	Year
Date range aggregations ranges	Default ranges for date range aggregations. Comma separated ranges, one per line using Elasticsearch Time date math as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math</a>	now-2y/y,now-1y/y,Last Year...

Option	Description	Default
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Default where	When object filter is not on, limit to search one type of object ☰ Entire site   Wiki pages   Blog posts   Articles   Files   Forums   Tracker items   Spreadsheets	None
Category filter		Disabled
Tag filter		Disabled
Object filter	Enables object type filters to be displayed above the search results to further reduce search results by object type.	Disabled
Sort order		Disabled
Search box	Shows a search box above the search results to do additional searches.	Enabled
Visits	Include the number of visits in the search results.	Disabled
Relevance	Display Tiki's estimate of the relevance of search matches in the search results.	Disabled
Object type	Shows object type filters above the search results to further reduce search results by object type.	Disabled
Last-modified date	Show the last-modified date in search results.	Disabled
Parse search results	When enabled search results are parsed so content formatting is visible in the search results ⚠ <i>May impact performance</i>	Enabled
Highlight results pages	Highlight words on the result pages based on the search query.	Enabled

Option	Description	Default
Use facets for default search interface	Facets are dynamic filters generated by the search engine to refine the search results. The feature may not be supported for all search engines.	Disabled
Facet result count	Default number of facet results to obtain	10 facet results
Excluded facets	List of facets (a.k.a. aggregations) to exclude from the default search results 👉 <i>For example: object_type,title_initial,title_firstword,tracker_field_userName</i>	None
Exclude non searchable fields from facets	Only tracker fields checked as "search" to generate facets on the default search page.	Disabled
Generate custom facets from categories	Comma-separated list of category IDs.	None

Option	Description	Default
Use date histogram aggregations	Use date histogram aggregations (facets) when indexing, requires Elasticsearch	Disabled
Date histogram aggregations interval	Default interval for date histogram aggregations. Use "year, quarter, month, week, day, hour, minute, second" or Elasticsearch Time units as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units</a>	Year
Date range aggregations ranges	Default ranges for date range aggregations. Comma separated ranges, one per line using Elasticsearch Time date math as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math</a>	now-2y/y,now-1y/y,Last Year...
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Default where	When object filter is not on, limit to search one type of object ☰ Entire site   Wiki pages   Blog posts   Articles   Files   Forums   Tracker items   Spreadsheets	None
Category filter		Disabled
Tag filter		Disabled
Object filter	Enables object type filters to be displayed above the search results to further reduce search results by object type.	Disabled
Sort order		Disabled
Search box	Shows a search box above the search results to do additional searches.	Enabled
Visits	Include the number of visits in the search results.	Disabled
Relevance	Display Tiki's estimate of the relevance of search matches in the search results.	Disabled
Object type	Shows object type filters above the search results to further reduce search results by object type.	Disabled
Last-modified date	Show the last-modified date in search results.	Disabled
Parse search results	When enabled search results are parsed so content formatting is visible in the search results ⚠ <i>May impact performance</i>	Enabled
Highlight results pages	Highlight words on the result pages based on the search query.	Enabled
Option	Description	Default
Use facets for default search interface	Facets are dynamic filters generated by the search engine to refine the search results. The feature may not be supported for all search engines.	Disabled
Facet result count	Default number of facet results to obtain	10 facet results

Option	Description	Default
Excluded facets	List of facets (a.k.a. aggregations) to exclude from the default search results 🔗 For example: <code>object_type,title_initial,title_firstword,tracker_field_userName</code>	None
Exclude non searchable fields from facets	Only tracker fields checked as "search" to generate facets on the default search page.	Disabled
Generate custom facets from categories	Comma-separated list of category IDs.	None
Use date histogram aggregations	Use date histogram aggregations (facets) when indexing, requires Elasticsearch	Disabled
Date histogram aggregations interval	Default interval for date histogram aggregations. Use "year, quarter, month, week, day, hour, minute, second" or Elasticsearch Time units as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units</a>	Year
Date range aggregations ranges	Default ranges for date range aggregations. Comma separated ranges, one per line using Elasticsearch Time date math as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math</a>	now-2y/y,now-1y/y,Last Year...
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Default where	When object filter is not on, limit to search one type of object ☰ Entire site   Wiki pages   Blog posts   Articles   Files   Forums   Tracker items   Spreadsheets	None
Category filter		Disabled
Tag filter		Disabled
Object filter	Enables object type filters to be displayed above the search results to further reduce search results by object type.	Disabled
Sort order		Disabled
Search box	Shows a search box above the search results to do additional searches.	Enabled
Visits	Include the number of visits in the search results.	Disabled
Relevance	Display Tiki's estimate of the relevance of search matches in the search results.	Disabled
Object type	Shows object type filters above the search results to further reduce search results by object type.	Disabled
Last-modified date	Show the last-modified date in search results.	Disabled
Parse search results	When enabled search results are parsed so content formatting is visible in the search results ⚠ May impact performance	Enabled

Option	Description	Default
Highlight results pages	Highlight words on the result pages based on the search query.	Enabled
Option	Description	Default
Use facets for default search interface	Facets are dynamic filters generated by the search engine to refine the search results. The feature may not be supported for all search engines.	Disabled
Facet result count	Default number of facet results to obtain	10 facet results
Excluded facets	List of facets (a.k.a. aggregations) to exclude from the default search results 🔗 For example: <i>object_type,title_initial,title_firstword,tracker_field_userName</i>	None
Generate custom facets from categories	Comma-separated list of category IDs.	None
Use date histogram aggregations	Use date histogram aggregations (facets) when indexing, requires Elasticsearch	Disabled
Date histogram aggregations interval	Default interval for date histogram aggregations. Use "year, quarter, month, week, day, hour, minute, second" or Elasticsearch Time units as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#time-units</a>	Year
Date range aggregations ranges	Default ranges for date range aggregations. Comma separated ranges, one per line using Elasticsearch Time date math as described here <a href="https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math">https://www.elastic.co/guide/en/elasticsearch/reference/5.6/common-options.html#date-math</a>	now-2y/y,now-1y/y,Last Year...
Restrict search language by default	Only search content that is in the interface language, otherwise show the language menu.	Disabled
Default where	When object filter is not on, limit to search one type of object ☰ Entire site   Wiki pages   Blog posts   Articles   Files   Forums   Tracker items   Spreadsheets	None
Category filter		Disabled
Tag filter		Disabled
Object filter	Enables object type filters to be displayed above the search results to further reduce search results by object type.	Disabled
Sort order		Disabled
Search box	Shows a search box above the search results to do additional searches.	Enabled
Visits	Include the number of visits in the search results.	Disabled
Relevance	Display Tiki's estimate of the relevance of search matches in the search results.	Disabled
Object type	Shows object type filters above the search results to further reduce search results by object type.	Disabled

Option	Description	Default
Last-modified date	Show the last-modified date in search results.	Disabled
Parse search results	When enabled search results are parsed so content formatting is visible in the search results <b>⚠</b> <i>May impact performance</i>	Enabled
Highlight results pages	Highlight words on the result pages based on the search query.	Enabled