

## Stub

This page is a stub of information related to the not-very-well-documented simple wiki ratings feature.

## Enabling and Configuration

Set "Simple wiki ratings" under Admin Home, Wiki, Features (tiki-admin.php?page=wiki&cookietab=2)

## FAQ

1. Where are the results displayed?

tiki-poll\_results.php ? Seems to not list Simple Wiki Rating results.

tiki-old\_polls.php ? Seems to not list Simple Wiki Rating results.

The results are tabulated in the database table **tiki\_user\_votings**. The site pages for which the votes are applied are in field "id" with **values** like "wiki2". "Wiki2" in this example, is the Rating Type, "wiki" (as opposed to "article"), and the "2" indicates the "**page\_id**" from database table **tiki\_pages**.

Don't know yet if there is a page to display the results.

2. Why doesn't the rating bar show up on pages for users with lower permissions?

Because templates/tiki-show\_page.tpl requires \$tiki\_p\_assign\_perm\_wiki\_page eq 'y' . This appears to be a bug. Consider changing that to " \$tiki\_p\_wiki\_vote\_ratings eq 'y' ".

3. Can the collected votes be deleted somehow to reset the tally?

## From lib/prefs/wiki.php:

---

```
'wiki_simple_ratings' => array( 'name' => tra('Simple wiki ratings'), 'description' =>
tra('Enable users to rate articles based on a simple numeric scale.'), 'type' => 'flag', 'default'
=> 'n', ), 'wiki_simple_ratings_options' => array( 'name' => tra('Wiki rating options'),
'description' => tra('List of options available for the rating of wiki pages.'), 'type' => 'text',
'separator' => ',', 'filter' => 'int', 'default' => range(1, 5), ),
```

## From tiki-admin.php:

---

```
"rating" => array( 'position' => '-300px -215px;', 'icon' => 'img/icons/large/rating.png', 'title'
=> tr('Rating'), 'help' => 'Advanced+Rating', 'disabled' => $prefs['wiki_simple_ratings'] !==
'y' && $prefs['rating_advanced'] !== 'y' && $prefs['article_user_rating'] !== 'y', ),
```

## From lib/rating/ratinglib.php

References database table "tiki\_user\_votings".

---

```
function get_options( $type ) { $pref = 'rating_default_options'; switch( $type ) { case 'wiki
```

```
page': $pref = 'wiki_simple_ratings_options'; break; case 'article': $pref =
'article_user_rating_options'; break; } global $tikilib; return $tikilib->get_preference($pref,
range(1, 5), true); }
```

## From lib/test/rating/RegisterVoteTest.php

---

```
function testGetWikiPageRange() { global $prefs; $prefs['wiki_simple_ratings_options'] =
range(2, 8); $lib = new RatingLib; $this->assertEquals(range(2, 8), $lib->get_options('wiki
page')); }
```

## From templates/tiki-show\_page.tpl

\$tiki\_p\_assign\_perm\_wiki\_page appears to be a bug. Too strong. Should perhaps be  
\$tiki\_p\_wiki\_vote\_ratings .

---

```
{if $prefs.feature_wiki_ratings eq 'y'} {include file='poll.tpl'} {/if} {if
$prefs.wiki_simple_ratings eq 'y' && $tiki_p_assign_perm_wiki_page eq 'y'} <form
method="post" action=""> {rating type="wiki page" id=$page_id} </form> {/if}
```

## From lib/core/Tracker/Field/Rating.php:

```
$votings = TikiDb::get()->table('tiki_user_votings');
```

## From lib/polls/polllib\_shared.php:

```
$query = "select user from `tiki_user_votings` where `optionId`=?";
' left join `tiki_user_votings` tuv on (tpo.`optionId` = tuv.`optionId`) ' .
$query = 'delete from `tiki_user_votings` where `id`=?';
$query = 'delete from `tiki_user_votings` where `id`=? and `optionId`=? and ';
```

## From lib/rating/ratinglib.php:

```
$joins = array( '`tiki_user_votings` `uv` ' );
INNER JOIN ( SELECT ' . $connect . '(`time`) `t`, `user` `u` FROM `tiki_user_votings` WHERE ' .
implode(' AND ', $where) . ' GROUP BY `user` ' . $extra . ' ) `j`
'INSERT INTO `tiki_user_votings` ( `user`, `ip`, `id`, `optionId`, `time` ) VALUES( ?, ?, ?, ?, ?)',
'SELECT `optionId` FROM `tiki_user_votings` WHERE `user` = ? AND `id` = ? ORDER BY `time`
DESC',
```

## From lib/surveys/surveylib.php:

```
$query = 'delete from `tiki_user_votings` where `id`=?';
```

## lib/test/rating/AggregationTest.php:

```
TikiDb::get()->query('DELETE FROM `tiki_user_votings` WHERE `id` LIKE ?', array('test.%'));
```

## From lib/test/rating/RegisterVoteTest.php:

```
return TikiDb::get()->fetchAll('SELECT `user`, `id`, `optionId` FROM `tiki_user_votings` WHERE `id` LIKE ? ORDER BY `user`, `id`, `optionId`', array('test.%'));
```

## lib/tikilib.php:

```
$query = "select count(*) from `tiki_user_votings` where `user`=? and `id`=?";  
$userVotings = $this->table('tiki_user_votings');  
$vote = $this->getOne("select `optionId` from `tiki_user_votings` where `user` = ? and `id` = ?  
order by `time` desc", array( $user, $id));
```

## lib/trackers/trackerlib.php:

```
$userVotings = $this->table('tiki_user_votings');
```

...

## lib/userslib.php:

```
$this->query('update `tiki_user_votings` set `user`=? where `user`=?', array($to, $from));
```

## lib/wiki-plugins/wikiplugin\_votings.php:

```
$votings = TikiDb::get()->table('tiki_user_votings');
```

## From other pages

```
{CODE(wrap="0")}$ grep -C5 -iR "wiki_simple_ratings" * | grep -v -e templates_c -e temp/cache  
#redacted out the above
```

```
templates/admin/include_rating.tpl-
```

```
templates/admin/include_rating.tpl- </fieldset>
```

```
templates/admin/include_rating.tpl-
```

```
templates/admin/include_rating.tpl- <fieldset>
```

```
templates/admin/include_rating.tpl- <legend>Wiki{/tr}</legend>
```

```
templates/admin/include_rating.tpl:
```

```
templates/admin/include_rating.tpl: <div class="adminoptionboxchild"
```

```
id="wiki_simple_ratings_childcontainer">
```

```
templates/admin/include_rating.tpl:
```

```
templates/admin/include_rating.tpl- </div> templates/admin/include_rating.tpl- </fieldset>
```

```
templates/admin/include_rating.tpl-
```

```
templates/admin/include_rating.tpl- <fieldset>
```

```
templates/admin/include_rating.tpl- <legend>Articles{/tr}</legend>
```

--

templates/admin/include\_wiki.tpl-

templates/admin/include\_wiki.tpl-

templates/admin/include\_wiki.tpl- <div class="adminoptionboxchild"

id="feature\_wiki\_ratings\_childcontainer">

templates/admin/include\_wiki.tpl- <a class="link" href="tiki-

objectpermissions.php?permType=wiki&textFilter=ratings&show\_disabled\_features=y"

title="Permission{/tr}">🔑</a>

templates/admin/include\_wiki.tpl- </div>

templates/admin/include\_wiki.tpl:

templates/admin/include\_wiki.tpl: <div class="adminoptionboxchild"

id="wiki\_simple\_ratings\_childcontainer">

templates/admin/include\_wiki.tpl:

templates/admin/include\_wiki.tpl- </div>

templates/admin/include\_wiki.tpl-

templates/admin/include\_wiki.tpl-

templates/admin/include\_wiki.tpl- <div class="adminoptionboxchild"

id="feature\_backlinks\_childcontainer">

templates/admin/include\_wiki.tpl-